

8-7
Validity expires on 17.10.2015

ABSTRACT

State Environment Impact Assessment Authority, Kerala - Removal of Ordinary Earth from Sy. Nos. 460/15, 460/17, 460/27, 460/16 & 460/28 at Nooranad Village & Panchayath, Mavelikkara Taluk, Alappuzha District, Kerala. Application of Sri. K. Surendran Pillai & Smt. Saraswathy Amma 'Sarassu', Palamel Village, Palamel, Kudassanadu P.O., Alappuzha - 689512
Environmental Clearance - Issued

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 392/SEIAA/KL/2761/2014

Date: 18.04.2015


- Ref: 1. Application dated 03.05.2014 from Sri. K. Surendran Pillai & Smt. Saraswathy Amma, 'Sarassu', Palamel Village, Palamel, Kudassanadu P.O., Alappuzha - 689512
2. Certificate No. nil dated 29.05.2014 of Addl. Tahsildar, Mavelikkara
3. Minutes of 35th meeting of SEIAA held on 09.04.2015

ENVIRONMENTAL CLEARANCE NO. 14/2015

Sri. K. Surendran Pillai & Smt. Saraswathy Amma, 'Sarassu', Palamel Village, Palamel, Kudassanadu P.O., Alappuzha - 689512 have applied for Environmental Clearance for removal of 3640 m³ of ordinary earth from 0.3324 hectares of land comprised in Sy. Nos. 460/15, 460/17, 460/27, 460/16 & 460/28 at Nooranad Village & Panchayath, Mavelikkara Taluk, Alappuzha District, Kerala for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	12.06.2014
a) Undertakings given by applicant			
2	Nature of Land	:	Purayidam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	460/15, 460/17, 460/27, 460/16 & 460/28
4	Revenue authority who certified the Application	:	Addl. Tahsildar, Mavelikkara
5	Purpose of removal of Ordinary Earth	:	Levelling of the plot road
6	If to be transported out of the site, end use of the ordinary earth removed	:	Construction of road work at Karthikappalli Taluk
b) Appraisal and Recommendation by SEAC			
7	Date of recommendation of SEAC for removal of ordinary earth	:	17-18/10/2014
(c) Environmental Clearance by SEIAA			
8	Date of clearance given by SEIAA	:	09-04-2015
9	Quantity of ordinary earth sanctioned to be removed	:	3000 m ³
10	Special condition if any for removal of ordinary earth from the site	:	The removed earth shall be utilised for Government purpose only.

2. Environmental Clearance (EC) No. 1301/2006 dated 26.09.2006 read with O.M.No.L.1101 dated 11.09.2006 is accorded to Sri. K. Surendran Pillai, 'Sarassu', Palamel Village, Palamel, Kudassanadu P.O., Alappuzha District, to remove 3000 m³ of ordinary earth from the land adjacent to the road, Nos. 460/15, 460/17, 460/27, 460/16 & 460/28 at Palamel Village, Mavelikkara Taluk, Alappuzha District, Kerala in strict compliance with the general conditions in the annexure and the specific conditions stipulated in the EC dated above.
3. Violation of any of above conditions or special conditions will entail cancellation of the EC in accordance with the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF. If non-compliance if any noted shall be reported to the District Collector as required by the Director of Environment and Climate Change.



Member Secretary (SEIAA)

To,

Sri. K. Surendran Pillai,
'Sarassu',
Palamel Village, Palamel,
Kudassanadu P.O.
Alappuzha - 689512

Copy to:

1. District Collector, Alappuzha
2. Tahsildar, Mavelikkara
3. Director, Mining & Geology
4. Secretary, Nooranad Panchayath
- ✓ 5. Chairman, SEIAA
6. Stock File
7. Website



94

Annexure

(vide item 2)

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.