

307

**State Environment Impact Assessment Authority
(SEIAA) Kerala**

'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024

Ph: +91471-2742264 (Off) 0471-2742554 (Dir) +91471-2742554 (Fax)

e-mail: environmentdirector@seiaa.org

web: www.envt.kerala.gov.in www.seiaakerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala

**Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member; Sri. P. Mera Paradiyan LAS,
Member Secretary**

**Sub: SEIAA Kerala - 38th meeting held on 4-6-2015 – Environmental Clearance under EIA
Notification 2006 accorded for removal of ordinary/ brick earth- Accorded – Orders
issued.**

Environmental Clearance

**692
No. 560 /SEIAA/EC1/2015/SEIAA**

dated, Thiruvananthapuram 9.6.2015

**Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of
Environment & Forests, Government of India.**

2. Minutes of the 38th meeting of SEIAA held on 4-6-2015.

ENVIRONMENTAL CLEARANCE NO. 56 /2015/OE

DISPATCHED
Date 8/09/15

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful

purpose(s) as specified in the application.

- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against the health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

3. Violation of any of above general or specific conditions as applicable to the particular case, will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any shall be reported to the District Collector, by the Director of Environment and Climate Change.

Sd/-

Member Secretary

(SEIAA)

To,

✓ Sri. Anto K. Sebastian,
Kalathiparambil (H),
Vilayamkode (PO),
Kannur-670501

Copy to:

- ✓ 1. District Collector,
- ✓ 2. Tahsildar,
- ✓ 3. DoECC,
- ✓ 4. Director, Mining & Geology,
- ✓ 5. Secretary, Panchayat,
- ✓ 6. Chairman, SEIAA
- 7. Stock File
- 8. Website
- 9. O/C



Forwarded/By Order

Administrator, SEIAA

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendations of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	5	6	7	8
38.41	Sri. C. K. Varghese, Chakyath, Vazhickkale, Cheranahoor, Cochin, -682034	2024 acres of land in Sy. No. 60/2-3, 60/5 at Rayamangalam Village, Kunnathunadu Taluk, Ernakulam District, Q=6372 m ³	23.10.2014 / Addl. Tahsildar, Kunnathunadu Letter No. 6118/14 20.09.14 dtd.	For agriculture purpose	For levelling of land at Vengoor west village Bl. No. 10 Re. Sy. No. 52/1-3 of Sri. Sajeev Xavier and Koovappadi village Bl. No. 7 Re. Sy. No. 43/3-6 of Ioy	1. Removal should be in terraced manner limiting to average depth of 1 m. 2. 2000 m ³	(File No. 688 (A) /SEIAA/EC3/5485/2014) Approved the recommendations in the Column 7
38.42	Sri. Antony Nitrapel, Chairman, St. Antonies Educational and Charitable Society, P.B. no. 126 Kanjirappally, Idakkil-686507	Ha of land comprised in Sy. no. 63/1/1, 637/1, 633/1 at Village, Peruvanthanam Panchayath, Peerunadu Taluk, Idakkil District Q=300 m ³	01.12.2014 / Tahsildar, Peerunadu Certificate 10535/14 27.10.2014 dtd.	To level the plot for building construction and widening the road	To level the same plot	1. Nil 2. 300 m ³	(File No. 688 (A) /SEIAA/EC3/5640/2014) Approved the recommendations in the Column 7
38.43	Sri. Saji C. K., Chennai, Molarithu Veetil, Kinginimattom P.O., Kolanchery, Ernakulam -682311	0.7451 Hectors of land in Sy. No. 197/12-2, 197/13-2, 197/15-2 at Ikkaranadu South Village, Kunnathunadu Taluk, Ernakulam District Q=20,000 m ³	01.12.2014 / Tahsildar, Kunnathunadu Letter No. 13406/14 23.10.14 dtd.	For agriculture purpose	For Metro Rail work Mutton Yard, Kochi (no consent has been provided for utilization)	1. For Metro Rail work Mutton Yard, Kochi 2. 6000 m ³	(File No. 691/SEIAA/EC3/5643/2014) Approved the recommendations in the Column 7
38.44	Sri. Anto K. Sebastian, Kalathiparambil (H), Vileyankode (PO), Kannur-670501	0.0900 Ha of land in Sy. No.643/1B at Cheruthazham Village, Cheruthazham Panchayat, Kannur Taluk and District Q=5000 m ³	01.12.2014 / Deputy Collector (DM), Kannur	For the construction of water storage unit	Agriculture purpose.	1. Removal should be by forming terraces limiting the average depth to 1m. 2. 1800 m ³	(File No. 692/SEIAA/EC4/5644/2014) Approved the recommendations in the Column 7