

# Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member & Sri. P.H.Kurian, I.A.S., Member Secretary.

Sub: SEIAA- Environmental Clearance for the proposed stone quarry project in Survey No. 459/1-1pt., 459/2, 460/10, 12, 460/2-1pt., 460/2-2, 461/4, 461/1, 462/1pt., 462/2, 462/3, 446/4 pt., 446/7 pt., 446/8 pt., 462/5, 461/2, 461/3, 447/3, 2pt., 448/3pt., 2, 1pt., 452/5pt., 452/4, 6, 7, 8 of Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala by Mr. Jabu K. Abraham, Managing Partner, M/s POABS Granites Pvt. Ltd. - Granted - Orders issued.

#### STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA

#### No. 1071(A)/EC1/2016/SEIAA

Dated, Thiruvananthapuram 15.03.2018

 Ref: 1. Application received on 02.11.2016 from Mr Jabu K. Abraham, Managing Director M/s Poabs Granites Pvt. Ltd. Kuttoor P.O., Thiruvalla, Kerala-689106

- 2. Minutes of the 69th meeting of SEAC held on 09th & 10th March 2017
- 3. Minutes of the 71<sup>st</sup> meeting of SEAC held on 20<sup>th</sup> & 21<sup>st</sup> April 2017
- 4. Minutes of the 74<sup>th</sup> meeting of SEAC held on 14<sup>th</sup>& 15<sup>th</sup> June 2017.
- 5. Minutes of the 72<sup>nd</sup> meeting of SEIAA held on 01<sup>st</sup> August 2017
- 6. Minutes of the 76th meeting of SEIAA held on 16th November 2017
- 7. Affidavit dt.03.10.2017 from Sri Jabu K. Abraham

#### ENVIRONMENTAL CLEARANCE NO.32/2018

Mr.Jabu K. Abraham, Managing Director M/s Poabs Granites Pvt. Ltd. Kuttoor P.O., Thiruvalla, Kerala-689106., vide his application received on 02.11.2016 has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Survey No. 459/1-1pt., 459/2, 460/10, 12, 460/2-1pt., 460/2-2, 461/4, 461/1, 462/1pt., 462/2, 462/3, 446/4 pt., 446/7 pt., 446/8 pt., 462/5, 461/2, 461/3, 447/3, 2pt., 448/3pt., 2, 1pt., 452/5pt., 452/4, 6, 7, 8 of Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala State for an area of 14.5687 hectares. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per 0.M. No. L-11011/47/2011-IA.II(M) dated 18<sup>th</sup> May 2012 of Ministry of

Environment and Forests. It is further categorized as Category B2 as per Notification No.S.0.141(E) dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

#### Details of the project as furnished by the applicant are as follows;

# BASIC INFORMATION OF QUARRY (To be filled in by the Project Proponent) PART A

	Project details					
]	File No.	1071(A) / EC1 / 2016 / SEIAA				
1.	Name /Title of the project	The Stone Quarry (Minor Mineral) mining project of M/s Poabs Granites Pvt. Ltd. is situated at Survey Nos. 459/1-1pt., 459/2, 460/10, 12, 460/2-1pt., 460/2-2, 461/4, 461/1, 462/1pt., 462/2, 462/3, 446/4pt., 446/7pt., 446/8pt., 462/5, 461/2, 461/3, 447/3, 2pt., 448/3pt., 2; 1pt., 452/5pt., 452/4, 6, 7, 8, Peroorkada Village, Thiruvananthapuram Taluk, & District, Kerala in area 13.9642 hectares				
2.	Name and address of project proponent.	Mr. Jabu K. Abraham, Director M/s Poabs Granites Pvt. Ltd. Kuttoor P.O., Thiruvalla, Kerala-689106.				
3.	Owner of the land	Private own land				
4.	Survey No. District/Taluk/ and Village etc.	Survey Nos. 459/1-1pt., 459/2, 460/10, 12, 460/2-1pt., 460/2-2; 461/4, 461/1, 462/1pt., 462/2, 462/3, 446/4pt., 446/7pt., 446/8pt., 462/5, 461/2, 461/3, 447/3, 2pt., 448/3pt., 2, 1pt., 452/5pt., 452/4, 6, 7, 8, Peroorkada Village, Thiruvananthapuram Taluk, & District, Kerala.				
5.	Details of period of lease or permit with number including the beginning and expiry date of lease/permit period(Copy to be attached)	The quarry is working with 6 mining leases (all contiguous) with cumulative area of 9.1603 ha and 1 Environment Clearance for an area of 3.8173 ha videEC No. 37/SEIAA/KL/6092/2012 dt. 14-11-2012 for production of 2,90,000 MTA and the copy of mining leases with EC Order is attached. The mining activities were started at site with mining lease for an area 1,0037 ha from 07/03/2006 with validity up to				
6.	Present Status of the project  a) Date & Year of startingthe work of the quarry project. b) whether the quarryis working at present or not? c) If stopped working since when?	Working Quarry after07/03/2006 with an area of 1.0037 ha.  Currently working quarry with mining leases having EC No. 37/SEIAA/KL/6092/2012 dt. 14-11-2012 EC from SEIAA, Kerala.  Not applicable				
7.	Date of submission of Application	02/02/2016				
8.	Brief description of the project.	The land for the proposed quarry is aprivate owned land and the land is possessed in the name of M/s Poabs Granites Pvt. Ltd. The targeted production of mine will be 9,00,000 MTA. The estimated project cost will be Rs. 12.50 Crores. The expected life of mine estimated will be about 13 years. The mining operation will be carried out by opencast semi-mechanized method as per the approved Mining Plan.				

П	Details of Authorized Mr. Jabu K. Abraham, Managing Director					
9.	Signatory and address	M/s Poa bs Granites Pvt. Ltd.				
L l	for correspondence	Kuttoor P.O., Thiruvalla, Kerala-689106.				
Land Details						
10.	Extent of area in hectares	13.9642 hectares				
11.	Is the property forest land/Govt. land/own land/patta land	Private own land.				
12.	Quantity of top soil/over burden produced and managed	A total quantity of 89,871 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of eco-restoration.  About 29,862 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.				
13.	Latitude and Longitude	Latitude (N) 08°32'25.41" to 08°32'44.58"  Longitude (E) 77°00'15.71" to 77°00'35.04"				
14.	Topography of land and elevation	Part of the proposed land is exposed rock and the remaining land is covered with native trees, shrubs, herbs, grass, climbers, bushes etc. The topography of the lease area is hilly. The highest elevation of the lease area is 130 m MSL and lowest is 45 m MSL. As the proposed area is hill rock, the drainage of the lease area is towards South-East.				
15.	Slope analysis	As the proposed area is hill rock, the drainage of the lease area is towards South-East.				
16.	Will there be any significant land disturbance resulting in soil erosion, subsidence & natural	Due care will be taken to provide channel all around the foot hill to collect run off and also to avoid soil erosion.  There is no danger of flood or inundation as the proposed working is above the normal ground level. The area is not susceptible to flood.				
17.	drainage. Access road to the site width and condition	7m wide tarred road				
18.	Will there be any adverse impact on the aesthetics of the proposal site	No, the land used will be fully reclaimed and rehabilitated by backfilling the pond and plantation. Plantation and afforestation will add to the improvement in environment and aesthetic beauty of the area.				
	proposatione //	Mining details				
Minimum and		The exploitation of mineral is being done from 130 m to 40m MSL in				
20.						
21.	Underground mining if any proposed	No underground mining proposed and the working will be carried out by opencast semi-mechanized method as per the approved Mining Plan.				
22.	Method of Mining	The working will be carried out by opencast semi-mechanized method as per the approved Mining Plan.				
23.	Distance from the adjacent quarry	There is no quarry in operation within 500m radius to the proposed quarry project.				
24.	Cluster condition if any	Yes, 14.5 687hectares [Approved/EC Obtained area = 3.8 173 hectare (EC Order No.				

1		37/SEIAA/6092/2012 Dt. 14/1 1/2012) + Proposed area=10.7514				
		hectares]				
25.	Has "No cluster certificate" submitted?	Cluster certificate is sued by District Geologist is already submitted with EC Application.				
26.	Distance from nearby forest, if applicable	None within the study area				
	Distance from					
27.	protected area, Wildlife Sanctuary, National Park etc.	None within the study area				
		Water body:				
l	Distance from nearby	KaramanaRiver – about 120 m. (East) &				
28.	streams/rivers/National	KiliRiver about 3 km, (West)				
	Highway and Roads	NH / Major Roads:   NH-66, Trivandrum, 8.5 KM, SW				
-	Is ESA applicable? If	INTERIOR TIVALENTIAL, U.S. FLIA, D. II				
29.	so distance from ESA limit	Not falling in ESA.				
	Has approved mining	Yes, the approved mining plan prepared by RQP is already submitted				
30.	plan, prepared by RQP submitted?	with E.C. Application.				
31.	Capacity of production in TPA	9,00,000 MTA				
		The mining will be done by open cast semi-mechanized method of				
32.	Details of mining	mining. The bench height and width will be maintained 5 m.				
32.	process	Excavated material is transported to the crusher unit existing near the complex for further processing. The ultimate depth of the mine				
	workings is estimated to reach upto 40m MSL.					
_		Details of Project cost				
33.	Land cost	Rs. 6.5 Crores ( All inclusive )				
34.	Plant and Machinery	Rs. 6.5Crores (All inclusive)				
35.	Total Cost	Rs. 13 Crores (All inclusive)				
	Financial Statement	Rs. 13 Crores (All inclusive)				
36,	including funding source and details of	Insurance = Insurance to the quarry workers would provide through insurance company.				
	insurance etc.	Funding = Own source & bank loan				
		Air Pollution Mining activities will generate certain quantities of				
		dust during drilling, blasting, loading and				
		transportation operations. The following measures				
		will be taken to mitigate the fugitive dust from				
		different operations.				
		• Laying of haul road as per the standards, black				
	7.	topping of permanent haul road and service road to avoid or eliminate air – borne dust.				
37.	Management Plan	• To avoid the dust generation from the drilling				
3/.	Intellett Light	operations, wet drilling method will be adopted.				
		Drill machines will be equipped with dust				
		collectors.				
	İ	Use of appropriate explosives for blasting and				
		avoiding overcharging of blast holes.				
		Controlled blasting techniques will be adopted.				
		Watering of haul road and other road at regular				
	<u>                                     </u>	intervals.				

			<ul> <li>Provision of dust filters/ mask to workers</li> </ul>
	!		working at highly dust prone and affected
	į.		are as,
			Provision of green belt all along the periphery
	.	ļ	of the lease area.
		İ	
	. []		Periodical monitoring of ambient air quality in
! !			and around the lease area.
[ ]			The extracted mineral will be transported from
1. 1	[ ]		the quarry to the end user by adopting following
	_		measures so as to minimize dust emissions.
	-   <del> </del>		• In case of long transportation the trucks after
	·		loading will be covered with tarpaulin sheets.
1 [			Speed of the vehicles will be maintained within
		Ì	the prescribed limits
1 1			Trucks will not be over loaded and will be
			maintained to the body level
		Water	
			Provision of storm water collection pond with an
		Pollution	appropriate capacity. The water requirement for
			sprinkling on sources of dust emission, on roads,
			landscaping etc. Can be met from the stored
			rainwater in the pond.
		Noise	The major noise generating source from the
		4 ( )	proposed activity is working machinery, drilling,
			blasting and plying of vehicles. The following
			control measures are to be undertaken to bring
'			down the noise levels:-
			• Proper maintenance of machinery, equipments
			and improvement on design of machines.
			• Use of personal protective devices i.e., earmuffs
			and earplugs by workers, who are working in
			Autor. =
		#	high noise generating areas.
		ľ	• Creation of wide green belt of dense foliage
			between mine areas and residential colonies.
á			Proper training to personnel to create awareness
			about adverse noise level effects.
	a		Planned noise monitoring at suitable locations in
1		) Ju	the plant and outside location for proper effective
		ř"	remedial actions.
		Solid Waste	Topsoil Management
		Management	The topsoil excavated from the quarry will be
		Managomen	dumped / stacked separately at pre-determined place
	i		and subsequently will be utilized in spreading over
			reclaimed areas for plantation as part of eco-
			restoration. Precautions will be taken to limit the
		1	height of the topsoil dump / stacked to 5 to 6 meters
			in order to preserve its fertility and shelf life. It will
	!		be suitably protected from soil erosion and
	<u> </u>		infertility by planting fodder grass and leguminous
			plants during temporary storage.
	. 1		Overburden Management
		-	This waste will be utilized within the pit for lying of
			haul roads. At the end use, OB can be reutilized as
			soil base for plantation.
L			boll ouse for pidinuston.

г	<del></del>				
		Eco- restoration	The year wise programme of eco-restoration for life of mine will be made and about 10,300 trees will be planted in an area of 10.3485 ha.		
38.	Whether Environment Management Plan or Eco restoration Plan satisfactory?	Detailed Environment Management Plan is already submitted with E.C. Application.			
39.	Does it suggest mitigation measures for each activity		Yes and the detailed Environment Management Plan is already submitted with E.C. Application.		
40.	If Pre-Feasibility Report (PFR) satisfactory	Detailed Pre-Fea Application.	sibility Report (PFR) is already submitted with E.C.		
41.	Does it need public hearing	Not Applicable			
42.	Details of litigation and Court verdict if any	No litigation pen	ding		
43.	Details of public complaint, if any	None			
44.	Details of statutory sanction required	<ul> <li>Kerala Minor</li> <li>Mines Act, 19</li> <li>Explosive Ru</li> <li>Kerala Panch</li> <li>Environment</li> <li>EIA Notifica</li> </ul>	les, 2008 ayat Raj Act, 1994 Protection Act, 1986 tion, 2006 / 2009 Promotion of Tree Growth in Non-Forest Areas		
45.	XIII.If CRZ recommendation applicable?	Nor Applicable			
	Environn	374000. 333	ART B ssment and Mitigation Measures		
å		1mps	ect on water		
46.	Details of water requirement per day in KLD	domestic require	requirement is about 6 KLD in which 2 KLD is for ement which would be sourced from open well, 2 KLD is sion and 2 KLD for plantation purposes and will be orm water pond.		
47.	Water source/sources	open well, 2 K	lomestic requirement which would be sourced from LD for dust suppression and 2 KLD for plantation II be sourced from storm water pond.		
48.	Expected water use per day in KLD.	6 KLD	•		
49.	Details of water requirements met from water harvesting.	2 KLD for dust suppression and 2 KLD for plantation purposes and will be sourced from storm water pond			
50.	What are the impact of the proposal on the ground water?	No significant in project.	mpact envisaged on ground water due to the mining		
51.	How much of the water requirement can be met from the	Nil			

_ <del></del> -	- 1					
.	recycling of treated	€ <sup>2</sup>				
i i	waste water?	₩ •				
	(Facilities for liquid	•				
	waste treatment)					
	What is the					
	incremental pollution					
52.	load from waste water	The sewage to a tune of 1.60 KLD generated from the mine of fice will				
J 2.	generated from the	be diverted to the septic tank followed by soak pit.				
	_	·				
-	proposed activities?					
.		Storm water drains with silt traps will be suitably constructed all				
1 1		along the periphery of the pit area to collect the run-off from the				
	-	lease area and divert into the storm water pond /tanks proposed				
	T.T	within the complex.				
-	How is the storm water	All measures will be taken not to disturb the existing drainage				
53.	from within the site	pattern adjacent to the other property.				
	managed?	De-siltation traps and storm water collection pend proposed for				
		silt removal.				
		1				
		The storm water collected from the lease area will be utilized for				
		dust suppression on haul roads, plantation within the premises etc.				
		on Biodiversity and Eco restoration Programmes				
	Will the project					
	involve extensive	Due to the mining notification them will be been of some and				
-	clearing or	Due to the mining activities, there will be loss of some native species				
54.	modification of	and vegetation. However, some of these species will be planted at the				
	vegetation (Provide	end use for eco-restoration.				
Ì	details)					
<del> </del>	detarrisy	The year wise programme of eco-restoration for the life of mine will				
	3371-4-4-41-4	be made and about 10,300 trees will be planted in an area of 10.3485				
	What ate the measures	ha				
	proposed to minimize	Ecological restoration for the mined area by plantation of the species as				
	the likely impact on	per the time schedule suggested below: -				
55.	vegetation (details of	100° .				
	proposal for tree	Next Six months Shrubs				
	plantation	Next Six months onwards - Trees				
	landscaping)	Selection of species is based on High Dust Capturing, Soil Holding				
99		Capacity ground water recharge capacity etc. More focus is given for				
1 %		medicinal plants.				
<del>-</del>	Is there any					
	displacement of fauna					
	- both terrestrial and					
		Not applicable				
	aquatic If so what	• -				
56.	are the miligation	·				
	measures?					
	Presence of any	No endangered species found at site				
-	endangered species or	The changered species found at site				
	red listed category (in					
	detail)					
_	Impact on Air Environment					
	What are the					
	mitigation measures on					
57.	generation of dust,	Details already provided at EMP section at Sr. No. 37 above.				
	smoke and air quality					
58.	<del> </del>	Designated space will be provided for parking of truck / tipper within				
30.	betans of internal	I postgrated space with be browned for barking of mick / fipper within				

	traffic management of the site.	the site. For the purposes of mining activities, existing roads are sufficient. However, haul road will be suitably developed within the proposed area. Speed of the vehicles will be maintained within the prescribed limits (Speed Governor fitted).			
59	Details of noise from traffic, machines and vibrator and mitigation measures	Details already provided at EMP section at Sr. No. 37 above.			
60.	Impact of DG sets and other equipments on noise and vibration and ambient air quality around the project site and mitigation measures	Details provided at EMP section at Sr. No. 37 above and air, noise and water sampling reports were already submitted with EC Application.			
61.	Air quality monitoring in detail	Details provided at EMP section at Sr. No. 37 above and air, noise and water sampling reports were already submitted with EC Application.			
		Energy Conservation			
62.	Details of power requirement and source of supply.	The total power requirement will be 75 kW, which will be drawn from diesel engine. Fuel Quantity 16 to 20 lt/hr.			
63.	Details of renewable energy (non – conventional) used.	We will promote renewable energy resources;			
		Risk Management			
64.	Are there sufficient measures proposed for risk hazards in case of emergency such as accident at the site?	Detailed Environment Management Plan is already submitted with E.C. Application.			
65	Are proposals for fencing around the quarry mine will be done all around the quarry site.  The stone quarry mine will result in increase in frequency of blasting mining the mineral. However, controlled blasting with optimum charge holes will be carried out to loosen the rock. Explosion hazards envisaged due to mishandling of explosives. Explosives will be hand with utmost care in compliance of conditions imposed by Chief Control of Explosive & Metalliferous Mines Regulation, 1961.  Top soil and over burden generated from the site will be stored separation on earmarked place and will be used for eco-restoration and internal indevelopment.				
		Socio Economic Impacts			
66.	Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values. What are the safe guards proposed?	No .			
67	result in any changes to the demographic structure of local	any changes demographic of local in frastructure eventually leading to the development of the area.			

	provide details.		<u>.                                      </u>	<del></del>		
	•	Sl. No	Areas of Intervention	Recurring Expenses (inRs.)	Non Recurring Expenses (in Rs.)	
		1	Promotion of education	4,18,000	11,25,000	
		2	Environment protection	4,00,000	4,00,000	
68.	Are the CSR proposals	3	Health care	3,50,000	80,000	
08.	satisfactory? Give details	4	In frastructure Development	3,50,000	Nil	
	•	<del></del>	Total	15,18,000	16,05,000	
		Yes, a detailed study on social status of the project site surroundings & need base study on proposed CSR activities were carried out and the copy of report was submitted with EC Application. The project proponent will spent the above amount for CSR activities for the welfare of the local community in consultation with the local body.				
69.	What are the projects benefits in terms of	Due to	the mining activity and workers attracted to the	d due to the attac	ched ancillary unit, there It is proposed to employ	
	employment potential?	45 per	sons in the project.  PART C			
70.	Details of NABET approved EIA Consultant engaged-Their name, address and accreditation details	M/s Environmental Engineers & Consultants Pvt. Ltd. (NABET Accredited Consultant Organization)  Head Office: -A1-198, Janak Puri, New Delhi. Branch Office: - C-306, Kanchanjunga Apartments, Palarivattom P.O., Kochi, Kerala.				
ļ			Summary and Conclus	<del>"</del>	<del></del>	
		positiv local i involv people increa	wely increase the chance inhabitants. There are n red in this project. The e of the area. The rever sing due to the propo	e of more emplo o Resettlement a project infrastru- nue of the State sed activity. Th	due to this project will byment opportunities for and Rehabilitation issues actures will be of use to Govt. will be definitely be entire project area is	
71.	Overall justification for implementation of the project.	devoid of any endangered flora and fauna. It is proposed to reclaim the land and develop green cover for eco-restoration with native species to a maximum possible extent. Additionally, an area is earmarked outside the proposed mining area for compensatory mass plantation. Also, a storm water pond is proposed outside the mining area for storage of rain water and for its subsequent use so				
as to conserve fresh wate is not likely to affect adversely.				consumption. T	hus the proposed project	
72.	Explanation of how adverse impact have been mitigated.	Detailed Pre-Feasibility Report (PFR) with Environment Management Plan (EMP) is already submitted with E.C. Application.				

2. The proposal was considered in the 69<sup>th</sup> meeting of SEAC Kerala held on 09<sup>th</sup> and 10<sup>th</sup> March 2017 and the Committee deferred the item for field inspection. Accordingly, field visit to the quarry project was carried out by the Subcommittee of SEAC on 18.03.2017. Field visit report is given below:

Field visit to the Quarry project site of M/s Poabs granite Quarry Pvt Ltd. Peroorkada village, Thiruvananthapuram district, was carried out on 18.03.2017 by the sub-committee of SEAC, Kerala, comprising Sri. S. Ajaya Kumar and Sri. John Mathai. The proponent, Sri Jabu K. Abraham, along with other representatives were present at the site at the time of site visit. The proposed area consists of 14.5687 ha out of which 3.8173 ha was accorded EC in 2012. This project is located at about 5 km east of Peroorkada junction with the approach from Moonnammoodu on the Vattiyoorkavu-Vellaikadavu road. Entire area under possession has been provided with boundary wall/fence. Boundary pillars are erected and numbered as given in the surface plan. The rock type is a mixture of Khondalite and Charnockite. The eastern part with existing EC is being exploited with formation of benches while the western part is yet to be developed. Higher level of mechanisation is seen in the quarry. The overall slope of the land is towards southeast. OB is stored in the designated place. The storm water from the worked out portion is channelized into a pit for clarification and further led into a large tank that functions as RWH structure. Similarly in the western part, an abandoned pit is used for collecting storm water and the overflow let out through a defined channel after clarification. The service block and a ready mix concrete unit are located on the extreme eastern part. The main haulage road and the approach road are properly laid. Floral and faunal biodiversity is not observed as the area is mostly rocky and disturbed. Green belt is maintained all around and close to the service block. Dwelling units are not observed in the vicinity of the developed area. However dwelling units are seen within 100 m of the undeveloped area. A narrow belt of land not owned by the proponent and without any dwelling units is noticed surrounded by the area for which EC is sought. Other quarries are not seen within 500 m from the periphery. EC compliance report for the existing quarry is being provided regularly to SEIAA. Based on an overall evaluation of the site and considering the fact that the site includes a part where EC was already issued, it can be recommended subject to:-

- An agreement of 'no objection for quarrying' to be provided by the owner of the plot sandwiched within the proposed EC area.
- 2. Mandatory 100 m distance to be left from the dwelling units as no development zone. For this a revised surface plan may be provided keeping a 100 m buffer distance from the northern boundary of the western block.
- 3. The abandoned pit on the western part to be developed as a RWH pond in future.
- 3. The proposal was placed in the 71<sup>st</sup> meeting of SEAC held on 20<sup>th</sup>& 21<sup>st</sup> April 2017 and deferred the item for submission of the following document.

An agreement of 'no objection for quarrying' from the owner of the plot embedded within the proposed quarrying area.

Subsequently, the proponent has submitted the document sought by the 71st SEAC.

4. The proposal was considered in the 74<sup>th</sup> meeting of SEAC held on 14<sup>th</sup> & 15<sup>th</sup> June 2017. The Committee verified the additional documents submitted by the proponent and

found satisfactory. Based on the Mining plan, Form. 1, all other documents submitted with the proposal and the field visit report, the committee decided to Recommend for issuance of EC subject to the general conditions in addition to the following specific condition.

1. The abandoned pit on the western part to be developed as a Rain water Harvesting pond.

No.

2. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent agreed to set apart Rs. 25 lakh (non-recurring) and Rs. 25 lakh (recurring) per annum for CSR activities for the welfare of the local community in consultation with the local body.

5. The proposal was placed in the 72<sup>nd</sup> meeting of SEIAA held on 01<sup>st</sup> August 2017. Authority noticed from the site inspection report that dwelling units are seen within 100m. Hence Authority decided not to consider the proposal for EC.

Then the proponent has submitted the revised plan stating that mining will be restricted by keeping a distance of 100m from the dwelling unit.

- 6. Hence the proposal was again placed in the 76<sup>th</sup> meeting of SEIAA held on 16<sup>th</sup> November 2017. Authority decided to inform the proponent to give an explanation about the exact mining area after leaving 100 m distance from the dwelling unit before the issuance of EC. If the explanation is satisfactory EC may be issued subject to the general conditions in addition to the following specific conditions.
  - 1) The abandoned pit on the western part to be developed as a Rain water Harvesting pond.
  - 2) If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent should set apart Rs. 25 lakh (non-recurring) and Rs. 25 lakh (recurring) per annum for CSR activities for the welfare of the local community in consultation with the local body and the details should be forwarded to SEIAA. A notarised affidavit for the commitment of CSR activities and also agreeing to all the general and specific conditions should be submitted before the issuance of EC. The proponent has submitted the explanation stating that after leaving a buffer area of no mining zone of 0.6045 ha by keeping a set back of 100 m distance from the nearest dwelling unit, the proposed

mineable area is reduced from 12.4689 ha to 11.8644 ha The proponent has also submitted the affidavit vide reference 7<sup>th</sup> cited satisfying all the general and specific conditions.

- 7. Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the proposed quarry project of Mr.Jabu K. Abraham, Managing Director M/s Poabs Granites Pvt. Ltd. Kuttoor P.O., Thiruvalla, Kerala 689 106 in Survey No. 459/1-lpt., 459/2, 460/10, 12, 460/2-1pt., 460/2-2, 461/4, 461/1, 462/1pt., 462/2, 462/3, 446/4 pt., 446/7 pt., 446/8 pt., 462/5, 461/2, 461/3, 447/3, 2pt., 448/3pt., 2, 1pt., 452/5pt., 452/4, 6, 7, 8 of Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala for an area of 13.9642 hectares, subject to the specific conditions as in para 6 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- 8. The Clearance issued will also be subject to fall and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 7 (Blasting), Chapter 10 (EMP) Chapter 14 (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 9. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 10. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
  - i. Necessary assistance for entry and inspection should be provided by the project

proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.

- Instances of violation if any shall be reported to the District Collector, ii. Thiruvananthapuram
- The given address for correspondence with the authorised signatory of the project is iii. Mr. Jabu K. Abraham, Managing Director M/s Poabs Granites Pvt. Ltd. Kuttoor P.O., Thiruvalla, Kerala-689106.

P.H.KURIAN I.A Member Secretary (SEIAA)

To,

Mr. Jabu K. Abraham, Managing Director M/s Poabs Granites Pvt. Ltd Kuttoor P.O., Thiruvalla, Kerala - 689106

### Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.

  2. The Additional Chief Secretary to Government, Environment Department,
- Government of Kerala.
- 3. District Collector, Thiruvananthapuram
- 4. Director, Mining & Geology, Thiruvananthapuram -4.
- 5. The Member Secretary, Kerala State Pollution Control Board
- 6. District Geologist, Thiruvananthapuram
- 7. Tahsildhar, Thiruvananthapuram Taluk, Thiruvananthapuram
- 8. Chairman SEIAA.
- ₩ebsite.
  - 10. S/f
  - 11.0/c

Forwarded/By order

Administrator, SEIAA

### STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

## GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives : Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- No mining operations should be carried out at places having a slope greater than 45°.
- Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered tracks to contain dust emissions.
- The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.
- 27. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- 28. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponents hall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including tevoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- 37. The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- 38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3
  ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less
  than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of
  the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- 44. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and 0B dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM<sub>10</sub> and PM<sub>2.5</sub> such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- 50. The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- 51. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 53. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 54. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- 55. This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- 56. The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- 57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- 58. All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- 60. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the name lease area shall be carried out and reported in the six monthly reports to SEIAA.
- Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Ketala

derc