

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. James Varghese, I.A.S., Member Secretary.

Sub: SEIAA- Environmental clearance for the proposed quarry project in Sy. Nos. 265/6, 265/9, 266/1, 228/7, 228/20, 227/1-1 pt., 266/8 pt., 266/9 pt., 267/3 pt., 267/4 pt., 267/5 pt. and 267/6 pt. at Anavoor Village, Kunnathunkal Panchayat, Neyyattinkara Taluk, Thiruvananthapuram District, Kerala by Sri. B. Sreekantan, Proprietor, M/s Avani Metal Crusher - EC granted – Orders issued.

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY, KERALA

No. 860/SEIAA/EC1/2989/2015

Dated, Thiruvananthapuram 05.05.2017

Ref:

- 1. Application dated 29-07-2015 from Sri. B. Sreekantan, Proprietor, M/s Avani Metal Crusher, Kottackal, Anavoor P.O., Thiruvananthapuram, Kerala-695124
- 2. Minutes of the 64th meeting of SEAC held on 16th & 17th November, 2016
- 3. Minutes of the 66th meeting of SEAC held on 19th December, 2016.
- 4. Minutes of the 64th meeting of SEIAA held on 23rd February 2017.

ENVIRONMENTAL CLEARANCE NO.34/2017

Sri. B. Sreekantan, Proprietor, M/s Avani Metal Crusher, Kottackal, Anavoor P.O., Thiruvananthapuram, Kerala-695124, vide his application received on 29-07-2015, has sought Environmental Clearance under BIA Notification, 2006 for the quarry project in Survey Nos. 265/6, 265/9, 266/1, 228/7, 228/20, 227/1-1 pt., 266/8 pt., 266/9 pt., 267/3 pt., 267/4 pt., 267/5 pt. and 267/6 pt. at Anavoor Village, Kunnathunkal Panchayat, Neyyattinkara Taluk, Thiruvananthapuram District, Kerala for an area of 4.2047 ha. The project comes under Category B2 as per the O.M. No. J-13012/12/2013-IA-II (I) dtd. 24.12.2013 of Ministry of Environment and Forests, since the area of the project is below 25 hectares. The proposed project site falls within Latitude (N) 08°25'57.67" to 08°25'47.93", Longitude (E) 77°08'22.05" to 77° 08'12.81". The land use classification as per revenue records is private own land with native plantation. The present land use is rocky land.

	I. Project details			
1.	File No.	860/SEIAA/EC1/2989/2015		
2.	Name /Title of the project	Quarry project of M/s Avani Metal Crusher		
3.	Name and address of project proponent.	Mr. B. Sreekantan, Proprietor M/s Avani Metal Crusher, Kottackal, Anavoor P.O., Thiruvananthapuram,		

	. <u> </u>	Kerala-695124.		
		E-mail :- avanimetalcrusher@gmail.com		
4.	Owner of the land	Private Land		
· · ·		Survey Nos. 265/6, 265/9, 266/1, 228/7, 228/20, 227/1-1 pt.,		
	Survey No.	266/8 pt., 266/9 pt., 267/3 pt., 267/4 pt., 267/5 pt., 267/6 pt.		
5.	District/Taluk/ and	Village: Anavoor		
.	Village etc.	Taluk: Neyyattinkara		
	, 11111Bo 4101	District: Thiruvananthapuram		
	Nature of the proposal	The project possess quarrying lease for an area of 3.8074 ha and		
6.	 lease or permit with 	for the remaining area the Letter of Intent (LOI) possess for an		
	evidence.	area of 0.3973 ha.		
	Date of submission of	20.07.2015		
7.	Application	29.07.2015		
		The applied area is having building stone throughout the area. As		
		per detailed estimation the geological reserves is about 19,12,091		
		MT. After deducting the minerals locked in mines safety slope of		
		5,55,477 MT, the mineable reserves arrived to be 13,56,614 MT.		
8.	Brief description of the	The annual production is estimated to be 1,60,000 MTA. At the		
٥.	project.	end of life of mine, the ultimate floor (bottom) level will reach		
		114m MSL. Under reclamation it is anticipated to undertake		
		plantation in the applied area. Anticipating 50 % growth rate, at		
		the end of life of mine about 3,500 trees will be grown in the		
	*:	total area		
	á.	Mr. B. Sreekantan, Proprietor		
	Details of Authorized	M/s Avani Metal Crusher,		
9.	Signatory and address	Kottackal, Anavoor P.O., Thiruvananthapuram,		
	for correspondence	Kerala-695124.		
		E-mail:- avanimetalcrusher@gmail.com		
		II. Land Details		
10.	a) Extent of area in	4.2047 hectare		
4	hectares			
	b) Is the property			
11.	forest land/Govt.	Private own Land		
	land/own land/patta land			
	c) Quantity of top soil/over burden	Top soil: 27,330 cu. m.		
12.	produced and	Overburden: 3,364 cu. m.		
1.	managed	Overburden , 3,304 cu. m.		
ļ .	d) Latitude and	Latitude: 08°25'57.67" to 08°25'47.93"		
13.	Longitude	Longitude: 77°08'22.05" to 77° 08'12.81"		
L	Longitude	Longitude . 11 00 22:05 to 11 00 12:01		

	,	· · · · · · · · · · · · · · · · · · ·	
14.	e)	Topography of land and elevation	Part of the proposed land is exposed rock and the remaining land is covered with native trees, shrubs, herbs, grass, climbers, bushes etc. The highest elevation of the lease area is 184 m MSL and lowest is 119 m MSL. As the proposed area is low height hillocks, the drainage of the lease area is towards south. No habitants are located in the lease area. Old pits lies in the lease area are marked on surface plan.
15.	f)	Slope analysis	Slope: towards south side
16.	g)	Will there be any significant land disturbance resulting in soil erosion, subsidence & natural drainage.	Due care will be taken to provide channel all around the foot of the hill to collect run off and also to avoid soil erosion. There is no danger of flood or inundation as the proposed working is above the normal ground level. The area is not susceptible to floods.
17.	h)	Access road to the site width and condition	7 m., tarred road, S
18.	i)	Will there be any adverse impact on the aesthetics of the proposal site	The land used will be fully reclaimed and rehabilitated by backfilling the pits and plantation. Plantation and afforestation will add to improvement in environment and aesthetic beauty of the area. After the mining activities will be rehabilitated with 3,500 tree
			III.Mining details
19.	a)	Minimum and Maximum height of excavation	119 m MSL to 184 m MSL
20.	b)	Life of mine proposed.	About 8.5 years
21.	c)	Underground mining if any proposed	Ne.
22.	d)	Method of Mining	Open cast semi-mechanized
23.	e)	Distance from the	There is One quarry (2.4706 hectares) in operation within 500m
24.	f)	adjacent quarry Cluster condition if any	radius. There is One quarry (2.4706 hectares) in operation within 500m radius.
25.	g)	Has "No cluster certificate" submitted?	Yes. Submitted along with our application - Page No. 138.
26.	h)	Distance from nearby habitation	251 m. towards SE side from the site.
27.	i)	Distance from nearby forest, if applicable	None within the study area
28.	j)	Distance from	Neyyar Wildlife Sanctuary, 15 km., N

	protected area, Wildlife Sanctuary, National Park etc.			
29.	k) Distance from nearby streams/rivers/Nati onal Highway and Roads	 Kudayal River, 1 km., SW Neyyar Canal, 1 km., W Chittar Dam, 12 km., E Neyyar Dam, 11 km., N 		
30.	Is ESA applicable? If so distance from ESA limit	Not falling in ESA		
31.	m) Has approved mining plan, prepared by RQP submitted?	Yes. Submitted along with our application. Page No. 100-136. The new mining plan as per 2015 also submitted.		
32.	n) Capacity of production in TPA	1,60,000 MTA		
33.	o) Details of mining process	The mining will be done by open cast semi-mechanized method of mining. The bench height and width will be maintained 5 m. Excavated material is transported to the crusher unit proposed within the complex for further processing. The ultimate depth of the mine workings is estimated to reach upto 114m MSL		
	i i	IV. Details of Project cost		
34.	a) Land cost			
35.	b) Plant and Machinery	Rs. 4.0 Crores		
36.	c) Total Cost	Rs. 4.0 Crores		
	V. Financial			
	Statement including	Source:- Own source & bank loan		
37.	funding sourceand	Insurance: Insurance to the workers and machinery during		
	details of insurance	construction phase		
	etc.			
		Air Pollution Mining activities will generate certain quantities of dust during drilling, blasting, loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations. • Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air —		
38.	Management Plan	 service road to avoid or eliminate air – borne dust. To avoid the dust generation from the drilling operations, wet drilling method will be adopted. Drill machines will be equipped with dust collectors. Use of appropriate explosives for blasting and avoiding overcharging of blast holes. 		

		- 0-4-11-1-11-2-4-1-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3
		Controlled blasting techniques will be
		adopted.
		Watering of haul road and other road at
		regular intervals.
		Provision of dust filters/ mask to workers
		working at highly dust prone and affected
		areas.
		Provision of green belt all along the
		periphery of the lease area.
		Periodical monitoring of ambient air
		quality in and around the lease area.
		The extracted mineral will be transported from
		the quarry to the end user by adopting
		following measures so as to minimize dust
		emissions.
		• In case of long transportation the trucks
		after loading will be covered with tarpaulin
		sheets.
		• Speed of the vehicles will be maintained
		within the prescribed limits.
	Lat.	Trucks will not be over loaded and will be
		maintained to the body level
#	Water	Provision of storm water collection pond of
	Pollution	total capacity about 10,000 KL. The water
		requirement for sprinkling on sources of dust
		emission, on roads, landscaping etc. Can be
		met from the stored rainwater in the pond.
	Noise	The major noise generating source from the
	· · · · · · · · · · · · · · · · · · ·	proposed activity is working machinery,
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	drilling, blasting and plying of vehicles. The
		following control measures are to be
		undertaken to bring down the noise levels:-
		• Proper maintenance of machinery,
		equipments and improvement on design of
	·: 	machines.
		• Use of personal protective devices i.e.,
		earmuffs and earplugs by workers, who are
		working in high noise generating areas.
		• Creation of wide green belt of dense foliage
		between mine areas and residential colonies.
		• Proper training to personnel to create
		awareness about adverse noise level effects.
		• Planned noise monitoring at suitable
		locations in the plant and outside location
		for proper effective remedial actions.
	Solid Waste	Topsoil Management
	Management	A total estimated quantity of 27,330 cu. m. of
		topsoil is proposed to be removed during the
		O

		mining operations. The topsoil excavated from the quarry will be dumped separately at predetermined place and subsequently will be utilized in spreading over reclaimed areas for plantation. Precautions will be taken to limit the height of the topsoil dump to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage. Overburden Management About 3,364 cu. m of overburden will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.			
		Eco- restoration The year wise programme of eco-restoration for the life of mine, about 3,500 trees will be planted in an area of 3.6547 ha.			
39.	VI. Whether Environment Management Plan or Eco restoration Plan satisfactory?	Yes			
40.	VII. Does it suggest mitigation measures for each activity	Yes			
41.	VIII. If Pre- Feasibility Report (PFR) satisfactory	Yes. Submitted along with our application.			
42.	public hearing	No Public Hearing required because of the project comes under below 25 ha. (Category B2)			
43.	X. Details of litigation and Court verdict if any	No.			
44.	XI. Details of public complaint, if any	Nil			
45.	XII. Details of statutory sanction required	 a. Mine Lease / LOI b. NOC from Pollution Control Board c. Environment Clearance from SEIAA / MoEF d. NOC from Explosive Dept. 			
46.	XIII.If CRZ recommendation applicable?	NA			
	Environmen	PART B It Impact Assessment and Mitigation Measures			
	Impact on water				

47.		Details of water requirement per day in KLD	The total water requirement is about 17 KLD in which 2 KLD is for domestic which would be sourced from open well, 13 KLD for dust suppression system in mine as well as ancillary unit (Crusher/M sand Unit) and 2 KLD for plantation purposes and will be sourced from storm water pond.		
48.	b)	Water sources.	Open Well & Storm water pond		
49.	c)	Expected water use per day in KLD.	17 KLD		
50.	d)	Details of water requirements met from water harvesting.	It is proposed to construct a storm water collection pond and desiltation unit in the lowest contour of the plot. The water requirement for sprinkling on sources of dust emission, roads and for landscaping purposes can be met from the stored rain water pond and thereby conserve the fresh water.		
51.	e)	What are the impact of the proposal on the ground water?	The use of ground water will be only for domestic consumption based on the permissible yield from the large open wells. Thereby no impact to the ground water.		
52.	f)	How much of the water requirement can be met from the recycling of treated waste water? (Facilities for liquid waste treatment)	Not applicable as the project is quarry Project		
53.	g)	What is the incremental pollution load from waste water	Not applicable as the project is quarry Project		
		generated from the proposed activities?			
54.	h)	How is the storm water from within the site managed?	It is proposed to construct a storm water collection pond and desiltation unit in the lowest contour of the plot.		
		Impact on 1	Biodiversity and Eco restoration Programmes		
	a)	Will the project involve extensive			
55.		clearing or modification of vegetation (Provide details)	The some area of proposed quarry has native trees, climbers, grass, shrubs, herbs etc.		
56.	b)	What ate the measures proposed to minimize the likely impact on vegetation (details of proposal for tree	It is proposed to develop green belt to 87 % which includes areas like along mine lease boundary (7.5 m width), all along the periphery and reclaimed area. Grass and bushes will be planted in areas prone to erosion especially at the foot of the hill. Other areas will be fertilized and planted with local species. The characteristics of this		

		plantation/	vegetation will resemble that of the natural environment except	
		landscaping)	for the early growth, which may be a protective cover crop of non-seeding annuals.	
			Before re-vegetation, the land will be properly prepared by	
			spreading the top soil which is rich in organic contents.	
			Vegetation will be self-sufficient after planting and require no	
			fertilization or maintenance.	
	c)	Is there any		
		displacement of		
		fauna – both	•	
		terrestrial and	No No	
		aquatic, – If so		
57.		what are the		
37.		mitigation		
		measures ?		
	(d)	Presence of any		
		endangered species	Nil	
		or red listed		
	!	category (in detail)		
	a)	What are the	Impact on Air Environment	
	1	mitigation	The prime objective of the baseline air monitoring was to	
		measures on	evaluate the existing air quality of the area. This will also be	
58.		generation of dust,	useful for assessing the conformity to standards of the ambient	
		smoke and air	air quality during the operation of the proposed mine.	
		quality	3 1	
	b)	Details of internal		
59.		traffic	NA .	
39.		management of the		
		site.		
	(c)	Details of noise		
		from traffic,		
60,	i.,	machines and	Yes, noise level monitoring carried out from an approved	
1879		vibrator and	laboratory at site and report of the same is already submitted.	
	A 0351, 354	mitigation		
	<u>d)</u>	measures Impact of DG sets		
	uj	and other		
		equipments on		
		noise and vibration	Drilling, blasting, compressors, plying of vehicles are the main	
61.		and ambient air	sources of noise.	
-		quality around the	Noise level monitoring carried out from an approved laboratory	
		project site and	at site and report of the same is already submitted	
		mitigation		
		measures		
	e)	Air quality	Yes, ambient air quality monitoring carried out from an approved	
62.		monitoring in	laboratory at site and report of the same is already submitted	
		detail		
Energy Conservation				

62	a) Details of power	The total power requirement will be 75 kW for compressors		
63.	requirement and source of supply.	which will be operated by Diesel Engine.		
64.	b) Details of renewable energy (non – conventional) used.	The project proponent proposed to have a 2.5 kW solar power plant to meet the energy requirements of the site office & labour quarters.		
		Risk Management		
65.	a) Are there sufficient measures proposed for risk hazards in case of emergency such as accident at the site?	 Proper barricading and monitoring of the water stored area would be taken up to prevent accidents. Well equipped medical / hospital facilities would be available round the clock for attending according out. 		
66.	 b) Are proposals for fencing around the quarry satisfactory? c) Storage of explosives/hazar dous substance in detail d) Facility for solid waste management 	Yes, fencing of overall quarry site with GPS location marked boundary pillars.		
		Socio Economic Impacts		
67.	a) Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values. What are the safe guards	No.		
68.	proposed? b) Will the proposal result in any changes to the demographic structure of local population. If so, provide details.	Part of proposed land is covered with native trees, shrubs, herbs, grass, climbers, bushes etc. it should be removed for mining.		
69.	c) Are the CSR proposals satisfactory. Give	Common CSR ACTIVITIES already carried out Sl.no Particulars Amount in Rs.		

	details			· · •	In lakhs
		1	Provided in LMS	UP School,	2.0
		Perimbakonam for its			
		infrastructure development and			
		other facilities.			
	·	2	Provided recreati	onal materials to	0.25
			5 anganwadies ne	ear to the project	
			site.		
		3	Financial support		0.50
			from economical	· 35.	
		-		ue their education	
l .			The project can s		1.50
			families from eco		
			backward to acco		
			houses and toilets	2000 00000	D
		CLN		sed common CSR	
		Sl.No.	Particulars Education	Recurring: Rs. 2.	s. In lakhs
İ		1	Education	Non Recurring : R	
		2	Health	Recurring: Rs. 3.0	
		4	IICailli	Non Recurring : R	
	·	7	Community	Recurring: Rs. 7.4	
	*		Development	Non Recurring : R	,
	4	4	Ensuring	Recurring :Rs. 3.0	
			Environmental	Non Recurring :N	
			Sustainability	Tron Itoourning	
	46.	5	Reduction in	Recurring :Nil	
			carbon	Non Recurring :R	s90 Lakhs.
			footprint and		
			CO ₂ emission	·	
		A deta	ils study on s	social status of	the project site
		surround	dings & need bas	se study on propos	ed CSR activities
		were car	rried out. The sun	nmary of the report	is given above.
	d) What are the				•
	projects benefits in	44 people	e are directly and	indirectly working	this quarry.
70.	terms of	peopie	- Lie Gilvery and		
	employment				
	potential?		D. DE C	•	
	<u>"</u>	Tag / 1873 - 1	PART C		4. D. 4. T. 4.3
	Details of NABET		_	neers & Consultan	
	approved EIA	•	Accredited Consider No. NABET/E	ultant Organization	,
71.	Consultant engaged-			1A/1518/RAU10 1ak Puri, New Delh:	į
/1.	Their name, address	Branch O		iak i uii, new Delli	1.
	and accreditation	,		rtments, Palarivatto	m PO Kochi
	details	Kerala.	unchanjunga Apa	amienes, i mairvatto	mir.o., nom,
	Summary and Conclusion				
72.	a) Overall			Existing quarry proj	ect for an area of
	, w, o , viair	Trop Prop	and project to a	damin broi	,

	justification for	4.2047 hectares.
	implementation	
	of the project.	
	b) Explanation of	the acthetics
72	how adverse	No., there will be no adverse impacts envisaged on the aesthetics
73.	impact have been	of the project site.
	mitigated.	

2. The proposal was placed in the 64th meeting of SEAC, Kerala, held on 16th& 17th November, 2016. The committee appraised the proposal based on the Mining Plan, Prefeasibility Report and all other documents submitted along with Fom 1.

The present quarry is having a valid lease upto 2023 for an area of 3.874 ha and in the proposal an additional area of 0.3973 ha is proposing. The total area proposed is 4.2047 ha. The committee observed that though there is an adjacent quarry owned by Mr.Ramachandran is working, the geologist in his certificate dated 20.3.2015 stated that there is no quarry with in 500m radius. But in the certificate dated nil issued by District Geologist, Mining & Geology Department, Thiruvananthapuram which is attached with PFR, it is stated that a quarry owned by Mr.Ramachandran Nair is there within the distance of 500m. The authenticity of the two certificates are to be verified with district geologist.

The Committee deferred the item for field inspection to assess the ground realities.

Field visit to the Quarry project site of M/s Avani Metal Crusher, Anavoor village Thiruvananthapuram district, was carried out on 30.11.2016 by the sub-committee of SEAC, Kerala, comprising Dr. Harikrishnan and Sri. John Mathai. The proponent, Sri. B. Sreekantan, was present at the site at the time of site visit. The field visit report is given below.

The project is located at about 1 km west of Paliyode with the approach from Paliyode Marayamuttam road. This quarry area falling in own land occupy the southern upper slopes of a hill ridge exposing hard rock. Another quarry is seen to the north of this lease area but cluster situation is not there as the combined area is less than 25 ha as per the certificate issued by the District Geologist. Boundary pillars of the plot are erected temporarily but the coordinates and number of the pillars appears to be jumbled on comparing with the numbers given in the surface plan. The lease area is presently seen as two blocks separated by an area that houses crusher, office and other ancillary facilities of the unit. The rock type is a mixture of Khondalite and Charnockite. Formation of benches has been initiated. The segment from BP3 to BP 11 shows very steep cuttings of old workings with a height difference of nearly 30 m. The adjacent land under the possession of the proponent can be added to the present lease area for a planned extraction. Storm water is partly channelized into a pit in the lower part of western block, but bulk is drained out to the lower valley through a drain provided though the middle part. Fencing is to be provided along the outer boundary. OB is now stored in the valley part. The quarry has a crusher unit. Floral and faunal biodiversity is not observed as the area is mostly rocky and considerably disturbed. Vegetation in the form of rubber plantation is seen all around. Based on an overall evaluation of the site, issuance of EC can be recommended after compliance of the following:

- All the boundary pillars are to be fixed permanently on the ground, numbered correctly and their respective coordinates to be written on them
- Fencing to be completed around the lease area.
- The approach road to be properly surfaced to facilitate smooth movement of trucks.
- The steep cliff like segments to be marked as danger zones with proper demarcation
- OB now stored in the valley portion should not result in the reclamation of wetlands.
- A pond like structure to be made on the lower western part to serve as aRWH structure. The over flow from this to be drained into the valley only after clarification.
- Commitment of CSR to be verified.
- 3. The proposal was placed in the 66th meeting of SEAC held on 19th December, 2016. The Committee appraised the proposal based on Form I, Pre-feasibility Report, Mining Plan, field inspection report of the Sub Committee and all other documents submitted with the proposal. The Committee decided to Recommend for issuance of EC subject to general conditions in addition to the following specific conditions for mining.
 - 1. All the boundary pillars are to be fixed permanently on the ground, numbered correctly and their respective coordinates to be written on them.
 - 2. Fencing to be completed around the lease area.
 - 3. The approach road to be properly surfaced to facilitate smooth movement of trucks.
 - 4. The steep cliff like segments to be marked as danger zones with proper demarcation
 - 5. OB now stored in the valley portion should not result in the reclamation of wetlands.
 - 6. A pond like structure to be made on the lower western part to serve as a RWH structure. The over flow from this to be drained into the valley only after clarification.
 - 7. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.
- 4. The proposal was considered by the Authority in its 64th meeting held on 23.02.2017. The Authority decided to give Environmental Clearance subject to the general conditions in additional to the following specific conditions.
 - 1. All the boundary pillars are to be fixed permanently on the ground, numbered correctly and their respective coordinates to be written on them
 - 2. Fencing to be completed around the lease area.
 - 3. The approach road to be properly surfaced to facilitate smooth movement of trucks.
 - 4. The steep cliff like segments to be marked as danger zones with proper demarcation

- 5. OB now stored in the valley portion should not result in the reclamation of wetlands.
- 6. A pond like structure to be made on the lower western part to serve as aRWH structure. The over flow from this to be drained into the valley only after clarification.
- 7. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent agreed to set apart Rs. 11.75 lakhs (non-recurring) and 16.35 lakhs per annum (recurring) for CSR activities for the welfare of the local community. The proponent also agreed to spend this amount in consultation with the local Panchayath.

Environmental Clearance shall be issued only after submitting an affidavit by the proponent that the above specific conditions have been fulfilled.

- 5. The proponent has submitted an affidavit stating that all the specific conditions have been fulfilled. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed Quarry project of Sri. B. Sreekantan, Proprietor, M/s Avani Metal Crusher, Kottackal, Anavoor P.O., Thiruvananthapuram, Kerala-695124 in Sy. Nos. 265/6, 265/9, 266/1, 228/7, 228/20, 227/1-1 pt., 266/8 pt., 266/9 pt., 267/3 pt., 267/4 pt., 267/5 pt. and 267/6 pt. at Anavoor Village, Kunnathunkal Panchayat, Neyyattinkara Taluk, Thiruvananthapuram District, Kerala for an area of 4.2047 hectares, subject to the specific conditions as recommended by SEIAA in para 4. above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining, appended hereto will be applicable and have to be strictly adhered to.
- 6. The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The undertakings and conditions subject to all the mining features, Environmental Management Plans as undertaken in the Mining Plan and EMP submitted to SEIAA will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 7. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 8. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.

- i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
- ii. Instances of violation if any shall be reported to the District Collector, Thiruvananthapuram to take legal action under the Environment (Protection) Act 1986.
- iii. The given address for correspondence with the authorised signatory of the project is Sri. B. Sreekantan, Proprietor, M/s Avani Metal Crusher, Kottackal, Anavoor P.O., Thiruvananthapuram, Kerala-695124.

JAMES VARGHESE I.A.S, Member Secretary (SEIAA)

To,

Sri. B. Sreekantan, Proprietor, M/s Avani Metal Crusher, Kottackal, Anavoor P.O., Thiruvananthapuram, Kerala-695124

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. Director, Mining & Geology, Thiruvananthapuram -4.
- 4. District Collector, Thiruvananthapuram
- 5. Secretary, Kunnathukal Panchayat Office, Karakonam P.O. Typm 695 504
- 6. .Chairman, SEIAA.
- 7. Website.
- 8. S/f
- 9. O/c

Forwarded/By Order

Administrator, SEIAA

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- 10. Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- 13. Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- 21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- 27. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- 28. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- 36. A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- 37. The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- 38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- 44. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM₁₀ and PM_{2.5} such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- 57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.



For Member Secretary, SEIAA Kerala

