

ABSTRACT

State Environment Impact Assessment Authority, Kerala — Removal of Brick Earth from Sy. No. 441/2, Puliyoar Village, Puliyoar Panchayath, Chenganoor Taluk, Alaphey District Application of Sri. P.D. Augustin, Puthen parambil, Thonnakkad P.O., Cherianadu, Chenganoor-689511 Environmental Clearance — Issued

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 494/SEIAA/KL/3470/2014

Date: 31.10.2014

- Ref:
1. Application dated 11.07.2014 from Sri. P.D. Augustin, Puthen parambil, Thonnakkad P.O., Cherianadu, Chenganoor-689511
 2. Certificate No. B2-5737/14 dated 16/07/14 of Tahsildar, Chenganoor
 3. Minutes of 34th SEIAA held on 24.10.2014

ENVIRONMENTAL CLEARANCE NO. 5 /2014

Sri. P.D. Augustin, Puthen parambil, Thonnakkad P.O., Cherianadu, Chenganoor-689511 applied for Environmental Clearance for removal of 2640 m³ of brick earth from 8.8 ares of land comprised in Sy. No. 441/2, Puliyoar Village, Puliyoar Panchayath, Chenganoor Taluk, Alaphey District for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	22.07.2014
a) Undertakings given by applicant			
2	Nature of Land	:	Nilam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of brick earth is applied for	:	441/2
4	Revenue authority who certified the Application	:	Tahsildar, Chenganoor
5	Purpose of removal of Brick Earth	:	For making viable for agriculture(Rice)
6	If to be transported out of the site, end use of the brick earth removed	:	For Brick kiln in Sy.No. 425/11, Puliyoar village under the ownership of Sri. Vijayan
b) Appraisal and Recommendation by SEAC			
7	Date of recommendation of SEAC for removal of brick earth	:	26/27-09-14
(c) Environmental Clearance by SEIAA			
8	Date of clearance given by SEIAA	:	24-10-2014
9	Quantity of brick earth sanctioned to be removed	:	1670 m ³
10	Special condition if any for removal of brick earth from the site	:	The brick earth shall be removed from a depth of 2 m only and the level of land after excavation should not be lower than the surrounding land

2. Environmental Clearance under S.O.No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/4-7/2011-III(M) dated 24.06.2013 is accorded to Sri. PD. Augustin, Puthen parambil, Thonnakkad P.O., Cheriyannadu, Chenganoor- 6895 11 the applicant, to remove 1670m³ of brick earth from the land owned by him in Sy. No. 441/2, Puliyoov Village, Puliyoov Panchayath, Chenganoor Taluk, Alappay District in strict compliance with the general conditions in the annexure and also as per the special conditions stipulated in item 10 above.

3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637(E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Alappuzha by the Director of Environment and Climate Change.




For Member Secretary (SEIAA)

To,


P.D. Augustin,
Puthen parambil,
Thonnakkad P.O.,
Cheriyannadu,
Chenganoor-689511
Ph:93884044055/ 2326302

Copy to:

1. District Collector, Alappuzha
2. Tahsildar, Chenganoor,
3. Director, Mining & Geology
4. Secretary, Puliyoov Grama Panchayath, Puliyoov, 689509,
5. Chairman, SEIAA
6. Stock File
7. Website
8. O/C

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The borrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above conditions.




G.S. YALAKUDI IPS
DIRECTOR
Department of Environment & Climate Change
Pallimukku, Petta
Thiruvananthapuram-24