

# PROCEEDINGS OF THE ADMINISTRATOR, STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, THIRUVANANTHAPURAM

(Present. SABITHA S)

Sub: SETAA Environmental Clearance for the proposed Building Stone Quarry in Survey No. 27/3 in Narukara Village, Ernad Taluk, Malappuram District, Kerala by Shitt. Usman. V.K., S/o Alavi, Velliyan Kallan House, Narukara P.O., Malappuram — 676122 - Granted - Orders issued.

### State Environment Impact Assessment Authority, Kerala

No. 1256/EC2/2019/SEIAA

dated, Thiruvananthapuram 25.09.2019

- Rel 1 Application received on 15.02.2019 from Shri. Usman. V.K., S/o Alavi, Velliyan Kallan House, Narukara P.O., Malappuram 676122
  - .' Minutes of the 94<sup>th</sup> SEAC Meeting held on 12<sup>th</sup> & 13<sup>th</sup> March, 2019.
  - 1. Minutes of the 98 SEAC meeting held on 3rd June 2019
  - 1. Minutes of the 100 SEAC meeting held on 11th & 12th July 2019.
  - 5. Minutes of the 96<sup>th</sup> meeting of SEIAA held on 20<sup>th</sup> August 2019
  - 6. G.O(Rt.) No.29/2019/Envt dt.12.04.2019

#### **ENVIRONMENTAL CLEARANCE NO.40/2019**

Shri Usman.V.K., S/o Alavi, Velliyan Kallan House, Narukara P.O., Malappuram - 676122, vide the hardcopy of application received on 15.02.2019 has sought Unvironmental Clearance under EIA Notification, 2006 for the quarry project in Survey No. 27/3 in Narukara Village, Ernad Taluk, Malappuram District, Kerala for an area of 0.4818 Ha. The project comes under Category: B& Schedule: 1 (a)of EIA Notification 2006.

2. The proposed project site falls within Latitude 11°09' 07.73" N to 11°09' 10.45" N to Longitude 76° 06' 13.72" E to 76° 06' 16.48" E. The lease area consists of 0.4818 hectares, which is a private land. The proposed project is for quarrying of 11,203.99 tonnes. The life of mine is 5 years. The nearest town is Kidangazhi about 1 km, from the quarry site. About 0.4 KLD is required for domestic consumption, 3 KLD is required for dust

suppression and 2 KLD is required for green belt development. The required water will be met from open well within the area and also from water pond. Electric power require for quarry operation is about 72 k W/ day which is drawn from KSEB. The total cost of the project is 17lakhs.

- 3. The proposal was placed in the 94th SEAC meeting held on 12th & 13th MARCH 2019. The Committee decided to obtain the following additional documents from the proponent:
  - 1. Baseline details
  - 2. Monitoring data of Sound and air.
  - 3. CER to be reworked in consultation with Working Group for Environment of the Local Self Government concerned.
- 4. The SEAC also entrusted a subcommittee for site inspection. The sub-committee visited the site on 19<sup>a</sup> April 2019. The proponent has submitted the documents as per the 94<sup>a</sup> SEAC Meeting held on12<sup>a</sup> 13<sup>a</sup> MARCH 2019 which are baseline details, monitoring data of sound and air and CER.
- 5. The proposal was considered in the 98<sup>th</sup> SEAC meeting held on 03<sup>th</sup> June, 2019. The Committee decided to obtain the following documents/ details:
  - 1. The water that flows through the existing channel during storm period must be diverted along the boundary of the mine site.
  - 2. Garland drains must be provided at the site to regulate storm water, and direct the runoff to the settling tank and water storage tank.
  - 3. The ideal site for these tanks is at the south- east corner of the mine site(near BP 1)

    Settling tank should be protected by retaining wall. At least 3 Silt traps to be constructed all along the periphery of the mine area.
- 6. The proposal was again placed in the 100 h SEAC meeting held on 11-12h July, 2019. The Committee decided to recommend for issuance of EC subject to the general conditions in addition to the following specific conditions:
  - The South dipping channel in the area is to be protected.
  - The access road width has to be increased to 7 m and only small carriers (3 tonne) are to be used for transportation.

- Authority considered the proposal in its 96 <sup>th</sup> SEIAA meeting held on 20<sup>th</sup> August,2019. Authority noticed that the proposal was placed in the 94<sup>th</sup> SEAC meeting held on 12<sup>th</sup> /13<sup>th</sup> March 2019, The Proponent submitted the additional documents and information sought by SEAC in its 94<sup>th</sup>& 98<sup>th</sup> meetings. A field inspection was also carried out by a Subcommittee of SEAC on 19.04.2019. SEAC in its 100<sup>th</sup> meeting held on 11<sup>th</sup> /12<sup>th</sup> 2019, after perusal of all the relevant documents and the field inspection report, recommended for issuance of EC.
- 8. Authority decided to issue EC for a period of 5 years for the quantity as approved by the Mining Plan subject to the following specific conditions in addition to the general conditions.
  - 1. The South dipping channel in the area is to be protected.
  - 2. The access road width has to be increased to 7 m and only small carriers (3 tonne) are to be used for transportation.
  - 3. Activities relating to Corporate Environmental Responsibilities (2% of total project cost) shall be carried out leading to projection and promotion of environment in the project region as per OM F.No.22-65/2017-IA-III dt.01.05.2018 of MoEF & CC in consultation with the District Collector.
  - 4. The proponent shall carry out quarrying as per the approved Mining Plan and the proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.
  - 5. Activities relating progressive and final closure of quarry shall be carried out as per approved Mining Plan which will be reviewed at regular intervals. The non compliance of the same may lead to cancellation of Environmental Clearance.
  - 6. In the wake of occurrence of large scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the vibration of the ground, which is one of the causative factors that triggers lansdslides, formation of cracks in the surrounding buildings and disturbance to human and wildlife.
- 9. Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the quarry project of Mr.Usman.V.K., S/o Alavi, Velliyan Kallan House, Narukara P.O., Malappuram 676122 in Survey No. 27/3 in Narukara Village, Ernad Taluk, Malappuram District, Kerala for an area of 0.4818 Ha., for the quantity as approved by the Mining Plan subject to the specific conditions in para 8 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent

will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 48), appended hereto will be applicable and have to be strictly adhered to.

- 10. The Clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Mining, Blasting, Mines Drainage, Stacking of Mineral rejects and Disposal of waste, Environment Management Plan & Progressive Mine Closure Plan of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 11. Validity of the Environmental Clearance will be **five years** from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine compliants from residents within the security area of the quarry.
- 12. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
  - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
- ii. Instances of violation if any shall be reported to the District Collector, Malappuram
- iii. The given address for correspondence with the authorised signatory of the project is Mr.Usmari.V.K., Sto Alavi, Velliyan Kallan House, Narukara P.O., Malappuram 676122

Sabitha S Administrator, SEIAA

To,

Mr.Usman.V.K., S/o Alavi, Velliyan Kallan House, Narukara P.O., 'Malappuram – 676122

#### Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Principal Secretary to Government, Environment Department, Government of Kerala.
- 3. District Collector, Malappuram
- 4. Director, Mining & Geology, Thiruvananthapuram -4.
- 5. The Member Secretary, Kerala State Pollution Control Board, Thiruvananthapuram
- 6. District Geologist, Malappuram
- 7. Tahsildhar, Ernadu, Malappuram District
- 8. Secretary, Narukara Grama Panchayat, Malappuram
- 9. Secretary Manjeri Muncipality, Malappuram District
- 10. Village Officer, Narukara Village, Malappuram District
- 11. Chairman, SEIAA.
- ,12. Website.
  - 13. S/f
  - 14. O/c

## STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA GENERAL CONDITIONS (for mining projects)

- 1. A separate environmental management and monitoring cell with qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 2. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 3. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 4. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 5. In view of the deep pits left after the excavation, stacking at maximum top level should be carried out.
- 6. Corporate Environment Responsibility agreed upon by the proponent should be implemented.
- 7. The project proponent shall comply the conditions stipulated by the statutory authorities concerned.
- 8. Tarring /multiple options on the access roads shall be undertaken so as to reduce dust pollution during movement of vehicle.
- Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 10. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention in the mining plan/specific condition.
- 11. Ground level should be fixed in individual cases separately
- 12. No mining operations should be carried out at places having a slope greater than 45°.
- 13. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB. This condition is applicable only in such cases if a crusher is adjacent to the quarry.
- 14. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- The transportation of minerals should be done in covered trucks to contain dust emissions. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project. SEAC should assess the number of trees in each project site before the issuance of EC so as to ensure the promptness in planting.
- Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 19. 50 m buffer distance should be maintained from forest boundaries.

ij.

- 20. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 22. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.
- 23. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 24. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

- 25. The project proponent should advertise in at least two local newspapers widely constituted for region, one of which (both the advertisement and the newspaper) shall be in the vermountar larger informing that the project has been accorded Environmental Clearance and copies of the letters are available with the State Environment Impact Assessment Authority (SIAA) with a and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- 26. The Environmental Clearance shall be put on the website of the company by the proponent.
- 27. Proponent shall submit half yearly reports in soft copy and SEIAA will upload it on the website
- 28. The details of Environmental Clearance should be prominently displayed in a metallic board of the fit x 3 ft with green background and yellow letters of Times New Roman font of size of not light than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- 29. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 30. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 31. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary afeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- The top soil, if any, shall temporarily be stored at eamarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.
- Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 34. Effective safeguard measures such as regular water spinkling shall be carried out in critical areas prone to air pollution and having high levels of PM<sub>land</sub> PM<sub>2.5</sub> such as haul Road, loading and unloading points and transfer points it shall be ensued that the Ambient Air Quality parameters conform to the norms prescribed by the Central Polluton Control Board in this regard.
- 35. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 36. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- The funds earmarked for environmental protection masures and CER activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- 38. The Regional Office of MOEF & CC located at hangalore shall monitor compliance of the stipulated conditions. The project authorities should atend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/hormation/monitoring reports.
- 39. Any appeal against this Environmental Clearance stall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 40. Concealing the factual data or submission of false/facted data and failure to comply with any of the conditions mentioned above may result in wildrawal of this clearance and attract action under the provisions of Environment (Protection) Act 1986.
- The SEIAA may revoke or suspend the order, for implementation of any of the specific or this implementation of any of the above conditions not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulie any further condition in the interest of environment protection.

- The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project. The Environmental Clearance will be subject to the final order of the courts in any pending 43.
  - litigation related to the land or project, in any court of law. The mining operation shall be restricted to above ground water table and it should not intersect 44.
  - ground water table.
  - All vehicles used for transportation and within the mines shall have 'PUC' certificate from 45. authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
  - 46. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
  - Regular monitoring of flow rates and water quality upstream and downstream of the springs and 47. perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
  - Occupational health surveillance program of the workers should be under taken periodically to 48. observe any contractions due to exposure to dust and take corrective measures, if needed.

Administrator, SEIAA