

**ABSTRACT**

State Environment Impact Assessment Authority, Kerala – Removal of Ordinary Earth from Sy No. 355/12 at Panamcherry Village, Panamcherry Panchayath, Thrissur Taluk, Thrissur District, Kerala. Application of Smt. Annamma Baby, Cherupaklakkad (H), Vazhakkumpara, Chuvannamannu P.O, Thrissur-680652 **Environmental Clearance – Issued**

**STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY**

No. 641/SEIAA/KL/4937/2014

Date: 18.05.2015

- Ref: 1. Application dated 22/08/2014 from Smt. Annamma Baby, Cherupaklakkad (H), Vazhakkumpara, Chuvannamannu P.O, Thrissur-680652  
 2. Certificate No. B1/34039/14 dated 10.10.2014 of Addl. Tahsildar, Thrissur  
 3. Minutes of 37<sup>th</sup> meeting of SEIAA held on 08.05.2015

**ENVIRONMENTAL CLEARANCE NO. 73/2015**

Smt. Annamma Baby, Cherupaklakkad (H), Vazhakkumpara, Chuvannamannu P.O, Thrissur-680652 has applied for Environmental Clearance for removal of 2000 m<sup>3</sup> of ordinary earth from 0.3035 Ha of land comprised in Sy No. 355/12 at Panamcherry Village, Panamcherry Panchayath, Thrissur Taluk, Thrissur District, Kerala, for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	21.10.2014
<i>a) Undertakings given by applicant</i>			
2	Nature of Land	:	Purayidam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	355/12
4	Revenue authority who certified the Application	:	Addl. Tahsildar, Thrissur
5	Purpose of removal of Ordinary Earth	:	To level the plot
6	If to be transported out of the site, end use of the ordinary earth removed	:	For KLDC Bund construction.
<i>b) Appraisal and Recommendation by SEAC</i>			
7	Date of recommendation of SEAC for removal of ordinary earth	:	9/10.04.2015
<i>(c) Environmental Clearance by SEIAA</i>			
8	Date of clearance given by SEIAA	:	08-05-2015
9	Quantity of ordinary earth sanctioned to be removed	:	2000 m <sup>3</sup>
10	Special condition if any for removal of ordinary earth from the site	:	Nil

2. Environmental Clearance under S.O. No. 1533 (E) dated 26.09.2006 read with O.M.No. L-11011/47/2011-1AII (M) dated 24.06.2013 is accorded to Smt. Annamma Baby,

**Cherupaklakkad (H), Vazhakkumpara, Chuvannamannu P.O, Thrissur-680652 the applicant, to remove 2000 m<sup>3</sup> of ordinary earth from the land owned by her in Sy No. 355/12 at Panamcherry Village, Panamcherry Panchayath, Thrissur Taluk, Thrissur District, Kerala, in strict compliance with the general conditions in the annexure.**

3. Violation of any of above undertakings general or special conditions will entail cancellation of the E.C, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No. S.O. 637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Thrissur by the Director of Environment and Climate Change.


  
Member Secretary (SEIAA)

To,

Smt. Annamma Baby,  
Cherupaklakkad (H),  
Vazhakkumpara,  
Chuvannamannu P.O,  
Thrissur-680652

Copy to:

1. District Collector, Thrissur
2. Tahsildar, Thrissur
3. Director, Mining & Geology, TVM
4. Secretary, Panamcherry Grama Panchayath, Pattikkadu P.O., Thrissur -680652
5. Chairman, SEIAA
- ✓ 6. Stock File
7. Website



## **Annexure**

*(vide item 2)*

### **General conditions**

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

