

#### Validity expires on 28/12/2022

# Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P.H.Kurian, I.A.S., Member Secretary.

Sub: SEIAA- Environmental Clearance for the quarry project of Mr.M.M Thomas, Managing Partner, M/s Wayanad Granites in Sy. Nos. 371/1, 371/2/1, 372/1, 372/4, 372/2, & 373/1 of Vengappally Village & Panchayat, Vythiri Taluk, Wayanad District, Kerala - granted – Orders issued.

## STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY, KERALA

#### No. 1132/EC/SEIAA/2017

Dated, Thiruvananthapuram 29/12/2017

Ref:

- Application dated 28.02.2017 from Mr.M.M.Thomas, Managing Partner, M/s.Wayanad Granites, Wayanad District 673 121
   Application dated 28.02.2017 from Mr.M.M.Thomas, Managing Partner, Pinangode Post, Kalpetta,
- 2. Minutes of the 76th meeting of SEAC held on 25th 26th July, 2017.
- 3. Minutes of the 81st meeting of SEAC held on 30th & 31st October, 2017.
- 4. Minutes of the 76th meeting of SEIAA held on 16th November 2017.
- 5. Affidavit received on 4/12/2017 from Mr.M.M.Thomas, Managing Partner of M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad 673 121.

## ENVIRONMENTAL CLEARANCE NO. 109/2017

Mr.M.M Thomas, Managing Partner, M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad, Kerala- 673 121 vide his application dated 28.02.2017 has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Survey Nos. 371/1, 371/2/1, 372/1, 372/4, 372/2, & 373/1, at Vengappally Village, Vythiri Taluk, Wayanad District, Kerala for an area of 5.1625 Ha. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II(M) dated 18<sup>th</sup> May 2012 of Ministry of Environment and Forests. The project comes under Category B2 as per Notification

No.S.O.141 (E) dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

Details of the project as furnished by the applicant are as follows:

# BASIC INFORMATION OF QUARRY ( To be filled in by the Project Proponent) PART A

	PROJECT DETAILS
File No.	1132/EC/SEIAA/KL/2017
Name/Title of	Building Stone Quarry (Minor Mineral) project of Mis Wayanad Granites
the project	
Name and address of project proponent.	Mr. M.M. Thomas, Managing Partner, M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad, Kerala-673121.  E-mail:-wayanadgranites@gmail.com
Owner of the	Private own land
1and	
Survey No.	Survey Nos. 371/1, 371/2/1, 372/1, 372/4, 372/2, & 373/1 of Vengappally
District/ Taluk/	Village & Panchayat, Vythiri Taluk, Wayanad District, Kerala
and Village etc.	
Category/Sub	Category B / B2 & Schedule 1(a)
Category and	
Schedule	
Details of period	Quarry not working
of lease or	
permit with	
number including the	
beginning and	
expiry date of	
lease /permit	
period (Copy to	
be attached)	
Present Status of	Quarry not working
the project	
Date & Year of	Quarry not working
starting the work	
of the quarry	
project.	
Whether the	Quarry not working

	<del></del>	· · · · · · · · · · · · · · · · · · ·	
quarry is			
working at	t <sub>l</sub>		
present or not?			
If stopped	1 2		
working since			
when?			
Date of	28/2/2017		
submission of			
Application		ii.	
Brief description of the project.	Granites is situated at Sur 373/1 of Vengappally Vill Kerala in area of 5.1625 he  The land for the proposed possessed in the name of mine will be 1,00,000 MTZ Crores. The expected life mining operation will be care	quarry is a private owned land and the land is A/s Wayanad Granites. The targeted production of The estimated project cost will be about Rs. 3.35 of mine estimated will be about 11 years. The arried out by openeast semi-mechanized method as	
	per the approved Mining Pl		
GPS Co-ordinate	Latitude (N) = 11°36'51.91		
	Longitude(E) = 76°02'21.00		
Details of	Mr. M.M. Thomas, Mana	iging Partner,	
Authorized	M/s Wayanad Granites,		
Signatory and	Pinangode Post, Kalpetta, '	Wayanad, I	
address for	Kerala-673 121.		
correspondence			
Correspondence	E-mail: wayanadgranites	gmail.com	
		DETAILS	
Extent of area in	5.1625 hectare		
hectares	i a la l		
Is the property	Private own land		
forest land/ Govt.			
land/own			
land/patta land			
*i	A total quantity of about 21	,262 cu. m. of topsoil is proposed to be removed	
		as. The topsoil excavated from the quarry will be	
Quantity of top	dumped / stacked separately	at pre-determined place and subsequently will be	
soil/over burden	utilized in spreading over reclaimed areas for plantation as part of eco-		
produced and	restoration.		
managed	About 42,525 cu. m. of overburden (OB) will be generated throughout the		
	mine life. This waste will be utilized within the pit for lying of haul roads. At		
		lized as soil base for plantation.	
Latitude and	Latitude (N)	11°36'51.91"N to 11°37'01.95"N	
Longitude	Longitude (E)	76°02'21.06"E to 76°02'31.71"E	
Topography of		exposed rock and the remaining land is covered	
<u> </u>		The state of the s	

land and	with native trees, shrubs, herbs, grass, climbers, bushes etc. The topography
elevation	of the lease area is hilly. As the proposed area is hill rock, the drainage of the
	lease area is towards West. No habitants are located in the lease area.
Slope analysis	The slope is towards West side.
Will there be any	Due care will be taken to provide channel all around the foot of the hill to
significant land	collect run off and also to avoid soil erosion.
disturbance	
resulting in soil	
erosion,	
subsidence &	
natural drainage.	
Access road to	7m wide road
the site width and	
condition	
Will there be any	No, the land used will be fully reclaimed and rehabilitated by backfilling the
adverse impact	pond and plantation. Plantation and afforestation will add to the improvement
on the aesthetics	in environment and aesthetic beauty of the area.
of the proposal	
site	
	MINING DETAILS
Minimum and	The exploitation of mineral is being done from 800 m to 760m MSL in
Maximum height	conceptual phase.
of excavation.	
Life of mine	About IT years
proposed.	
Underground	No underground mining. The working will be carried out by opencast semi-
mining if any	mechanized method as per the approved Mining Plan.
proposed	
Method of	The working will be carried out by opencast semi-mechanized method as per
Mining	the approved Mining Plan
Distance from	There is no quarry in operation within 500m radius.
1 1 1 1 mm	
quarry	
Cluster condition	No cluster condition
if any	
Has "No cluster	Yes, cluster certificate is already submitted with Environment Clearance
certificate"	Application.
submitted?	
Distance from	About 102m towards North side
nearby habitation	
Distance from	Chembra Forest about 12 km, South
nearby forest, if	
applicable	
Distance from	Malabar Wildlife Sanctuary about 8 km, SW
protected area,	
Wildlife	

anctuary, ational Park c.  istance from earby streams / Vers / National ighway and oads  ESA policable? If so stance from SA limit as approved ining plan, epared by RQP bmitted?  Kabini River about 4 km, W Puzhamudi about 2.50 km, E Banasur Dam about 12 km NW  Not in ESA  Yes, the approved mining plan prepared by RQP is already submitted with E.C. Application.
istance from earby streams / Puzhamudi about 2.50 km, E Banasur Dam about 12 km NW  ESA pplicable? If so stance from SA limit as approved ining plan, epared by RQP bmitted?  Kabini River about 4 km, W Puzhamudi about 2.50 km, E Banasur Dam about 12 km NW  Not in ESA  Yes, the approved mining plan prepared by RQP is already submitted with E.C. Application.
istance from earby streams / Puzhamudi about 2.50 km, E Banasur Dam about 12 km NW  ESA oplicable? If so stance from SA limit as approved ining plan, epared by RQP bmitted?  Kabini River about 4 km, W Puzhamudi about 2.50 km, E Banasur Dam about 12 km NW  Not in ESA  Yes, the approved mining plan prepared by RQP is already submitted with E.C. Application.
Puzhamudi about 2.50 km, E vers / National ighway and oads  ESA pplicable? If so stance from SA limit as approved ining plan, epared by RQP bmitted?  Puzhamudi about 2.50 km, E Banasur Dam about 12 km NW  Yes, the approved mining plan prepared by RQP is already submitted with E.C. Application.
Banasur Dam about 12 km NW  ighway and oads  ESA oplicable? If so stance from SA limit as approved ining plan, epared by RQP bmitted?  Banasur Dam about 12 km NW  Yes, the approved mining plan prepared by RQP is already submitted with E.C. Application.
ighway and oads  ESA Not in ESA  pplicable? If so stance from SA limit as approved ining plan, epared by RQP is already submitted with E.C. Application.
ESA Not in ESA  oplicable? If so stance from SA limit  as approved ining plan, epared by RQP is already submitted with E.C. Application.
ESA pplicable? If so stance from SA limit as approved ining plan, epared by RQP bmitted?  Not in ESA  Yes, the approved mining plan prepared by RQP is already submitted with E.C. Application.
oplicable? If so stance from SA limit as approved ining plan, epared by RQP is already submitted with E.C. Application.
stance from SA limit  as approved ining plan, epared by RQP is already submitted with E.C. Application.  Example 1
SA limit as approved ining plan, epared by RQP is already submitted with E.C. Application.  Example 1
as approved ining plan, epared by RQP is already submitted with E.C. Application.  E.C. Application.
ining plan, epared by RQP bmitted?
epared by RQP   bmitted?
bmitted?
1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
apacity of 1,00,000 MTA
oduction in
PA
The mining will be done by open cast semi-mechanized method of mining.
etails of mining The bench height and width will be maintained 5 m. Excavated material is
transported to the crusher unit for further processing. The ultimate depth of
the mine workings is estimated to reach up to 760m MSL
DETAILS OF PROJECT COST
nd cost Rs. 3.35 Crore (All inclusive)
ant and Rs. 3.35 Crore (All inclusive)
termer y
tal Cost Rs. 3.35 Crore (All inclusive)
nancial
rement Project Cost = Rs. 3.35 Crore
luding funding Insurance = Insurance to the quarry workers would
als of Funding = Own source & bank loan
THE STATE OF THE S
urance etc.
Air Pollution   Mining activities will generate certain quantities of dust
during drilling, blasting, loading and transportation
operations. The following measures will be taken to
mitigate the fugitive dust from different operations.
vironment Laying of haul road as per the standards, black
nagement   topping of permanent haul road and service road to
avoid or eliminate air – borne dust.
• To avoid the dust generation from the drilling
operations, wet drilling method will be adopted.
operations, wet drilling method will be adopted.  • Drill machines will be equipped with dust collectors.
operations, wet drilling method will be adopted.

	<ul> <li>Controlled blasting techniques will be adopted.</li> <li>Watering of haul road and other road at regular intervals.</li> </ul>
	Provision of dust filters/ mask to workers working at highly dust prone and affected areas.
	Provision of green belt all along the periphery of the lease area.
	Periodical monitoring of ambient air quality in and around the lease area.
	The extracted mineral will be transported from the
	quarry to the end user by adopting following
	measures so as to minimize dust emissions.
	<ul> <li>In case of long transportation the trucks after loading will be covered with tarpaulin sheets.</li> </ul>
	<ul> <li>Speed of the vehicles will be maintained within the prescribed limits.</li> </ul>
	Trucks will not be over loaded and will be maintained to the body level
Water	Provision of storm water collection pond with an
Pollution	appropriate capacity. The water requirement for sprinkling on sources of dust emission, on roads,
	landscaping etc. Can be met from the stored rainwater in the pond.
Noise	The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:-
	<ul> <li>Proper maintenance of machinery, equipments and improvement on design of machines.</li> </ul>
	• Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise
	<ul> <li>generating areas.</li> <li>Creation of wide green belt of dense foliage between mine areas and residential colonies.</li> </ul>
	<ul> <li>Proper training to personnel to create awareness about adverse noise level effects.</li> </ul>
	Planned noise monitoring at suitable locations in the
	plant and outside location for proper effective remedial actions.
C 1'1 W7	Tangel Monogoment
Solid Waste	<b>Topsoil Management</b> The topsoil excavated from the quarry will be dumped /
Management	stacked separately at pre-determined place and
	subsequently will be utilized in spreading over
	reclaimed areas for plantation as part of eco-restoration.
	Precautions will be taken to limit the height of the

	<del></del>	
		topsoil dump / stacked to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage.
·		Overburden Management
		This waste will be utilized within the pit for lying of haul
		roads. At the end use, OB can be reutilized as soil base
		for plantation.
	Eco-	The year wise programme of eco-restoration for life of mine
	restoration	will be made and about 4,200 plants will be planted in an
		area of 4.2757 ha.
Whether		
Environment		
Management		onment Management Plan is already submitted with E.C.
Plan or Eco	Application.	
restoration Plan satisfactory?		
Does it		
suggest		
mitigation		
measures		onment Management Plan is already submitted with E.C.
for	Application.	
each		
activity		
Is Pre-Feasibility		
Report (PFR)	Detailed Pre-F	easibility Report (PFR) is already submitted with E.C.
satisfactory	Application.	
Does it need		
public hearing	Not Applicable	
Details of		
litigation and	No litigation per	adin a
Court verdict if	No nugation per	idang
any		
Details of public	None	
complaint, if any		
		fovt. Orders / Policies are to be followed:-
		Mineral Concession Rules, 2015.
Details of	➤ Mines Act, 19	
	➤ Explosive Ru	
statutory sanction required		ayat Raj Act, 1994
roquirou	<ul><li>Environment</li><li>ElA Notificat</li></ul>	Protection Act, 1986
	Act, 2007.	romotion of Tree Growth in Non-Forest Areas (Amendment)
<u> </u>	AUG 2007.	<u> </u>

If CRZ	Not Applicable
recommendation	1100 x 1ppirouoto
applicable?	
иррпоиоте:	PART B
ENVIRON	MENT IMPACT ASSESSMENT AND MITIGATION MEASURES
	The total water requirement is about 15 KLD in which 1 KLD is for domestic
Details of water	purpose which would be sourced from open well, 12 KLD for dust
requirement per	suppression in mine with ancillary unit and 2 KLD for plantation purposes
day in KLD	and will be sourced from storm water pond.
Water	1 KLD is for domestic purpose which would be sourced from open well, 12
source/sources.	KLD for dust suppression in mine with ancillary unit and 2 KLD for
source/sources.	plantation purposes and will be sourced from storm water pond.
Expected water	15 KLD
use per day in	
KLD.	
Details of water	12 KLD for dust suppression in mine with ancillary unit and 2 KLD for
requirements met	plantation purposes and will be sourced from storm water pond.
from water	
harvesting.	
What are the	
impact of the	No significant impact envisaged on ground water due to the mining project.
proposal on the	1 To Significant in the second of the second
ground water?	
How much of the	
water	
requirement can	
be met from the	
recycling of	No STP proposed for treatment of waste water.
treated waste	
water? (Facilities	
for liquid waste	
treatment)	
What is the	
incremental	
pollution load	The sewage to a tune of 0.80 KLD generated from the mine office will be
from waste water	diverted to the septic tank followed by soak pit.
generated from	
the proposed activities?	
_ <del></del>	The run-off from the lease area will be suitably collected through channels
How is the storm water from	and will be stored in storm water pond for further utilization in Mine unit.
within the site	However, all measures will be taken to not to disturb the natural drainage
	system of the surrounding area.
managed?	ON BIODIVERSITY AND ECO RESTORATION PROGRAMMES
Will the project	Due to the mining activities, there will be loss of some native species and
involve extensive	vegetation. However, some of these species will be planted at the end use for
mvorve extensive	vegetation. However, some of these species will be planted at the end use for

<u></u>	
clearing or	eco-restoration.
modification of	
vegetation	
(Provide details)	
What ate the	
measures	
proposed to	
minimize the	
likely impact on	The year wise programme of eco-restoration for life of mine will be made and
vegetation	about 4,200 plants will be planted in an area of 4,2757 ha.
(details of	The state of the s
proposal for tree	
plantation/	
landscaping)	
Is there any	
displacement of	
fauna – both	
terrestrial and	
aquatic If so	Not applicable
what are the	
mitigation	
measures?	
Presence of any	No endangered species found at site
endangered	
species or red	
listed category	
(in detail)	
9,	IMPACT ON AIR ENVIRONMENT
	Mining activities will generate certain quantities of dust during drilling,
	blasting, loading and transportation operations. The following measures will
	be taken to mitigate the fugitive dust from different operations.
	• Laying of haul road as per the standards, black topping of permanent haul
	road and service road to avoid or eliminate air – borne dust.
What are the	• To avoid the dust generation from the drilling operations, wet drilling
mitigation	method will be adopted.
measures on	Drill machines will be equipped with dust collectors.
generation of	Use of appropriate explosives for blasting and avoiding overcharging of
dust, smoke and	blast holes.
air quality	Controlled blasting techniques will be adopted.
	Watering of haul road and other road at regular intervals.
ļ	<ul> <li>Provision of dust filters/ mask to workers working at highly dust prone</li> </ul>
	and affected areas.
	<ul> <li>Provision of green belt all along the periphery of the lease area.</li> </ul>
	Periodical monitoring of ambient air quality in and arranged to a
Details of	Periodical monitoring of ambient air quality in and around the lease area.  The extracted mineral will be transported from the rest of the second from the rest of the second from the se
	The extracted mineral will be transported from the quarry to the end
	user by adopting following measures so as to minimize dust emissions.

management of	• In case of long transportation the trucks after loading will be covered with
the site.	tarpaulin sheets.
	Speed of the vehicles will be maintained within the prescribed limits.
	Trucks will not be over loaded and will be maintained to the body level
	The major noise generating source from the proposed activity is working
	machinery, drilling, blasting and plying of vehicles. The following control
	measures are to be undertaken to bring down the noise levels:-
	• Proper maintenance of machinery, equipments and improvement on design
Details of noise	of machines.
from traffic,	• Use of personal protective devices i.e., earmuffs and earplugs by workers,
machines and	who are working in high noise generating areas.
vibrator and	• Creation of wide green belt of dense foliage between mine areas and
mitigation	residential colonies.
measures	Proper training to personnel to create awareness about adverse noise level
	effects.
	• Planned noise monitoring at suitable locations in the plant and outside
	location for proper effective remedial actions.
Impact of DG	
sets and other	
equipments on	
noise and	
vibration and	
ambient air	No DG Set proposed
quality around	
the project site	
and mitigation	
measures	
Air quality	The ambient air quality monitoring of the project site was carried out and the
monitoring in	copy of report is already submitted with E.C. Application.
detail	
	ENERGY CONSERVATION
Details of power	The total power requirement will be 75 kW, which will be drawn from diesel
requirement and	engine, Fuel Quantity – 16 to 20 lt/ hr.
source of supply.	
Details of	
renewable energy	The total power requirement will be 75 kW, which will be drawn from diesel
(non	engine. Fuel Quantity – 16 to 20 lt/ hr.
conventional)	
used.	RISK MANAGEMENT
Are there	RISK WANAGEWENT
Are there sufficient	
	Detailed Environment Management Plan is already submitted with E.C.
measures proposed for risk	Application.
hazards in case of	1 Application.
emergency such	

as accident at the site?	
Are proposals for	
fencing around the quarry	
satisfactory?	Barbed wire fencing will be done all around the quarry site.
Storage of explosives /hazardous substance in detail	carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961.
	Top soil and over burden generated from the site will be stored separately on
Facility for solid	earmarked place and will be used for eco-restoration and internal road development.
waste	development.
management	
Will the project	SOCIO ECONOMIC IMPACTS
cause adverse	
effects on local	
communities	The proposed project will directly / indirectly develop the area by providing
disturbance to	employment opportunities. With the proposed development in and around the
sacred sites or	area there will be supporting facilities/ infrastructure eventually leading to the
other cultural	development of the area.
values. What are	
the safe guards	
proposed? Will the proposal	
result in any	Part of the proposed land is rocky area with mining activities and there is no
changes to the	vegetation in that area. The remaining land in the proposed land is mostly
demographic	covered with native trees, shrubs, herbs, grass, climbers, bushes etc. The
structure of local	topography of the lease area is hilly terrain. The highest elevation of the lease
population. If so,	area is 800 m MSL and lowest is 770m MSL. As the proposed area is hill rock, the drainage of lease area is towards West.
provide details.	
Details of CSR	The project proponent set apart an amount of Rs. 7 Lakhs as recurring
commitment	expenses and Rs. 8 Lakhs as Non recurring expenses for CSR activities for the
	welfare of local community in consultation with the Grama Panchayat.
What are the	Due to the mining activity and due to the attached ancillary unit, there will be
projects benefits	workers attracted to the project area. It is proposed to employ 16 persons in
in terms of	the project.
employment	
potential?	
<u> </u>	PART C

Details of	M/s Environmental Engineers & Consultants Pvt. Ltd.	
NABET	(NABET Accredited Consultant Organization)	
approved EIA	Head Office: - A1-198, Janak Puri, New Delhi.	
Consultant		
engaged-Their	Branch Office:-	
name, address	C-306, Kanchanjunga Apartments, Palarivattom P.O., Kochi, Kerala.	
and accreditation		
details		
	SUMMARY AND CONCLUSION	
Overall justification for implementation of the project.	It is predicted that socio-economic impact due to this project will positively increase the chance of more employment opportunities for local inhabitants. There are no Resettlement and Rehabilitation issues involved in this project. The project infrastructures will be of use to people of the area. The revenue of the State Govt. will be definitely increasing due to the proposed activity. The entire project area is devoid of any endangered flora and fauna. It is proposed to reclaim the land and develop green cover for eco-restoration with native species to a maximum possible extent. Additionally, an area is earmarked outside the proposed mining area for compensatory mass plantation. Also, a storm water pond is proposed outside the mining area for storage of rain water and for its subsequent use so as to conserve fresh water consumption. Thus the proposed project is not likely to affect the environment or adjacent ecosystem adversely.	
Explanation of	The Provide The Province of Management Plan	
how adverse	Detailed Pre-Feasibility Report (PFR) with Environment Management Plan	
impact have been	(EMP) is already submitted with E.C. Application.	
mitigated.		

2. The proposal was placed in the 76<sup>th</sup> meeting of SEAC held on 25<sup>th</sup> & 26<sup>th</sup> July, 2017.

The Committee appraised the proposal based on the Mining Plan, Pre-feasibility Report and all other documents submitted along with Form1.

The proponent agreed to set apart Rs.10 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat. The Committee decided to defer the item for field inspection.

Site visit was conducted on 21.10.2017 by Subcommittee consisting of Dr.Khaleel Chovva & Dr.E.A.Jayson and submitted report

The land for the quarry project is private owned land and is possessed in the name of M/s Wayanad Granites. The targeted production of mine will be 1,00,000 MTA. The estimated project cost is about Rs. 3.35 Crores. The expected life of mine estimated will be about 11 years. The mining operation will be carried out by opencast semi-mechanized method as per the approved Mining Plan.

The proponent and partners were present when the team visited the quarry. The quarry is not working presently. Malabar Wildlife Sanctuary is about 8 km, SW and nearest town Kalpetta is about 5km. This quarry is working in partnership mode. Kabani River is about 4 km from the site. There are four quarries (not working) i.e., Mr. Thomas O.D., Mr. Joseph P.M. & M/s Krishnagiri Stone Crusher (2 quarries) were working with short term permit located within 500m radius and currently there is no working quarry near the site.

No important eco sensitive areas or forests is present within 100m. On field visit, it is suggested that, it is necessary to take precaution to avoid effluent waters entering the nearby areas. This calls for establishing scientifically laid garland drains and settling tanks for settlement of debris. The presently provided pits (two nos.) has to be developed into two settling ponds with sufficient depth with rubble lined side walls. Only filtered water after sedimentation be allowed to flow out of the quarry. The nearby house is located at a distance of 102 meters. Quarters and canteen facility has to be created before the functioning of the quarry. The boundary pillars has to be painted with yellow colour and lat.long, marked on the pillars. Tree planting as per the mining plan to be strictly followed. The application may be favourably considered.

- 3. The proposal was placed in the 81<sup>st</sup> meeting of SEAC held on 30<sup>th</sup> & 31<sup>st</sup> October, 2017. The proposal was appraised by SEAC after considering Form I, Form IA, Conceptual plan, field visit report and all other documents and details provided by the proponent and decided to **Recommend for issuance of EC** subject to general conditions in addition to the following specific condition.
  - 1. If any rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area
- 4. The proposal was considered in the 76<sup>th</sup> meeting of SEIAA held on 16<sup>th</sup> November 2017. The Authority decided to issue EC subject to the submission of the copy of proof for having applied for Wild Life Clearance, with general conditions and the following specific conditions.
  - 1. If any rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area
  - 2. All condition suggested by the field inspection report as noted above should be strictly implemented before starting mining.

The proponent should set apart Rs.10 lakh per annum (recurring) for CSR activities for the welfare of the local community to be implemented in consultation with the local

Panchayat and the details should be forwarded to SEIAA. A notarised affidavit for the commitment of CSR activities and also agreeing to all the general and specific conditions should be submitted before the issuance of EC. The proponent has submitted an affidavit vide reference 5<sup>th</sup> cited, satisfying all the above conditions.

- 5. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed building stone quarry project of Mr.M.M Thomas, Managing Partner, M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad, Kerala- 673 121 in Sy. Nos. 371/1, 371/2/1, 372/1, 372/4, 372/2, & 373/1 of Vengappally Village & Panchayat, Vythiri Taluk, Wayanad District, Kerala for an area of 5.1625 hectares subject to the specific conditions as recommended by SEIAA in para 4<sup>th</sup> above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- 6. The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 10 (Mining), Chapter 10.c (Blasting), Chapter 19(Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 7. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 8. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
  - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
  - ii. Instances of violation if any shall be reported to the District Collector, Wayanad to take legal action under the Environment (Protection) Act 1986.

iii. The given address for correspondence with the authorised signatory of the project is Mr. M.M.Thomas, Managing Partner, M/s.Wayanad Granites, Pinangode Post, Kalpetta, Wayanad – 673 121.

Sd/-P.H.Kurian I.A.S, Member Secretary (SEIAA)

To,

Mr. M.M.Thomas, Managing Partner, M/s.Wayanad Granites, Pinangode Post, Kalpetta, Wayanad – 673 121.

#### Copy to,

- MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. The Director, Mining & Geology, Thiruvananthapuram -4.
- 4. The Member Secretary, Kerala State Pollution Control Board
- 5. The District Collector, Wayanad
- 6. The District Geologist, Wayanad
- 7. The Tahsildhar, Vythiri Taluk.
- 8. Chairman, SELAA.

19. Website.

10. S/f

11. O/c

Forwarded /By Order

Administrator(SEIAA)



# STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

## GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- 21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- 28. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.

- 29. 100 m buffer distance should be maintained from forest boundaries.
- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM<sub>10</sub> and PM<sub>2.5</sub> such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- 55. This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- All vehicles used for transportation and within the thines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- 61. Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

Lyl

