

**State Environment Impact Assessment Authority
(SEIAA) Kerala**

'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024

Ph: +91471-2742264 (Off); +91471-2742554 (Fax)

e-mail: seacseiaakerala@gmail.com

web: www.envt.kerala.gov.in; www.seiaakerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member and Sri. V.S. Senthil

I.A.S., Member Secretary

Sub: SEIAA Kerala –Environmental Clearance for removal of ordinary earth. EC Granted – Orders issued.

Environmental Clearance

No.880/SEIAA/EC3/3261/2015

dated, Thiruvananthapuram 25-07-2016

- Ref: 1. O.M. No. L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.
2. Minutes of the 54th meeting of SEIAA held on 21-06-2016.

ENVIRONMENTAL CLEARANCE NO. 99/2016/OE

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions.

General conditions

- (xxxvii) The activity shall not involve blasting.
- (xxxviii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (xxxix) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (xl) The excavation activity shall not alter the natural drainage pattern of the area.
- (xli) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (xlii) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (xliii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (xliv) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.

- (xlv) Workers/ labourers shall be provided with facilities for drinking water and sanitation.
- (xlvi) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xlvii) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xlviii) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Ernakulam by the State Environment Impact assessment Authority.

Sd/

V.S SENTHIL, I.A.S
Member Secretary (SEIAA)
&
Additional Chief Secretary
Environment & Forests Department.
Government of Kerala.

To,

Sri. Paul mathew
Kizhakkethottapalliyil
Vadayambadi p.o.
Kolencheri, Ernakulam – 682308

Copy to:

1. District Collector, Ernakulam
2. Director, Mining & Geology, Kesavadasapuram, Thiruvananthapuram.
3. Secretary, Poothyakkara Grama Panchayath, Puthenkurisu P.O, Ernakulam-682311
4. Chairman, SEIAA
5. Stock File
6. Website
7. O/c



Forwarded/ By Order

Administrator
SEIAA

Application for Environmental clearance for removal of Ordinary Earth / Brick Earth cleared in the 54th meeting of SEIAA held on

21-06-2016

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEIAA with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
				Purpose of removal	Use of removed material		
1	2	3	4	5	6	7	8
54. 06 (1)	Smt. Kunjamma W/O Mani, karuthedathu Ezhipramkara, Ikkaranadu North, Kunnathunadu, Ernakulam	224/2, 224/24 at, Aikkaranadu North Village, Kunnathunadu Taluk, Ernakulam, District Quantity = 11116 m ³	12/6/15 G2-12699/14 Additional Thahasildar, Kunnathunadu	The height of land is above the road.	Earth fill work at info park	Removal should be in terraced manner limiting the max depth to 2m. Quantity = 10,000m ³	File No. 863/SEIAA/EC3/3065/2015 Approved the recommendations in Column 7
54. 07 (2)	Sri. Renji Joseph, Karoor House, P.O, Perumbaloor Muvattupuzha, Ernakulam District Kerala - 686673	568/1A at Aikkaranadu South Village, Kunnathunadu Taluk, Ernakulam, Quantity = m3	Additional Thahasildar, Muvattupuzha	Industrial purpose	Bricks production	Quantity = 5000 m ³	file no. 878/SEIAA/EC3/3159/2015 Approved the recommendations in Column 7
✓ 54. 08 (3)	Sri. Paul mathew kizhakkethottapallyil vadayambadip.o. kolancheri, ernakulam district kerala - 682308	sy. no. 41/2 at Ikkaranadu south village, Kunnathunadutaluk, Ernakulam Quantity = 12000 m ³	12/8/15 g2-8889/2015 additional thahasildar, kunnathunadu	extension of agricultural	Earth fill work at info park, kunnathunadu	Quantity = 7000m ³	file no. 880/SEIAA/EC3/3061/2015 Approved the recommendations in Column 7



G. RAJEEV
 Address: Authority
 State Environment
 Pallur
 Kuvana
 Phone: 0471-244264

