

**AGENDA NOTES FOR 173TH SEAC MEETING SCHEDULED ON 04, 05 &
06TH NOVEMBER 2024**

	<p>Time : 10.00 am</p> <p style="text-align: right;">Venue: Conference Hall,</p> <p style="text-align: center;">State Level Environment Impact Assessment Authority</p>
Agenda item	Details of the project
173.01	Noting of the minutes of 172nd SEAC meeting held on 07th, 08th & 09th October 2024
173.02	<p>Environmental Clearance for the Expansion of the Building Project, M/s Adlux Medicity & Convention Centre Pvt. Ltd, at Karukutty Village, Aluva Taluk, Ernakulam.</p> <p>(Older EC issued File No. 1186/A2/2018/SEIAA)</p> <p>(Expansion Project Proposal No: SIA/KL/MIS/273775/2022; File No: 2109/EC3/2022/SEIAA)</p>
173.03	<p>Environmental Clearance issued to the Granite Building Stone quarry project of Sri. Thomas. O.D for an area of 1.3307 Ha at Re-Survey Nos. 234/1, 234/2 & 234/5 in Muppayinad Village, Vythiri Taluk, Wayanad.</p> <p>(File No. No.1291/EC2/2019/SEIAA)</p>
173.04	<p><u>From 148th SEIAA</u></p> <p>Report received from National Public Grievances & Redressal Commission on TMT Granites Pvt. Ltd's (1698/EC3/2024/SEIAA)</p>
173.05	Report sought by Sri. V K Sreekandan M.P (Loksabha) on the complaint against quarrying operation in Anangamala in Ottapalam Municipality, Palakkad. (2177/EC3/2024/SEIAA)
173.06	Environmental Clearance for the Granite Building Stone Quarry project at Sy.No. 1244/1 (pt) at Killanur Village, Thrissur Taluk, Thrissur District by Sri. Dineshmon N.T, M/s.Rudra Granites – Judgment dated 26.03.2021 in WP(C) No.8023 of 2021 - Revalidation of EC. (File No.823/SEIAA/EC1/2977/2015)
173.07	Regional EMP for mining of projects in Cluster Condition with area less than 5Ha.(SEIAA/56/A2/2024)
173.08	Rejection order issued to the Environmental Clearance for mining of Granite Building Stone Quarry project of Sri. Muhammed Faisal K. P for an area of 2.1404 ha at Survey Nos 178/1, 179/pt, Block No: 56 in Morayur Village, Kondotty Taluk, Malappuram – Judgment dated 21.10.2024 in WP(C) No. 29603/2023 (File No-1300/EC/2019/SEIAA)