

**ABSTRACT**

State Environment Impact Assessment Authority, Kerala – Removal of Brick Earth from Sy. 752/p, 753/p, 755/p, 750/p, 751/p and 749/p of Ayyathole Village, Thrissur Panchayath, Thrissur Taluk, Thrissur District, Kerala. Application of Sri. Domi. K.A, Kuruthukulangara (H), P.O., Eravimangalam, Thrissur – 680751 **Environmental Clearance – Issued**

**STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY**

No. 309/SEIAA/KI/1659/2014

Date: 18.04.2015

- Ref: 1. Application dated 03.05.2014 from Sri. Domi. K.A, Kuruthukulangara (H), P.O., Eravimangalam, Thrissur – 680751  
2. Certificate No. B1/1162/2014 dated 25-03-2014 of Addl. Tahsildar, Thrissur  
3. Minutes of 35<sup>th</sup> meeting of SEIAA held on 09.04.2015

**ENVIRONMENTAL CLEARANCE NO. 09 /2015**

Sri. Domi. K.A, Kuruthukulangara (H), P.O., Eravimangalam, Thrissur – 680751 has applied for Environmental Clearance for removal of 7000 m<sup>3</sup> of Brick earth from 1 hectare of land comprised in Sy. 752/p, 753/p, 755/p, 750/p, 751/p and 749/p of Ayyathole Village, Thrissur Panchayath, Thrissur Taluk, Thrissur District, Kerala for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	: 08.04.2014
<i>a) Undertakings given by applicant</i>		
2	Nature of Land	: Nilam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of Laterite is applied for	: 752/p, 753/p, 755/p, 750/p, 751/p and 749/p
4	Revenue authority who certified the Application	: Addl. Tahsildar, Thrissur
5	Purpose of removal of Ordinary Earth	: The Brick Earth shall be removed for construction of basement for new building
6	If to be transported out of the site, end use of the Brick earth removed	: The removed Brick earth shall be used for commercial purposes and will be given to tiles factory – Kailas Potteries, Kailas Clay works – Chittisery.
<i>b) Appraisal and Recommendation by SEAC</i>		
7	Date of recommendation of SEAC for removal of Brick earth	: 06/07-06-2014
<i>(c) Environmental Clearance by SEIAA</i>		
8	Date of clearance given by SEIAA	: 09.04.2015

9	Quantity of Brick earth sanctioned to be removed	: 5000 m <sup>3</sup>
10	Special condition if any for removal of Brick earth from the site	: N.A.

2. Environmental Clearance under S.O. No. 133 (H) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1 All (M) dated 04.06.2013 is accorded to Sri. Domi. K.A, Kuruthukulangara (H), P.O., Eravimangalam, Thrissur - 680751, the applicant, to remove 5000 m<sup>3</sup> of Brick earth from the land owned by him in Sy. 752/p, 753/p, 755/p, 750/p, 751/p and 749/p of Ayyathole Village, Thrissur Panchayath, Thrissur Taluk, Thrissur District, Kerala limited to the basement area of the building site and in strict compliance with the general conditions in the annexure.
3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Thrissur by the Director of Environment and Climate Change.

*Ry*

Member Secretary (SEIAA)

To,

Dom, K. A.  
Kuruthukulangara (H), P.O.  
Eravimangalam  
Thrissur - 680751  
Ph: 9847349424

Copy to:

1. District Collector, Thrissur
2. Tahsildar, Thrissur
3. Director, Mining & Geology
4. Secretary, Thrissur Corporation
- ✓ 5. Chairman, SEIAA
6. Stock File
7. Website



**Annexure**  
**(vide item 2)**

**General conditions**

- (i) This activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/extavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

