

# Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P.H.Kurian, I.A.S., Member Secretary.

Sub: SEIAA- Environmental Clearance for the proposed stone Quarry project in Sy. Nos. 3/5pt, 3/6pt, 3/8pt, 11/2, 11/4, 12/6, 12/3, 12/2, 12/5, 11/3, 10/3-1, 10/4, 10/2-1, 16/3, 17/8, 18/1pt, 11/7 at Thottapuzhassery Village, Thiruvalla Taluk, Pathanamthitta District, Kerala by Sri.Aby Mathew, Managing Partner, M/s Panachayil Industries - Granted - Orders issued.

# STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA

#### No. 960/EC4/4470/2015/SEIAA

### Dated, Thiruvananthapuram 17.03.2018

Ref:

- 1. Application received on 27.10.2015 from Sri Aby Mathew, Managing Partner, M/s Panachayil Industries, West Othera P.O., Thiruvalla, Pathanamthitta-689 551
- 2. Minutes of the 58th SEAC meeting held on 28th & 29th June, 2016
- 3. Minutes of the 57th meeting of SEIAA held on 26th August 2016
- 4. Minutes of the 63<sup>rd</sup> meeting of SEAC held on 4<sup>th</sup> October 2016
- 5. Minutes of the 61<sup>st</sup> meeting of SEIAA held on 30<sup>th</sup> November 2016.
- 6. Minutes of the 68th SEAC meeting held on 20th & 21st February 2017.
- 7. Minutes of the 69th meeting of SEAC held on 9th & 10th March 2017.
- 8. Minutes of the 67th meeting of SEIAA held on 28th April 2017.
- 9. Minutes of the 76th meeting of SEIAA held on 16th November 2017
- 10. Minutes of the 79th meeting of SEIAA held on 09th January 2018
- 11. Affidavit dt.21.02.2018 from Sri.Aby Mathew, Managing Partner, M/s Panachayil Industries,

# ENVIRONMENTAL CLEARANCE NO.34/2018

Sri.Aby Mathew, Managing Partner, Panachayil Industries, West Othera P.O., Thiruvalla, Pathanamthitta, Kerala – 689 551 vide his application received on 27/10/2015, has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. Nos. 3/5pt, 3/6pt, 3/8pt, 11/2, 11/4, 12/6, 12/3, 12/2, 12/5, 11/3, 10/3-1, 10/4, 10/2-1, 16/3, 17/8, 18/1pt, 11/7 at Thottapuzhassery Village, Thiruvalla Taluk, Pathanamthitta District, Kerala for an area of 7.1122 hectares. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II(M) dated 18<sup>th</sup> May 2012 of Ministry of Environment

and Forests. It is further categorized as Category B2 as per Notification No.S.O.141 (E) dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

## Details of the project as furnished by the applicant are as follows;

## BASIC INFORMATION OF QUARRY

#### PART A

	Project details
File No.	960 / SEIAA / EC1 / 4470 / 2015
Name /Title of the project	Quarry (Minor Mineral) project of M/s PANACHAYIL INDUSTRIES is situated at Survey Nos. 3/5 pt, 3/6 pt., 11/2, 11/7, 11/3, 11/4, 12/3, 12/2, 12/6, 12/5, 16/3, 18/1 pt, 17/8., 10/2-1, 10/3-1, 10/4, 3/8 pt., of Thottapuzhassery Village, Thiruvalla Taluk, Pathanamthitta District, Kerala for an area of 7.1122 hectares for
	production of 4,50,000 MTA
Name and address of project proponent.	Mr. Aby Mathew (Managing Partner) M/s Panachayil Industries, West Othera P.O., Thiruvalla, Pathanamthitta, Kerala – 689 551. Tel. No. 0469-2743300 Mobile No. 9447152880 mail@poabs,in & tvla@poabs in
Owner of the land	M/s Panachayil Industries
Survey No. District/Taluk/ and Village etc.	Survey Nos. 3/5 pt, 3/6 pt., 11/2, 11/7, 11/3, 11/4, 12/3, 12/2, 12/6, 12/5, 16/3, 18/1 pt, 17/8., 10/2-1, 10/3-1, 10/4, 3/8 pt., of Thottapuzhassery Village, Thiruvalla Taluk, Pathanamthitta District, Kerala – 689 551
Details of period of lease or permit with	The quarry is working with three mining leases i.e., 1.) 4.0541 ha. (Order No. 561/2008-09/10672/M3/2008 and valid up to January, 2021) which is accorded with Environment Clearance.
number including the and expiry of	2.) 1.2175 ha (Order No. 704/2006-07/553/M3/07 and valid up to February, 2019) which is accorded with Environment Clearance.
lease/permit (Copy to be attached)	3.) 1.2219 ha. (Order No. 142/2010-11/4223/M3/2010 and valid up to August, 2022) which is accorded with Environment Clearance  The copy of leases are attached with this Performa.
Present Status of the project a. Date & Year of starting the	The quarry is working from February, 2007.
work of the quarry project. b. whether the	The quarry is working with three mining leases i.e., 1.) 4.0541 ha. (Order No. 561/2008-09/10672/M3/2008 and valid up to January, 2021) which is accorded with Environment Clearance.

	produced	life.	
	and		)
	managed	he removed during the	955 cu. m. of topsoil is proposed to
İ	managed	from the grown will be 1	operations. The topsoil excavated
		and subacquently will be dumped	separately at pre-determined place
		for plantation Properties 31	in spreading over reclaimed areas
1		tongoil dump to 5 to 6	be taken to limit the height of the
		shalf life It will be with the	n order to preserve its fertility and
		infertility by planting folder	protected from soil erosion and
		temporary storage.	ass and leguminous plants during
	4. Latitude	Latitude (N)	00000100 50417
1	and	Editiode (14)	09°22'30.59"N to
	Longitude	Longitude (E)	09°22'44.17"N
			76°41'30.95" E to 76°41'43.22" E sed rock and the remaining land is
	,	covered with native trees, shrubs	herbs, grass, climbers, bushes etc.
	5. Topography	The tonography of the lease area	is hilly. The highest elevation of
	of land and	the lease area is 160 m MSI a	and lowest is 50 m MSL. As the
-	elevation	proposed area is hill rook the dr	ainage of the lease area is towards
		NW.	amage of the lease area is towards
-	6. Slope	The 1 control	
<u></u>	analysis	The drainage of the lease area is to	owards NW.
ļ	7. Will there		
	be any		
	significant		
	land		, which
	disturbance	Zone-III, Moderate damage risk zo	one as par BMTPC, Vulnerability
	resulting in	atlas Seismic zone of India IS: 189	93-2002.
	soil erosion,		İ
	subsidence		
	& natural		
	drainage.		<u>-</u>
	8. Access road		
	to the site width and	8m tarred road	
	condition		
	9. Will there	<u> </u>	
	be any		
	- No. ▼ 133	No the land used will be say	1
	1   Newtern 2007   100	No, the land used will be fully	reclaimed and rehabilitated by
	the	backfilling the pond and plantation	. Plantation and afforestation will
		add to the improvement in environ area.	unent and aesthetic beauty of the
	the proposal	arva.	
	site		
	·	Mining details	
	a) Minimum	Training Hatallo	
	and	The amountable of the second	
	Maximum	The exploitation of mineral is being	done from 160 m MSL to 40m
1	height of	MSL in conceptual phase	·
	excavation.		
		· · · · · · · · · · · · · · · · · · ·	

	quarry is	2.) 1.2175 ha (Order No. 704/2006-07/553/M3/07 and valid up
	working at	to February, 2019) which is accorded with Environment
	present or not	Clearance.
	?	3.) 1.2219 ha. (Order No. 142/2010-11/4223/M3/2010 and valid
	. 1	up to August, 2022) which is accorded with Environment
		Clearance
		Two Environment Clearances were accorded by SEIAA, Kerala for
!		a cumulative area of 6.5465 ha. which are contiguous to the area
		under consideration and details of EC are provided below:
		1. Environment Clearance granted by SEIAA, Kerala vide
		Order No. 34/SEIAA/KL/6089/2012 dt. 14/11/2012 for a
		cumulative area of 2.5036 ha (0.63 ha + 1,8736 ha.)
		2. Environment Clearance granted by SEIAA, Kerala vide
		Order No. 145/SEIAA/EC4/2746/2013 dt. 04/01/2016 for an
		area of 4.0429 ha
	c. If stopped	mou or 1.0127 in
	!	Not Applicable.
	working since when?	Not Application
	Date of	Value de la constant
	submission of	27 / 10 / 2015
	Application	2// 10/ 2013
	Application	The land for the proposed quarry is Private land and the land is
		possessed in the name of M/s PANACHAYIL INDUSTRIES The
	Brief	targeted production of mine will be 4,50,000 MTA. The estimated
	description of	project cost will be Rs. 10 Crores. The expected life of mine
	the project.	estimated will be about 4 years
	me projetn	The working will be carried out by opencast semi-mechanized
		method as per the approved Mining Plan.
		Mr. Aby Mathew ( Managing Partner)
	Details of	M/s Panachayil Industries,
İ	Authorized	West Othera P.O., Thiruvalla,
	Signatory and	Pathanamthitta, Kerala – 689 551.
	address for	Tel. No. 0469-2743300 Mobile No. 9447152880
	correspondence	mail@poabs.in & tvla@poabs.in
***		Land Details
<u> </u>	1. Extent of	
	area in	7 1122 Hectares
	hectares	
	2. Is the	
	property	
	forest	
	land/Govt.	Private own land
	land/own	
	land /patta	
	land	
	3. Quantity of	It is estimated that around 7,955 cu. m. of top soil will be generated
	top	from the proposed pit, which will be properly stacked and will be
	soil/over	utilized for plantation over the reclaimed areas. Also it is estimated
	burden	that around 1,988 cu. m. of OB is generated throughout the mine
	<u>.                                    </u>	

	1 4 4	T 10 0	
	b)	Life of mine	About 4 years
		proposed.	
	c)	Undergroun	
		d mining if	The working will be carried out by opencast semi-mechanized
		any	method as per the approved Mining Plan.
		proposed	
	(d)	Method of	The working will be carried out by opencast semi-mechanized
		Mining	method as per the approved Mining Plan
	(e)	Distance	1
	l ´	from the	There are three quarries in operation for combine area of 1.0541 ha (
		adjacent	0.6751 ha + 0.138 ha + 0.241 ha) of Mr. K. M. Mathew within
		quarry	500m radius
	1	44417	No cluster condition, further two Environment Clearances were
	Ì		accorded to the quarries which are contiguous to the area under
			consideration and details of EC are provided below:
	i		1. Environment Clearance granted by SEIAA, Kerata vide
	f)	Cluster	Order No. 34/SEIAA/KL/6089/2012 dt 14/11/2012 for an
		condition if	area of 2.5036 ha
		any	2. Environment Clearance granted by SEIAA, Kerala vide
		•	Order No. 145/SEIAA/EC4/2746/2013 dt. 04/01/2016 for an
			area of 4.0429 ha
			The expansion of quarry project proposal is for an area of 7.1122 ha.
'			(0.1240 ha + 1.5859 ha with LOI = 1.7099 ha & 5.4023 ha. with
			lease)
	g)	Has "No	
		cluster	Yes, cluster certificate is already submitted with Environment
		certificate"	Clearance Application.
		submitted?	
	h)	Distance	
		from nearby	The nearest habitation is about 70m towards SE side (existing
		habitation	Environment Clearance and mine lease accorded quarry)
	i)	Distance	
		from nearby	
		forest, if	Ponthanpuzha Forest, 11 km, NE
		applicable	
	<u>j)</u>	Distance	
	37	from	
		protected	
		area,	
		Wildlife	None within 15 km radius.
		Sanctuary,	
		National	
		Park etc.	
	12)		
	k)	Distance	·
		from nearby	D D' 1 101 GE
		streams/river	Pampa River, about 3 km, SE
		s/National	Manimala River, 5 km, NW
		Highway	·
		and Roads	

i) Is ESA	
applicable?	
distance	Not falling in ESA
from ESA	
limit	
m) Has	
approved	
mining plan,	Yes, the approved mining plan prepared by RQP is already
prepared by	submitted with E.C. Application.
RQP	
submitted?	
n) Capacity of	
production	4,50,000 MTA
in TPA	
	The mining will be done by open cast semi-mechanized method of
o) Details of	mining. The bench height and width will be maintained 5 m.
mining	Excavated material is transported to the crusher unit existing near
process	the complex for further processing. The ultimate depth of the mine
	workings is estimated to reach upto 40m MSL
	Details of Project cost
a) Land cost	Rs. 10 Crores (All inclusive)
b) Plant and	Rs. 10 Crores ( All inclusive )
Machinery c) Total Cost	Rs. 20 Crores (All inclusive)
c) Total Cost V. Financial	RS: 20 Crores (An inclusive)
Statement	
including	Project Cost = Rs. 20 Crores
funding	Insurance = Insurance to the quarry workers would
sourceand	provide through insurance company.
details of	Funding = Own source & bank loan
insurance etc.	
	Air Pollution   Mining activities will generate certain quantities of
	dust during drilling, blasting, loading and
	transportation operations. The following measures
	will be taken to mitigate the fugitive dust from
43	different operations.
	Laying of haul road as per the standards, black
	topping of permanent haul road and service road
Management Plan	to avoid or eliminate air – borne dust.
	To avoid the dust generation from the drilling
	operations, wet drilling method will be adopted.
	Drill machines will be equipped with dust collectors.
	Use of appropriate explosives for blasting and avoiding overcharging of blast holes.
	Controlled blasting techniques will be adopted.
	Watering of haul road and other road at regular
	watering of hauf road and other road at regular

г	<u> </u>			
			intervals.	
			• Provision of dust filters/ mask to workers	
			working at highly dust prone and affected areas.	
			Provision of green belt all along the periphery of	
			the lease area.	
			• Periodical monitoring of ambient air quality in	
			and around the lease area.	
			The extracted mineral will be transported from	
			the quarry to the end user by adopting following	
			measures so as to minimize dust emissions.	
			• In case of long transportation the trucks after loading will be covered with tarpaulin sheets.	
			Speed of the vehicles will be maintained within	
		·	the prescribed limits.	
			• Trucks will not be over leaded and will be	
			maintained to the body level	
-		Water	Provision of storm water collection pond with an	
		Pollution	appropriate capacity. The water requirement for	
			sprinkling on sources of dust emission, on roads,	
		.335	landscaping etc. Can be met from the stored	
			rainwater in the pond.	
	.	Noise	The major noise generating source from the	
			proposed activity is working machinery, drilling,	
	.[:		blasting and plying of vehicles. The following	
	l.		control measures are to be undertaken to bring	
		45	down the noise levels:-	
			Proper maintenance of machinery, equipments	
			and improvement on design of machines.	
			• Use of personal protective devices i.e., earmuffs	
ĺ			and earplugs by workers, who are working in	
			high noise generating areas.	
			• Creation of wide green belt of dense foliage	
			between mine areas and residential colonies.	
			• Proper training to personnel to create awareness	
	· · · · · · · · · · · · · · · · · · ·		about adverse noise level effects.	
			• Planned noise monitoring at suitable locations in	i
	**************************************	::'	the plant and outside location for proper effective	
			remedial actions.	
		Solid Waste	Topsoil Management	
		Management	The topsoil excavated from the quarry will be	
			dumped / stacked separately at pre-determined place	
Į	1		and subsequently will be utilized in spreading over	
			reclaimed areas for plantation as part of eco-	i
			restoration. Precautions will be taken to limit the	
			height of the topsoil dump / stacked to 5 to 6 meters	
	[]	i	in order to preserve its fertility and shelf life. It will be suitably protected from sail engine and	
-			be suitably protected from soil erosion and infertility by planting fodder gross and legyminous	
		·	infertility by planting fodder grass and leguminous	<u>.</u>

plants during temporary storage.  Overburden Management  This waste will be utilized within the pit for lying haul roads. At the end use, OB can be reutilized soil base for plantation.  Eco-  restoration  The year wise programme of eco-restoration for long of mine will be made and about 4,200 trees will planted in an area of 4.2142 ha.  VI. Whether  Environment  Management Plan  Detailed Environment Management Plan is already submitted within the pit for lying haul roads. At the end use, OB can be reutilized soil base for plantation.  Eco-  restoration  Detailed Environment Management Plan is already submitted within the pit for lying haul roads. At the end use, OB can be reutilized soil base for plantation.
This waste will be utilized within the pit for lying haul roads. At the end use, OB can be reutilized soil base for plantation.  Eco-  restoration  The year wise programme of eco-restoration for lying haul roads. At the end use, OB can be reutilized soil base for plantation.  Eco-  restoration of mine will be made and about 4,200 trees will planted in an area of 4,2142 ha.  VI. Whether  Environment  Detailed Environment Management Plan is already submitted within the pit for lying haul roads. At the end use, OB can be reutilized soil base for plantation.  Eco-  restoration of mine will be made and about 4,200 trees will planted in an area of 4,2142 ha.
haul roads. At the end use, OB can be reutilized soil base for plantation.  Eco- restoration The year wise programme of eco-restoration for long of mine will be made and about 4,200 trees will planted in an area of 4,2142 ha.  VI. Whether Environment Detailed Environment Management Plan is already submitted with the planted in an area of 4,2142 ha.
soil base for plantation.  Eco- restoration The year wise programme of eco-restoration for long of mine will be made and about 4,200 trees will planted in an area of 4.2142 ha.  VI. Whether Environment Detailed Environment Management Plan is already submitted with the planted in an area of 4.2142 ha.
soil base for plantation.  Eco- restoration The year wise programme of eco-restoration for long of mine will be made and about 4,200 trees will planted in an area of 4.2142 ha.  VI. Whether Environment Detailed Environment Management Plan is already submitted with the planted in an area of 4.2142 ha.
Eco- restoration The year wise programme of eco-restoration for long of mine will be made and about 4,200 trees will planted in an area of 4.2142 ha.  VI. Whether Environment Detailed Environment Management Plan is already submitted with the planted in an area of 4.2142 ha.
restoration of mine will be made and about 4,200 trees will planted in an area of 4.2142 ha.  VI. Whether Environment  Detailed Environment Management Plan is already submitted with the planted in an area of 4.2142 ha.
planted in an area of 4.2142 ha.  VI. Whether Environment Detailed Environment Management Plan is already submitted w
VI. Whether Environment Detailed Environment Management Plan is already submitted w
Environment Detailed Environment Management Plan is already submitted w
Detailed Environment Management Plan is already submiffed w
Management Plan Detailed Environment Wallagement Trail is already submitted w
Wallagement I tall   T. C. A pullication
or Eco restoration E.C. Application.
Plan satisfactory?
VII. Does it
suggest mitigation Detailed Environment Management Plan is already submitted w
measures for each E.C. Application.
** *** *** *** *** *** *** *** *** ***
activity
VIII. If Pre- Detailed Pre-Feasibility Report (PFR) is already submitted with E.
reasibility Report Application
(PFR) satisfactory
IX. Does it need Not Anatochlo
public hearing Not Applicable
X. Details of
litigation and Court No litigation pending
verdict if any
XI. Details of
public complaint, if None
any Change Chang
The following Govt. Orders / Policies are to be followed:-
➤ Kerala Minor Mineral Concession Rules, 2015.
➤ Mines Act, 1952
XII. Details of > Explosive Rules, 2008
statutory sanction  ➤ Kerala Panchayat Raj Act, 1994
equired Environment Protection Act, 1986
► EIA Notification, 2006 / 2009
The Kerala Promotion of Tree Growth in Non-Forest Are
(Amendment) Act, 2007.
XIII.If CRZ
**************************************
recommendation Not Applicable
4: 44 A
applicable?
PART B
**
PART B Environment Impact Assessment and Mitigation Measures
PART B Environment Impact Assessment and Mitigation Measures Impact on water The total water requirement is about 6 KLD in which 2 KLD is f
PART B Environment Impact Assessment and Mitigation Measures  Impact on water  The total water requirement is about 6 KLD in which 2 KLD is factorial water which would be sourced from open well 2 KLD for due to the source of t
PART B  Environment Impact Assessment and Mitigation Measures  Impact on water  a) Details of water requirement is about 6 KLD in which 2 KLD is f domestic which would be sourced from open well, 2 KLD for due to the contract of the contra
PART B  Environment Impact Assessment and Mitigation Measures  Impact on water  a) Details of water requirement per requirement per day in KLD.  The total water requirement is about 6 KLD in which 2 KLD is for dusting the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mi
PART B  Environment Impact Assessment and Mitigation Measures  Impact on water  a) Details of water requirement per day in KLD  The total water requirement is about 6 KLD in which 2 KLD is f domestic which would be sourced from open well, 2 KLD for dusuppression system in mine and 2 KLD for plantation purposes we be sourced from storm water pond.
PART B  Environment Impact Assessment and Mitigation Measures  Impact on water  a) Details of water requirement per requirement per day in KLD.  The total water requirement is about 6 KLD in which 2 KLD is for dusting the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mine and 2 KLD for plantation purposes water and the suppression system in mi

	suppression system in mine and 2 KLD for plantation purposes will be sourced from storm water pond
c) Expected water	
use per day in	6 KLD
KLD.	
d) Details of water	
requirements	2 KLD for dust suppression system in mine and 2 KLD for
met from water	plantation will be sourced from storm water pond
harvesting.	Trum
e) What are the	
impact of the	No significant impact envisaged on ground water due to the mining
proposal on the	project.
ground water?	
f) How much of	
the water	
requirement can	
be met from the	
recycling of	NI- CCTD
treated waste	No STP proposed for treatment of waste water.
water?	
(Facilities for	
liquid waste	
treatment)	
g) What is the	
incremental	
pollution load	
from waste	The sewage to a tune of 1.60 KLD generated from the mine office
water generated	will be diverted to the septic tank followed by soak pit.
from the	
proposed	
activities?	
h) How is the	The run-off from the lease area will be suitably collected through
storm water	channels and will be stored in storm water pond for further
from within the	utilization in Mine/ Crusher units. However, all measures will be
site managed?	taken to not to disturb the natural drainage system of the
	surrounding area.
Impact	on Biodiversity and Eco restoration Programmes
a) Will the project	
involve	
extensive	Due to the mining activities, there will be loss of some native
clearing or	species and vegetation. However, some of these species will be
modification of	planted at the end use for eco-restoration.
vegetation	restoration.
(Provide	•
details)	
b) What ate the	
measures	The year wise programme of eco-restoration for life of mine will be
proposed to	made and about 4,200 trees will be planted in an area of 4.2142 ha.
minimize the	

likely impact on		i
vegetation		
(details of		
1 1		
proposal for		
tree plantation/		
landscaping)		
c) Is there any		
displacement of	·	
fauna – both		
terrestrial and		3.,
aquatic. – If so	Not applicable	
what are the		
mitigation		
measures ?		
d) Presence of any	No endangered species found at site	
1 1 7	No charigered species round at site	
endangered		
species or red		
listed category		
(in detail)		
	Impact on Air Environment	
·	Mining activities will generate cert	ain mantities of dust during
	drilling, blasting, loading and tra	
i l	following measures will be taken to	mitigate the fugitive dust from
1	different operations.	
	• Laying of haul road as per the	e standards, black topping of
	permanent haul road and service i	
	borne dust.	to avoid of ciliminate air
a) What are the	**************************************	
	To avoid the dust generation from	m the drilling operations, wet
mitigation	drilling method will be adopted.	
measures on	Drill machines will be equipped w	ith dust collectors.
generation of	• Use of appropriate explosives	
dust, smoke	T-07/07/09/09	101 Olubhing and avoxome
and air quality	overcharging of blast holes.	
	<ul> <li>Controlled blasting techniques will</li> </ul>	
l l'anne de finale de la company	<ul> <li>Watering of haul road and other ro</li> </ul>	oad at regular intervals.
	<ul> <li>Provision of dust filters/ mask to v</li> </ul>	workers working at highly dust
	prone and affected areas.	
	Provision of green belt all along the	*
	<ul> <li>Periodical monitoring of ambient</li> </ul>	air quality in and around the
	lease area.	
	The extracted mineral will be tran	sported from the quarry to
	the end user by adopting following	
		incusures so as to minimize
b) Details of	dust emissions.	. 1 6 1 1
internal traffic	• In case of long transportation the	e trucks after loading will be
	covered with tarpaulin sheets.	
management of	• Speed of the vehicles will be ma	intained within the prescribed
the site.	limits.	
		and will be reciptoized to the
	Trucks will not be over loaded a	and will be maintained to the
	body level	

c) Details of noise from traffic, machines and vibrator and mitigation measures	<ul> <li>The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:-</li> <li>Proper maintenance of machinery, equipments and improvement on design of machines.</li> <li>Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise generating areas.</li> <li>Creation of wide green belt of dense foliage between mine areas and residential colonies.</li> <li>Proper training to personnel to create awareness about adverse noise level effects.</li> <li>Planned noise monitoring at suitable locations in the plant and outside location for proper effective remedial actions.</li> </ul>
d) Impact of DG	outside recurrent for proper effective remedial actions:
sets and other	
equipments on	
noise and	
vibration and	
ambient air	No DG Set proposed
quality around	
the project site	
and mitigation	
measures	
e) Air quality	The ambient air quality monitoring of the project site was carried
monitoring in	out and the copy of report is already submitted with E.C.
detail	Application.
D 11 6	Energy Conservation
a) Details of	
power	The total power requirement will be 75 kW, which will be drawn
requirement	from diesel engine. Fuel Quantity – 16 to 20 lt/ hr.
and source of	20 to 11.
supply. b) Details of	
renewable	
energy (non –	The total power requirement will be 75 kW, which will be drawn
conventional)	from diesel engine. Fuel Quantity – 16 to 20 lt/ hr.
used.	
	Risk Management
a) Are there	TOOK I TILLIA SCINCILL
sufficient	
measures	
proposed for	Detailed Parise and A.M.
risk hazards in	Detailed Environment Management Plan is already submitted with
case of	E.C. Application.
emergency	
such as	
accident at the	

_		site?	_			<del></del>		
	b)	Are proposals for fencing around the	Barbed wire fencing will be done all around the quarry site.					
	(c)	quarry satisfactory? Storage of	mining of hole	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled				
		explosives /hazardous substance in	with t Contro	with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961.				
•	d)	detail. Facility for solid waste management	separat	oil and over burde tely on earmarked pl I road development.	n generated ace and will b	from the site oe used for ec	will be stored o-restoration and	
				Socio Economic	Impacts			
	1)	cause adverse			···	*#		
		effects on local communities		roposed project wil	l directly / ir	directly deve	Top the area by	
		disturbance to	provid	ling employment	opportunit	es. With		
		sacred sites or	develo	pment in and are	and the are	a there will	be supporting	
		other cultural	1 200	es/ infrastructure ev	entually lead	ing to the dev	elopment of the	
	-	values. What	area.					
		are the safe						
		guards						
L		proposed?						
	2)	7784797	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		a			
		proposal result	Part 6	f the proposed lan	d is existing	quarry area	and there is no	
		in any changes	vegeta	Part of the proposed land is existing quarry area and there is no xegetation in that area. The remaining land in the proposed land is				
		to the	mostly	covered with nat	ive trees, sh	rubs, herbs,	grass, climbers,	
	::	demographic	hushes	s etc. The topograp	hy of the lea	ase area is h	illy terrain. The	
		structure of	highes	t elevation of the le	ease area is 1	60 MSL and	lowest is 50 m	
		local	MSL	As the proposed a	rea is hill ro	ck, the drain	age of the lease	
	10000	population. If		towards NW.		,	J	
	1 100	so, provide details.		W			,	
		de.	Sl.	Areas of	No. of	Recurring	Non	
			No	Intervention	Interventi on	Expenses (in Rs.)	Recurring Expenses (in Rs.)	
	3)	Are the CSR	01	Infrastructure Development	03	8,50,000	13,30,000	
		proposals	02	Development of	03	Nil	8,20,000	
		satisfactory.		educational		ļ	1	
		Give details		institutions				
			03	Environmental	02	4,50,000	8,20,000	
				sustainability	1 ~~	.,,,,,,,,,,	-,,	
			04	Promotion of	02	5,50,000	Nil	
			04	education	102	3,50,000	1	
	1		11	i caucation	1	I	I	

	05	TT 1 4 1 1	T.0.4	T 1 10 000	1 70 000
	05	Help to hapless	04	14,40,000	1,70,000
		Total	14	32,90,000	31,40,000
4) What are the projects benefits in terms of employment potential?	there	o the mining activity will be workers attract by 40 persons in the	racted to the		
		PART (	7		
Details of NABET approved EIA Consultant engaged-Their name, address and accreditation details	M/s Environmental Engineers & Consultants Pvt. Ltd.  (NABET Accredited Consultant Organization)  Head Office: - A1-198, Janak Puri, New Delhi.  Branch Office:				
		Summary and C	onclusion		
a) Overall justification for implementation of the project.  b) Explanation of	positive local issues use to definite area is reclair native is earn mass mining to connot like	redicted that socio- vely increase the cha- inhabitants. There- involved in this pro- people of the area tely increasing due to devoid of any end in the land and dev species to a maxim narked outside the plantation. Also, a g area for storage of serve fresh water co- ely to affect the env	economic in ance of more are no Respect. The proposed angered floratelop green community proposed materials water aronsumption.	employment efflement and ject infrastrule of the Stated activity. The and fauna. It is not to extent. Additioning area for pond is proport for its substitute the pro	opportunities for d Rehabilitation ctures will be of the Govt. Will be the entire project at is proposed to restoration with the tionally, an area or compensatory osed outside the equent use so as posed project is extern adversely.
T NEW TOWN ROMETS CONTROL TO THE TOWN TO T					

2. The proposal was considered in 58<sup>th</sup> SEAC meeting held on 28<sup>th</sup>& 29<sup>th</sup> June, 2016. Further to the intimation of SEAC, the proponent along with the RQP was present in the meeting and RQP made a power point presentation of the salient features of the project for expansion of a working quarry. The committee appraised the proposal based on the mining plan, pre-feasibility report and all other documents submitted along with the Form I application and recommended for issuance of EC for mining subject to the general conditions.

- 3. The proposal was considered in the 57<sup>th</sup> meeting of SEIAA held on 26<sup>th</sup> August 2016. As site inspection has not been conducted, Authority decided to have the site inspection conducted by SEAC.
- 4. The proposal was considered in the 63<sup>rd</sup> Meeting of SEAC held on 4th October 2016. The Committee decided to wait for the decision of the SEIAA on site inspection.
- 5. The proposal was placed in the 61<sup>st</sup> meeting of SEIAA, held on 30<sup>th</sup> November 2016. The Authority in several previous minutes reiterated the importance of site inspection for appraisal of applications for Environmental Clearances in Kerala. The 60<sup>th</sup> meeting of SEIAA held on 27-10-2016 also decided that site inspection by SEAC is necessary to verify the statements in the application and documents submitted by the proponent and to satisfy the sufficiency of the undertakings given therein. Therefore the Authority decided to return the proposal for site inspection report at the earliest.
- 6. The proposal was considered in the 68<sup>th</sup> SEAC meeting held on 20<sup>th</sup> & 21<sup>st</sup> February 2017. The Committee examined the suggestions made by SEIAA and decided to defer the item for site inspection.

Subsequently, field visit to the Quarry project site of M/s Panachayil Industires, Thottapuzhasserry village, Pathanamthitta district, was carried out on 25.02.2017 by the sub-committee of SEAC, Kerala, comprising Dr. Keshav Mohan and Sri. John Mathai. The representatives of the proponent were present at the site at the time of site visit.

This project is located at about 5 km north of Kozhencherry with its approach from Thadiyoor Kuravankuzhy road. Boundary pillars of the plot are erected and numbered as given in the surface plan with the respective coordinates. Entire area has been provided with fence. The rock type is dominantly Charnockite. This site is mostly an old quarry pit with steep cliff like boundary on the south and east. Bench formation is limited to the western part. The general slope is towards northwest. Storm water from the old workings is channelized into a pit on the north-western part that functions as RWH structure. The service block and associated facilities are located on the extreme northern part adjacent to the road. Floral and faunal blodiversity is not observed as the area is mostly rocky and disturbed. Dwelling units are not observed in the vicinity. 100 m buffer distance is provided from the public road. Two quarries of M/s Panachayil and M/s Kuzhuvomannil are located within 500m, but their combined area with this project is less than 25 ha. Based on an overall evaluation of the site it can be recommended subject to the following condition.

At the base of the worked out pit with cliff like structure, at least 15 m buffer distance is to be provided as a no development zone as a measure of safety.

7. The proposal was placed in the 69<sup>th</sup> meeting of SEAC held on 9<sup>th</sup> & 10<sup>th</sup> March 2017. The Committee appraised the proposal based on Form I, Pre-feasibility Report, Mining Plan, field inspection report of the Sub Committee and all other documents submitted with the proposal. The Committee decided to Recommend for issuance of EC subject to general conditions in addition to the following specific condition for mining.

- 1. At the base of the worked out pit with cliff like structure, at least 15 m buffer distance is to be provided as a no development zone as a measure of safety.
- 2. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent agreed to set apart Rs.31 lakh (non-recurring) and Rs.33 lakh per annum (recurring) for CSR activities. The proponent also agreed to spend this amount in consultation with the local Panchayat for the welfare of the local community.

- 8. The proposal was placed in the Authority in its 67<sup>th</sup> meeting held on 28<sup>th</sup> April 2017. Authority decided to issue Environmental Clearance with the above specific conditions in addition to the general conditions as recommended by SEAC in its 69<sup>th</sup> meeting held on 9<sup>th</sup> & 10<sup>th</sup> March 2017 subject to obtaining legal opinion as decided in the 66<sup>th</sup> SEIAA meeting whether quarrying on lease without Environmental Clearance also come under the scope of violation.
- 9. The proposal was placed in the 76<sup>th</sup> meeting of SEIAA held on 16<sup>th</sup> November 2017 and finally in the 79<sup>th</sup> meeting of SEIAA held on 09<sup>th</sup> January 2018. Eventhough the proponent has multiple lease, single lease never exceeds 5 ha and hence in the light of the legal opinion, Authority opined that this is not a case of violation. The proponent has submitted the affidavit vide reference 11<sup>th</sup> cited satisfying all the general and specific conditions.
- 10. Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the quarry project of Sri.Aby Mathew, Managing Partner, M/s Panachayil Industries, West Othera P.O., Thiruvalla, Pathanamthitta, Kerala 689 551 in Sy. Nos. 3/5pt, 3/6pt, 3/8pt, 11/2, 11/4, 12/6, 12/3, 12/2, 12/5, 11/3, 10/3-1, 10/4, 10/2-1, 16/3, 17/8, 18/1pt, 11/7 at Thottapuzhassery Village, Thiruvalla Taluk, Pathanamthitta District, Kerala for an area of 7.1122 ha, subject to the specific conditions as in para 7 & 8 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- 11. The Clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 7 (Blasting), Chapter 10 (EMP) Chapter 14 (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.

- 12. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 13. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
  - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
  - ii. Instances of violation if any shall be reported to the District Collector, Pathanamthitta.
- iii. The given address for correspondence with the authorised signatory of the project is Sri.Aby Mathew, Managing Partner, M/s Panachayil Industries, West Othera P.O., Thiruvalla, Pathanamthitta, Kerala 689 551.

Sd/P.H.KURIAN I.A.S,
Member Secretary (SEIAA)

To,

Sri.Aby Mathew,
Managing Partner, M/s Panachayil Industries,
West Othera P.O., Thiruvalla,
Pathanamthitta, Kerala – 689 551

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. District Collector, Pathanamthitta
- 4. Director, Mining & Geology, Thiruvananthapuram -4.
- 5. The Member Secretary, Kerala State Pollution Control Board
- 6. District Geologist, Pathanamthitta
- 7. Tahsildhar, Thiruvalla Taluk, Pathanamthitta
- 8. Chairman, SEIAA.

Website.

10. S/f

11. O/c



Forwarded/By order

Administrator, SEIAA

#### STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

## GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- 35. The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- 36. A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- 37. The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- 38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- 44. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM<sub>10</sub> and PM<sub>2.5</sub> such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- 50. The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- 51. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 53. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- 55. This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- 57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- 60. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- 61. Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

Abolo

