



**PROCEEDINGS OF THE ADMINISTRATOR, STATE
ENVIRONMENT IMPACT ASSESSMENT AUTHORITY,
THIRUVANANTHAPURAM**
(Present. Sabitha.S)

**Sub: - SEIAA – Environmental Clearance for removal of ordinary Sand in
Sy.No.138/34-1, 138/21, 138/21-1, 138/19, 138/20, 138/19-1, 138/12 at Attipra
Village, Thiruvananthapuram Taluk, Thiruvananthapuram District , Kerala
by Sri. Moideen Faisal Hussain– Granted - Orders issued.**

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. 541/EC2/2019/SEIAA

dated, Thiruvananthapuram:20.09.2019

- Ref: 1. O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.
2. Application received on 19.02.2019 from Shri.Moideen Faisal Hussain
3. Minutes of the 94th meeting of SEAC held on 12th & 13th March 2019.
5. Minutes of the 96th meeting of SEAC held on 26th & 27th April 2019.
6. Minutes of the 100th meeting of SEAC held on 11th & 12th July 2019
7. Minutes of the 96th meeting of SEIAA held on 20th August 2019
8. G.O (Rt.)No.29/2019/Env dated 12.04.2019.

ENVIRONMENTAL CLEARANCE NO.44/O.E/2019

Shri.Moideen Faisal Hussain, Mifah, Kallattumukku, Manacad, Thiruvananthapuram- 695009 has submitted an application for Environmental Clearance in SEIAA for removal of Ordinary Sand from the land in Sy. No.138/34-1, 138/21, 138/21-1, 138/19, 138/20, 138/19-1, 138/12 of Attipra Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala from an area of 0.1742.ha of land.

The proposal was placed in the 94th meeting of SEAC held on 12th & 13th March 2019. The Committee decided to inform the proponent to rework the application along with the specific quantity of earth to be removed and also entrusted Shri.M.Dileep Kumar & Shri.K.Krishna Panicker for the site inspection. The subcommittee visited the field on 26th March 2019 and submitted the report.

The proposal was again placed in the 96th meeting of SEAC held on 26th & 27th April 2019. The field inspection report was considered by the Committee. The proponent has submitted the proposal based on the presentation and comments made by the Committee. But it is not according to the recommendation. So the Committee decided to ask the proponent to rework and submit the proposal accordingly. Based on the decision of the committee.

The proponent submitted the documents on 29.06.2019

Again the proposal was placed in 100th meeting of SEAC held on 11th & 12th July 2019. The Committee decided to recommend for issuance of EC with the following specific conditions:

1. Changed building plan with single basement floor approved by the competent authority has to be submitted.
2. Maximum depth of excavation should be limited to 3 m
3. Maximum sand to be removed should be limited to 5208 MT
4. Setback distance around the building should be refilled to the original ground level.

Later on, SEIAA considered the proposal in its 96th meeting held on 20th August 2019. The Authority considered/examined the suggestions and recommendation of SEAC and **decided to issue Environmental Clearance for a period of 6 months subject to the following specific conditions.**

- 1) *The project proponent shall submit a copy of the revised and approved building permit & plan and development permit & plan for single basement floor, issued by Local Self Government Institutions concerned before the District Geologist and the quantity of excavation shall be*

strictly restricted to quantity as specified in the development permit and Plan. Mining shall be carried out strictly as per the specific instructions given by the District Geologist.

- 2) Maximum depth of excavation should be limited to 3 m*
- 3) Setback distance around the building should be refilled to the original ground level.*
- 4) Activities relating to Corporate Environmental Responsibilities (2% of total project cost) shall be carried out leading to protection and promotion of environment in the project region as per OM F.No.22-65/2017-IA-III dt.01.05.2018 of MoEF & CC in consultation with the District Collector.*
- 5) The proponent shall carry out quarrying as per the revised approved Mining Plan and the proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.*

Environmental Clearance under Notification S.O. No.1533 (E) dated 26.09.2006 read with O.M. as first paper above of the Ministry of Environment & Forest, Government of India, to Shri.Moideen Faisal Hussain, Mifah, Kallattumukku, Manacad, and Thiruvananthapuram-695009 for 6 months for the removal of ordinary sand from an area of 0.1742 Ha of land in Sy. No.138/34-1, 138/21, 138/21-1, 138/19, 138/20, 138/19-1, 138/12 of Attipra Village, Thiruvananthapuram Taluk, Thiruvananthapuram District subject to the following Specific conditions and General conditions

Specific Conditions

- 1) The project proponent shall submit a copy of the revised and approved building permit & plan and development permit & plan for single basement floor, issued by Local Self Government Institutions concerned before the District Geologist and the quantity of excavation shall be strictly restricted to quantity as specified in the development permit and Plan. Mining shall be carried out strictly as per the specific instructions given by the District Geologist.*
- 2) Maximum depth of excavation should be limited to 3 m*
- 3) Setback distance around the building should be refilled to the original ground level.*

- 4) *Activities relating to Corporate Environmental Responsibilities (2% of total project cost) shall be carried out leading to protection and promotion of environment in the project region as per OM F.No.22-65/2017-IA-III dt.01.05.2018 of MoEF & CC in consultation with the District Collector.*
- 5) *The proponent shall carry out quarrying as per the revised approved Mining Plan and the proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.*

General conditions

- (i) The activity shall not involve blasting.
- (ii) The excavation activity shall not alter the natural drainage pattern of the area.
- (iii) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (iv) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (v) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (vi) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (vii) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (viii) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (ix) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (x) The quantity of O.E being excavated from each site is to be deposited at each work site shall be fixed.
- (xi) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general and specific conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986. Non-compliance, if any shall be reported to the District Collector, Thiruvananthapuram by the State Environment Impact assessment Authority


Sabitha.S
Administrator, SEIAA

To,

Shri.Moideen Faisal Hussain
Mifah,
Kallattumukku,
Manacad
Thiruvananthapuram- 695009

Copy to:

1. District Collector, Thiruvananthapuram
2. Tahsildhar, Thiruvananthapuram Taluk, Thiruvananthapuram
3. Director, Mining & Geology, Trivandrum
4. District, Geologist, Trivandrum
5. Village officer, Attipra Village, Thiruvananthapuram Taluk, Thiruvananthapuram
6. Chairman, SEIAA
- ✓ 7. Stock File
8. Website
9. O/C