

ABSTRACT

State Environment Impact Assessment Authority, Kerala – Removal of Ordinary Earth from Sy. No. 1056/1 at Edakkara Village, Edakkara Panchayath, Nilamboor Taluk, Malappuram District, Kerala. Application of Sri. Noorudheen, Tottungal Thodika, Palemadu P.O., Malappuram -679331
Environmental Clearance – Issued

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 622/SEIAA/KL/4805/2014

Date: 18.05.2015

- Ref: 1. Application dated 23.05.2014 from Sri. Noorudheen, Tottungal Thodika, Palemadu P.O., Malappuram -6793318
 2. Letter No. E-5615/2014 dated 26.05.2014 of Sub-Collector, Perinthalmanna
 3. Minutes of 37th meeting of SEIAA held on 08.05.2015

ENVIRONMENTAL CLEARANCE NO. 50 /2015

Sri. Noorudheen, Tottungal Thodika, Palemadu P.O., Malappuram -679331 has applied for Environmental Clearance for the removal of 300 m³ of ordinary earth from an area of 0.0364 Ha. of land in Sy. No. 1056/1 at Edakkara Village, Edakkara Panchayath, Nilamboor Taluk, Malappuram District, Kerala for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	10.10.2014
<i>a) Undertakings given by applicant</i>			
2	Nature of Land	:	Asthirapuncha (Kara)
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	1056/1
4	Revenue authority who certified the Application	:	Sub-Collector, Perinthalmanna
5	Purpose of removal of Ordinary Earth	:	For building construction
6	If to be transported out of the site, end use of the ordinary earth removed	:	To fill the basement of building
<i>b) Appraisal and Recommendation by SEAC</i>			
7	Date of recommendation of SEAC for removal of ordinary earth	:	9/10.04.2015
<i>(c) Environmental Clearance by SEIAA</i>			
8	Date of clearance given by SEIAA	:	08-05-2015
9	Quantity of ordinary earth sanctioned to be removed	:	300 m ³
10	Special condition if any for removal of ordinary earth from the site	:	Nil

2. Environmental Clearance under S.O. No. 1533 (E) dated 26.09.2006 read with O.M.No. L-11011/47/2011-1AII (M) dated 24.06.2013 is accorded to Sri. Noorudheen, Tottungal

Thodika, Palemadu P.O., Malappuram -679331 the applicant, to remove 300 m³ of ordinary earth from the land owned by him in Sy. No. 1056/1 at Edakkara Village, Edakkara Panchayath, Nilamboor Taluk, Malappuram District, Kerala, in strict compliance with the general conditions in the annexure.

3. Violation of any of above undertakings general or special conditions will entail cancellation of the E.C, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No. S.O. 637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Malappuram by the Director of Environment and Climate Change.

Sd/-

Member Secretary (SEIAA)

To,

Sri. Noorudheen,
Tottungal Thodika,
Palemadu P.O.,
Malappuram -679331

Copy to:

1. District Collector, Malappuram
2. Tahsildar, Nilamboor
3. Director, Mining & Geology, TVM
4. Secretary, Edakkara Grama Panchayath
5. Chairman, SEIAA
6. Stock File
7. E.C. File
8. Website



Forwarded /By order

**Administrator,
SEIAA.**

Annexure

(vide item 2)

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

