

# Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P.H. Kurian, I.A.S., Member Secretary.

Sub: SEIAA- Environmental clearance for the proposed quarry project in Sy.Nos.1107/1P, 1108/P, 1109/2P, 1110/2P, 1117/2P, 1118/1P, 1119/1P & 1121/3P at Perumbilavu Village, Thalappilly Taluk, Thrissur District, Kerala by Sri. P. K. Jaleel, Managing Partner, M/s Best Granites - Granted - Orders issued.

## STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA

#### No. 964/SEIAA/EC /4474/2015

#### Dated, Thiruvananthapuram, 05.02.2018

- Ref:1. Application received on 27/10/2015 from Sri, P. K. Jaleel (Managing Partner), M/s Best Granites, Kadangode, Thippillissery P.O., ThalappillyTaluk, Thrissur District, Kerala-680 519.
  - 2. Minutes of the 58th Meeting of SEAC held on 28th 29th June, 2016.
  - 3. Minutes of the 63<sup>rd</sup> meeting of SEAC, Kerala, held on 04<sup>th</sup> October, 2016.
  - 4. Minutes of the 68<sup>th</sup> meeting SEAC held on 20<sup>th</sup> 21<sup>st</sup> February 2017.

    5. Minutes of the 66<sup>th</sup> meeting of SEIAA held on 07.04.2017.

  - 6. Minutes of the 74th meeting of SEIAA held on 09:10.2017.
  - 7. Minutes of the 76th SEIAA meeting held on 16th November 2017.
  - 8. Minutes of the 78th meeting of SEIAA held on 15.12.2017.
  - 9. Affidavit received dated 19:01.2018 from Sri. P. K. Jaleel, Managing Partner, M/s Best Granites

# ENVIRONMENTAL CLEARANCE NO. 16/2018

Sris P. K. Jaleel (Managing Partner), M/s Best Granites, Kadangode, Thippillissery P.O., Thatappilly Taluk, Thrissur District, Kerala-680 519, vide his application received on 27-10-2015, has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Survey Nos. 1107/1P, 1108/P, 1109/2P, 1110/2P, 1117/2P, 1118/1P, 1119/1P & 1121/3P in Perumbilavu Village, Thalappilly Taluk, Thrissur District, Kerala. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 and as per O.M. No. L-11011/47/2011-IA.II (M) dated 18th May 2012 of Ministry of Environment and Forests. It is further categorised as Category B2 as per Notification No.S.O.141 (E) dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares. The proposed project is for quarrying of 6,00,000 MTA of building stone.

Details of the project as furnished by the applicant are as follows:-

# BASIC INFORMATION OF QUARRY

## ( To be filled in by the Project Proponent)

### PART A

PROJECT DETAILS		
File No.	964/SEIAA/EC1/4474/2015	
Name /Title of the project	Stone Quarry (Minor Mineral) site of M/s BEST GRANITES	
Name and address of project proponent.	Mr. P.K. Jaleel (Managing Partner) M/s Best Granites Kadangode, Thippillissery P.O., Thalappilly Taluk, Thrissur District, Kerala-680519.	
Owner of the land  Survey No. District/ Taluk/ and Village etc.	Private own land  Survey Nos. 1107/1P, 1108/P, 1109/2P, 1110/2P, 1117/2P, 1118/1P, 1119/1P & 1121/3P in Perumbilavu Village, Thalappilly Taluk, Thrissur District, Kerala	
Category/Sub Category and Schedule	Category B / B2 & Schedule 1(a)	
Details of period of lease or permit with number including the beginning and expiry date of lease/permit period (Copy to be attached)	Not Applicable, New Quarry Project	
Present Status of the project  Date & Year of starting the work of	Not Applicable, New Quarry Project  Not Applicable, New Quarry Project	
the quarry project.  Whether the quarry is working at present or not?	Not Applicable, New Quarry Project	
If stopped working	Not Applicable, New Quarry Project	

since when?			
Date of submission of Application	27/10/2015		
Brief description of the project.	The land for the proposed quarry is private owned land and the land is possessed in the name of M/s BEST GRANITES. The targeted production of mine will be 6,00,000 MTA. The estimated project cost will be Rs. 2.54 Crores. The expected life of mine will be about 3 years. The working will be carried out by opencast semi-mechanized method as per the approved Mining Plan		
GPS Co-ordinate	Latitude (N) 10°42'35.80"N to 10°42'43.53"N		
Details of Authorized Signatory and address for correspondence	Longitude(E) 76°07'21.03"E to 76° 07'36.16"E  Mr. P.K. Jaleel (Managing Partner)  M/s Best Granites  Kadangode, Thippillissery P.O.,  Thalappilly Taluk, Thrissir District,  Kerala-680519.		
	LAND DETAILS		
hectares	evaluded from the total area as ner SEAC directions and net mineable.		
Is the property forest land/ Govt. land/ own land/ patta land	Private own land		
Quantity of top soil/over burden produced and managed	A total estimated quantity of 52,893 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation. Precautions will be taken to limit the height of the topsoil dump to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage.  About 18,987 cu. m of overburden will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.		

Latitude and	Latitude (N)	10°42'35.80"N to 10°42'43.53"N
Lantude and Longitude	Longitude (E)	76°07'21.03"E to 76° 07'36.16"E
Topography of land and elevation	MSL. As the proposed lease area is towards w	
Slope analysis	Drainage of the lease a	rea is towards west side
Will there be any significant land disturbance resulting in soil erosion, subsidence & natural drainage.	collect run off and also There is no danger of above the normal grou	to provide channel all around the foot of hill to to avoid soil erosion.  flood or inundation as the proposed working is and level. The area is not susceptible to flood.
Access road to the site width and condition	8 m wide road	
Will there be any adverse impact on the aesthetics of the proposal site	backfilling the pits and will add to the improverse.	will be fully reclaimed and rehabilitated by plantation and pond. Plantation and afforestation ement in environment and aesthetic beauty of the
		G DETAILS
Minimum and Meximum height of excavation.  Life of mine	The exploitation of the in conceptual phase.  About 3 years	neral is being done from 70 m MSL to 30m MSL
Underground mining if any proposed	No underground minii	ng proposed.
Method of Mining	The working will be as per the approved M	carried out by opencast semi-mechanized method ining Plan
Distance from the adjacent quarry	There is no quarry in	operation within 500m radius.
Cluster condition if any	No Cluster condition, with E.C. Application	the copy of cluster certificate is already submitted.

Has "No cluster certificate" submitted?	Yes, cluster certificate is already submitted with Environment Clearance Application.
Distance from nearby habitation	Nearest habitation is at about 103m towards South side.
Distance from nearby forest, if applicable	None within the study area
Distance from protected area, Wildlife Sanctuary, National Park etc.	None within the study area
Distance from nearby streams /rivers /National Highway and Roads	Bharatha Puzha, 9.50 km, N Naranipuzha, 10 km, SW Ondanthode thodu, 5 km, S
Is ESA applicable? If so distance from ESA limit	Not falling in ESA
Has approved mining plan, prepared by RQP submitted?	Yes, the approved mining plan prepared by RQP is already submitted along with E.C. Application.
Capacity of production in TPA	6,00,000 MFA
Details of mining process	The mining will be done by open cast semi-mechanized method of mining. The bench height and width will be maintained 5 m. Excavated material is transported to the crusher unit existing near the complex for further processing. The ultimate depth of the mine workings is estimated to reach upto 30 m MSL
	DETAILS OF PROJECT COST
Land cost	
Plant and Machinery	Rs. 2.54 Crores ( All inclusive )

Total Cost	Rs. 2.54 Crores	s ( All inclusive )
	Rs. 2.54 Crores	s ( All inclusive )
Financial Statement	Insurance =	Insurance to the quarry workers would
including funding	provide thro	ugh insurance company.
source and details of	Funding = O	wn source & bank loan
insurance etc.	I was a second	
	Air Pollution	Mining activities will generate certain quantities of dust during drilling, blasting, loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations.  • Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air – borne dust.
		<ul> <li>To avoid the dust generation from the drilling operations, wet drilling method will be adopted.</li> <li>Drill machines will be equipped with dust collectors.</li> <li>Use of appropriate explosives for blasting and avoiding overcharging of blast holes.</li> <li>Controlled blasting techniques will be adopted.</li> </ul>
Environment  Management Plan		<ul> <li>Watering of haul road and other road at regular intervals.</li> <li>Provision of dust filters/ mask to workers working at highly dust prone and affected areas.</li> <li>Provision of green belt all along the periphery of the lease area.</li> </ul>
	1	Periodical monitoring of ambient air quality in
	)	and around the lease area.
		The extracted mineral will be transported from
		the quarry to the end user by adopting following
		measures so as to minimize dust emissions.
		• In case of long transportation the trucks after
*		loading will be covered with tarpaulin sheets.
		• Speed of the vehicles will be maintained within
		the prescribed limits.
		• Trucks will not be over loaded and will be
		maintained to the body level
	Water	Provision of storm water collection pond with an
	Pollution	appropriate capacity. The water requirement for
	<u> </u>	sprinkling on sources of dust emission, on roads,

Indiscaping etc. Can be met from the stored rainwater in the pond.  The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:  • Proper maintenance of machiners.  • Use of personal protective devices i.e., carmuffs and earplugs by workers, who are working in high noise generating areas.  • Creation of wide green belt of dense foliage between mine areas and residential colonies.  • Proper training to personnel to create awareness about adverse noise level effects.  • Planned noise monitoring at suitable locations in the plant and outside location for proper effective remedial actions.  Solid Waste Management  The topsoil excavated from the quarry will be dumped / stacked Separately at pre-determined place and subsequently will be utilized in spreading over reclaimed afreas for plantation as part of ecorestoration. Precautions will be taken to limit the height of the topsoil dump / stacked to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil crosion and infertility by planting fodder grass and leguminous plants during temporary storage.  Overburden Management  This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.  Eco-  The year wise programme of eco-restoration for life of mine will be made and about 5,600 trees will be planted in an area of 5.6067 ha.	·	<del></del>	
activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:  • Proper maintenance of machinery, equipments and improvement on design of machines.  • Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise generating areas.  • Creation of wide green belt of dense foliage between mine areas and residential colonies.  • Proper training to personnel to create awareness about adverse noise level effects.  • Planned noise monitoring at suitable locations in the plant and outside location for proper effective remedial actions.  Solid Waste Management  The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. Precautions will be taken to limit the height of the topsoil dump / stacked to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage.  Overburden Management  This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.  Eco-  The year wise programme of eco-restoration for life of mine will be made and about 5,600 trees will be			landscaping etc. Can be met from the stored rainwater in the pond.
restoration of mine will be made and about 5,600 trees will be		Solid Waste	The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:  • Proper maintenance of machinery, equipments and improvement on design of machines.  • Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise generating areas.  • Creation of wide green belt of dense foliage between mine areas and residential colonies.  • Proper training to personnel to create awareness about adverse noise level effects.  • Planned noise monitoring at suitable locations in the plant and outside location for proper effective remedial actions.  Topsoil Management  The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. Precautions will be taken to limit the height of the topsoil dump / stacked to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage.  Overburden Management  This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as
		!	of mine will be made and about 5,600 trees will be
Whether Yes.	Whether	Yes.	
Environment	Environment		
Management Plan or	!		
O			· · · · · · · · · · · · · · · · · · ·

Eco restoration Plan	
satisfactory?	
Does it suggest mitigation measures	Detailed Environment Management Plan is already submitted with E.C. Application.
for each activity	
Is Pre-Feasibility Report (PFR)	Detailed Pre-Feasibility Report (PFR) is already submitted with E.C. Application.
satisfactory	
Does it need public hearing	Not Applicable
Details of litigation and Court verdict if any	No litigation pending.
Details of public complaint, if any	None
Details of statutory sanction required	The following Govt. Orders / Policies are to be followed:  > Consents from Kerala State Pollution Control Board.  > Permission from Mining & Geology Department.  > Permission from Explosive Department  > Permission from Panchayat Office.
If CRZ recommendation applicable?	Not Applicable
ENVIRONMEN	PART B T IMPACT ASSESSMENT AND MITIGATION MEASURES
Details of water	The total water requirement is about 5 KLD.
requirement per day in KLD	
Water source/sources.	The total water requirement is about 5 KLD in which 1 KLD is for domestic which would be sourced from open well, 2 KLD for dust suppression system in mine and 2 KLD for plantation purposes and will be sourced from storm water pond.
Expected water use per day in KLD.	5 KLD
Details of water requirements met	2 KLD for dust suppression system in mine and 2 KLD for plantation will be sourced from storm water pond.

from water	
harvesting.	
What are the impact	No significant impact envisaged on ground water due to the mining
of the proposal on	project.
the ground water?	
How much of the	No
water requirement	
can be met from the	
recycling of treated	
waste water?	
(Facilities for liquid waste treatment)	
· · · · · · · · · · · · · · · · · · ·	
What is the	The sewage to a tune of 0.80 KLD generated from the mine office will
incremental	be diverted to the septic tank followed by soak pit
pollution load from	
waste water generated from the	
proposed activities?	
proposed delivities:	
	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the
· .	lease area and divert into the storm water pond/tanks proposed
I I com in the second	within the complex.
How is the storm water from within	All measures will be taken not to disturb the existing drainage
the site managed?	<ul> <li>pattern adjacent to the other property.</li> <li>De-siltation traps and storm water collection pond proposed for silt</li> </ul>
die site managet:	removal.
	The storm water collected from the lease area will be utilized for
	dust suppression on haul roads, plantation within the premises etc.
IMPACT AND	ODIVERSITY AND ECO RESTORATION PROGRAMMES
	TODIVERSITT AND ECO RESTORATION PROGRAMMES
Will the project	Due to the mining activities, there will be loss of some native species
involve extensive	and vegetation. However, some of these species will be planted at the
clearing or	end use for eco-restoration.
modification of	
vegetation (Provide	<u></u>
details)	
What ate the	The year wise programme of eco-restoration for life of mine will be
measures proposed	made and about 5,600 trees will be planted in an area of 5.6067 ha.
to minimize the	Ecological restoration for the mined area by plantation of the species
likely impact on	as per the time schedule suggested below: -
vegetation (details	First Six months Herbs & grass

C 1.6	Next Six months Shrubs
of proposal for tree	Next Six months Shrubs Next Six months onwards Trees
plantation/	Selection of species is based on High Dust Capturing, Soil Holding
landscaping)	Capacity, ground water recharge capacity etc. More focus is given for
	medicinal plants.
T	
Is there any	Not applicable
displacement of fauna – both	
fauna – both terrestrial and	
aquatic. – If so what	
are the mitigation	No endangered species found at site
measures?	
Presence of any	
endangered species or red listed	
category (in detail)	
	IMPACT ON AIR ENVIRONMENT
	Mining activities will generate certain quantities of dust during drilling, blasting, loading and transportation operations. The
	following measures will be taken to mitigate the fugitive dust from
	different operations.
	Laying of hand road as per the standards, black topping of
	permanent haul road and service road to avoid or eliminate air -
	borne dust.
What are the	• To avoid the dust generation from the drilling operations, wet
mitigation measures	drilling method will be adopted.
on generation of	Drill machines will be equipped with dust collectors.
dust, smoke and air	Use of appropriate explosives for blasting and avoiding
quality	overcharging of blast holes.
1	<ul> <li>Controlled blasting techniques will be adopted.</li> </ul>
	Watering of haul road and other road at regular intervals.
	• Provision of dust filters/ mask to workers working at highly dust
	prone and affected areas.
	Provision of green belt all along the periphery of the lease area.
	Periodical monitoring of ambient air quality in and around the
	lease area.
	The extracted mineral will be transported from the quarry to the
D. H. C. L. I	end user by adopting following measures so as to minimize dust
Details of internal	emissions.
traffic management	• In case of long transportation the trucks after loading will be
of the site.	covered with tarpaulin sheets.
	• Speed of the vehicles will be maintained within the prescribed

	limits.	
	Trucks will not be over loaded and will be maintained to the body level	
Details of noise from traffic, machines and vibrator and mitigation measures	Use of personal protective devices i.e., earnings and earplugs by workers, who are working in high poise generating meas.	
Impact of DG sets	outside foculton for proper chechive remedial actions.	
and other		
equipments on noise		
and vibration and		
ambient air quality	No DG Set proposed	
around the project		
site and mitigation		
measures		
Air quality	The ambient air quality monitoring of the project site was carried out	
monitoring in detail	and the copy of report is already submitted with E.C. Application.	
	ENERGY CONSERVATION	
Details of power	The total power requirement will be 75 kW, which will be drawn from	
requirement and	diesel engine. Fuel Quantity – 16 to 20 lt/ hr.	
source of supply.		
Details of renewable	We will promote renewable energy resources.	
energy (non –	1	
conventional) used.		
RISK MANAGEMENT		
Are there sufficient		
measures proposed	Detailed Environment Management Blog is always and the state of the st	
for risk hazards in	Detailed Environment Management Plan is already submitted with E.C. Application.	
case of emergency	D.C. rippiication.	
such as accident at		
avoidont at		

the site?		
Are proposals for		
fencing around the	Barbed wire fencing will be done all around the quarry site.	
quarry satisfactory?	•	
Storage of explosives/hazardou s substance in detail	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961.	
	Top soil and over burden generated from the site will be stored separately	
Facility for solid	on earmarked place and will be used for eco-restoration and internal road	
waste management	development.	
	SOCIO ECONOMIC IMPACTS	
Will the project		
cause adverse		
effects on local	The proposed project will directly / indirectly develop the area by	
communities	providing employment opportunities. With the proposed development	
disturbance to	in and around the area there will be supporting facilities/ infrastructure	
sacred sites or other	eventually leading to the development of the area.	
cultural values.		
What are the safe		
guards proposed?		
Will the proposal result in any changes	The topography of the lease area is hilly terrain. The highest elevation	
to the demographic	of the lease area is 70 m MSL and lowest is 30 m MSL. As the	
structure of local	proposed area is hill rock, the drainage of lease area is towards West.	
population. If so,	No habitants are located in the lease area.	
provide details.		
	The project proponent set apart an amount of Rs. 7 Lakhs as recurring	
Details of CSR	expenses and Rs. 8 Lakhs as Non recurring expenses for CSR	
commitment	activities for welfare of local community in consultation with the	
	Grama Panchayat.	
What are the		
projects benefits in	Due to the mining activity and due to the attached ancillary unit, there	
terms of	will be workers attracted to the project area. It is proposed to employ	
employment	19 persons in the project.	
potential?		
PART C		

Details of NABET	M/s Environmental Engineers & Consultants Pvt. Ltd.
approved ElA	(NABET Accredited Consultant Organization)
Consultant engaged-	(ALIDDI AND CONSTITUTION CONSTITUTION
Their name, address	Head Office: - A1-198, Janak Puri, New Delhi.
and accreditation	
details	Branch Office:-
details	C-306, Kanchanjunga Apartments, Palarivattom P.O., Kochi, Kerala.
	SUMMARY AND CONCLUSION
	It is predicted that socio-economic impact due to this project will
	positively increase the chance of more employment opportunities for
	local inhabitants. There are no Resettlement and Rehabilitation issues
	involved in this project. The project infrastructures will be of use to
	people of the area. The revenue of the State Govt. will be definitely
0 11 10	increasing due to the proposed activity. The entire project area is
Overall justification	devoid of any endangered flora and fauna. It is proposed to reclaim
for implementation	the land and develop green cover for eco-restoration with native
of the project.	species to a maximum possible extent. Additionally, an area is
	earmarked outside the proposed mining area for compensatory
	mass plantation. Also, a storm water pond is proposed outside the
	mining area for storage of rain water and for its subsequent use
	so as to conserve fresh water consumption. Thus the proposed
	project is not likely to affect the environment or adjacent ecosystem
	adversely,
Granianatica aft	
Explanation of how	Detailed Pre-Feasibility Report (PFR) with Environment Management
adverse impact have	Plan (EMP) is already submitted with E.C. Application.
been mitigated.	

- 2. The proposal was placed in the 58<sup>th</sup> Meeting of SEAC held on 28<sup>th</sup> & 29<sup>th</sup> June, 2016 and it was decided to defer the item for site inspection. Field visit to the Quarry project site was carried out on 18.07.2016 by the sub-committee of SEAC comprising Dr. E A Jayson and Sri. John Mathai,
- 3. The proposal was placed in the 63<sup>rd</sup> meeting of SEAC, Kerala, held on 04<sup>th</sup> October, 2016 and decided to defer the item for the production of following:
  - The boundary of the actual quarry area has to be limited to the elevated part and western part leaving the eastern side where the thickness of top soil and OB is more than 2 m. A fresh plan to be submitted excluding the above portion.
  - A clear distance of 100 m, will be kept as a buffer zone from the quarry edge to the temple and dwelling units.

- The approach road should be maintained and widened properly.
- The Green belt shall be provided around the periphery.

The proponent has submitted the documents / clarifications.

- 4. The proposal was placed in the 68<sup>th</sup> meeting SEAC held on 20<sup>th</sup>& 21<sup>st</sup> February 2017. The Committee verified the additional documents submitted by the proponent and found satisfactory. The Committee appraised the proposal based on the Mining Plan, Pre-feasibility Report, field visit report and all other documents submitted along with Form1. The Committee decided to **Recommend for Issuance of EC** subject to the following specific conditions in addition to the general conditions.
  - 1. The boundary of the actual quarry area has to be limited to the elevated part and western part leaving the eastern side where the thickness of top sail and OB is more than 2 m as shown in the revised Sketch submitted by the proponent.
  - 2. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent agreed to set apart Rs.8 lakh (non-recurring) and Rs.7 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat.

5. The proposal was placed in the 66th meeting of SEIAA held on 07.04.2017. The Authority decided to give a detailed note to AG / Legal department to seek legal opinion whether mining in lease areas without EC also comes under the scope of violation. The Authority decided to get the legal opinion at the earliest before the issuance of EC.

Then the proponent informed vide letter dt.15.09.2017 that the proposed quarry is a fresh one and there is no violation in any account. They have neither mining lease nor mining permit and had mentioned all these aspects in the application itself. Hence the proponent request to grant EC for the project.

- 6. The proposal was placed in the 74<sup>th</sup> meeting of SEIAA held on 09.10.2017. Authority decided to conduct a site visit to verify the present status of the project. Accordingly, the site visit was conducted by the Chairman and Member, SEIAA on 4<sup>th</sup> November 2017.
- 7. The proposal was placed before 76<sup>th</sup> SEIAA meeting held on 16<sup>th</sup> November 2017. Authority noticed that the extent of the eastern side where the Top soil / Over Burden are more than 2 m is not clear and therefore the Project Proponent should submit the details of the extent of the area (in hectares) on the eastern side where thickness of OB/Top Soil is more than 2 m and fence the area. The Chairman & Member, SEIAA were not convinced how the above area can be left out while mining all around it. Hence the Authority decided that a satisfactory explanation should also be furnished by the Project Proponent on this

before the issue of EC. The proponent has submitted the explanation sought by the Authority.


- 8. The proposal was placed in the 78<sup>th</sup> meeting of SEIAA held on 15.12.2017. Authority decided to issue EC subject to general condition in addition to the following specific conditions.
  - 1. The boundary of the actual quarry area has to be limited to the elevated part and western part leaving the eastern side where the thickness of top soil and OB is more than 2 m as shown in the revised Sketch submitted by the proponent.
  - 2. This area should be properly fenced and retained as such while quarrying all around as suggested in the inspection report.
  - 3. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent agreed to set apart Rs.8 lakh (non-recurring) and Rs.7 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat. The CSR amount should be included in the annual account of the company and the expenditure statement should be submitted to SEIAA along with the compliance report after getting certified by a Chartered Accountant. A notarised affidavit for the commitment of CSR activities and also agreeing all the general and specific conditions should be submitted before the issuance of EC.

- 9. The proponent has submitted an affidavit vide reference 9<sup>th</sup> cited, satisfying all the above conditions. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed stone quarry project in Survey Nos. 1107/1P, 1108/P, 1109/2P, 1110/2P, 1117/2P, 1118/1P, 1119/1P & 1121/3P at Perumbilavu Village, ThalappillyTaluk, Thrissur District, Kerala of Sri. P. K. Jaleel, Managing Partner, M/s Best Granites, Kadangode, Thippillissery P.O., Thalappilly Taluk, Thrissur District, Kerala-680 519, for an area of 6.3911 hectares, subject to the specific conditions as recommended in para 8 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- 10. The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The undertakings and conditions subject to all the mining features, Environmental Management Plans as undertaken

in the Mining Plan and EMP submitted to SEIAA will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.

- 11. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 12. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
  - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
  - ii. Instances of violation if any shall be reported to the District Collector, Thrissur to take legal action under the Environment (Protection) Act 1986.
- iii. The given address for correspondence with the authorised signatory of the project is Sri. P. K. Jaleel (Managing Partner). M/s Best Granites, Kadangode, Thippillissery P.O., ThalappillyTaluk, Thrissur District, Kerala-680 519



Sd/-


P.H.KURIAN.I.A.S, Member Secretary (SEIAA)

To,

Sri. P. K. Jaleel
Managing Partner
M/s Best Granites,
Kadangode, Thippillissery P.O.,
Thalappilly Taluk, Thrissur -680 519

#### Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. The Director, Mining & Geology, Thiruvananthapuram -4.
- 4. The Member Secretary, Kerala State Pollution Control Board
- 5. The District Collector, Thrissur
- 6. The District Geologist, Thrissur
- 7. The Tahasildar, Thalappilly Taluk, Thrissur District
- 8. Chairman, SEIAA.
- Website.
- 10. S/f
- 11. O/c





#### STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

### GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- 21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- 27. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.

31. All other statutory clearances should be obtained, as applicable, by project proponents from the

respective competent authorities including that for blasting and storage of explosives.

In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.

The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the

suggested safeguard measures in a time bound and satisfactory manner.

The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.

A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the

proponent.

41.

The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.

38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of

the quarry, visible to the public

The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.

40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.

The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order

streams, if any, originating from the mine lease shall be taken.

42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at

places loading and unloading points & transfer point to reduce fugitive emissions.

The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- 44. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM<sub>10</sub> and PM<sub>2.5</sub> such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- 50. The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- 51. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 53. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- The above conditions shall prevail not withstanding anything to the contrary, in consistent, or simplified, contained in any other behavior on consent given by any other authority for the same project.
- same project.

  This order is valid for a period of years of the expiry date of mine lease period issued by the Government of Kerala, which ever is the control of the Environmental Classical Classi
- The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land courted, in any ourt of law.
- 57. The mining operation shall be effected to above ground water table and it should not intersect ground water table.
- All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- 60. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

