

State Environment Impact Assessment Authority (SEIAA) Kerala

'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024

Ph: +91471-2742264 (Off); +91471-2742554 (Fax)

e-mail: seacseiaakerala@gmail.com

web: www.envt.kerala.gov.in; www.seiaakerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala

***Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara
Pandiyan, I.A.S., Member Secretary.***

**Sub: SEIAA Kerala – 44th meeting held on 13-11-2015– Environmental Clearance under EIA
Notification 2006 accorded for removal of ordinary/ brick earth- Accorded – Orders issued.**

Environmental Clearance

No. 688/SEIAA/EC1/5486/2014

dated, Thiruvananthapuram 25.11.2015

- Ref:**
- 1. O.M. No. L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.**
 - 2. Minutes of the 44th meeting held on 13-11-2015.**

ENVIRONMENTAL CLEARANCE NO. 103/2015/OE

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

General conditions

- The activity shall not involve blasting.
- The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- Removal of earth should be restricted to 2m above to the ground water table at the site.
- The excavation activity shall not alter the natural drainage pattern of the area.
- The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- Workers/ labourers shall be provided with facilities for drinking water and sanitation.

- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines

Violation of any of above general or specific conditions as applicable to the particular case will entail cancellation of the E.C., in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Thrissur by the Director of Environment and Climate Change.


Sd/-
P. MARA PANDIYAN, I.A.S.,
Member Secretary (SEIAA)
&
Principal Secretary to Government
(Environment & Forest Department)

To,

Sri. Babu Paul,
S/o Chiriyankandathu Palu
P.O. mission Quarters,
Thrissur.

Copy to:


1. District Collector, Thrissur.
2. Director, Mining & Geology, Kesavadasapuram,
3. Additional Tahsildar, Taluk Office, Thrissur.
4. Secretary, Corporation of Thrissur, Thrissur P.O.
5. DoECC,
6. Chairman, SEIAA
- ✓ 7. Stock File
8. Website
9. O/C



Forwarded/ By order

Administrator
SEIAA

Application for Environmental clearance for removal of Ordinary Earth / Brick Earth cleared in the 44th meeting of SEIAA held on 13-11-2015

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	5	6	7	8
44.07	Sri. Babu Paul, S/o Chiriyankandathu Palu P.O. mission Quarters, Thrissur.	Sy.Nos. 403 &406 at Ayyanthole Village, Thrissur Corporation, Taluk and District Quantity = 5000 m ³	18.11.2014 Certificate No. nil dated 17.11.14 Additional Tahsildar, Thrissur	Commercial	For Bhavana Tiles, Chittiserry	Quantity = 5000 m ³  G. RAJEEV Administrator State Environment Impact Assessment Authority Pallimukku, Pettah, Thiruvananthapuram-695024 Phone: 0471-2742254 Quantity= 400 m ³	File No. 688/SEIAA/EC1/548 6/2014 Approved the recommendations in Column 7
44.08	Sri. C. E. Sreedharan, Chirackal (H), Rajakkad P.O, Idukki- 685566	Sy. No. 99/9 at Rajakkad Village, Rajakkad Panchayath, Udumbanchola Taluk, Idukki District Quantity = 400 m ³	21.05.2015 Letter No. B3- 3816/2014 dtd. 15.05.2015 Sub- Collector, Devikulam	For levelling the ground	For Rajakkad bypass road and Rajakkad school- post office road	1. Removal should be in terraced manner limiting average depth of removal to 2m since the removed of earth is for railway work. 2. Quantity= 9000 m ³	File No. 795/SEIAA/EC3/190 1/2015 Approved the recommendations in Column 7
44.09	Sri. Sunil Kumar, Peratheril, Mavelikkara P.O, Alappuzha- 690101	Sy. Nos. 516/16, 19,9- 1, 11, 14, 13 & 18 at Mulakkuzha Village, Mulakkuzha Panchayath, Chengannur Taluk, Alappuzha District Quantity = 30,000 m ³	26.05.2015 Letter No. B2- 6765/2014 dtd. 19.05.2015, Tahsildar, Chengannur	For leveling the ground	For the Railway work		File No. 797/SEIAA/EC3/19 63/2015 Approved the recommendations in Column 7

Annexure

(vide item 2)

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

