

es on 08.12.2015

State Environment Impact Assessment Authority (SEIAA) Kerala

'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024

Ph: +91471-2742264 (Off) 0471-2742554 (Dir) +91471-2742554 (Fax)

e-mail: environmentdirector@ gmail.com

web: www.envt.kerala.gov.in www.seiaa.kerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala

Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member; Sri. P. Mara Pandiyan IAS,
Member Secretary

Sub: SEIAA Kerala - 38th meeting held on 4-6-2015 – Environmental Clearance under EIA
Notification 2006 accorded for removal of ordinary/ brick earth- Accorded – Orders
issued.

721

724

Environmental Clearance

No. ~~360~~ SEIAA/EC1/2519/2014

dated, Thiruvananthapuram 9.6.2015

- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment
& Forests, Government of India.
2. Minutes of the 38th meeting of SEIAA held on 4-6-2015.

ENVIRONMENTAL CLEARANCE NO. 27 /2015/OE

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006 read with
O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest,
Government of India, is accorded to the applicants named in column 2 of the annexure hereto in
strict compliance with the following general conditions and the specific conditions stipulated in
column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the
general ground level of the site, or that specifically stipulated by the Authority in column
of the annexure, whichever is less. The level should be prominently marked before
initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful
purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any
mishap.

- (vii) Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against the health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width the equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines
3. Violation of any of above general or specific conditions as applicable to the particular case, will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any shall be reported to the District Collector, by the Director of Environment and Climate Change.

Sd/-

Member Secretary (SEIAA)

To,


✓ Sri. Ahammad Abdullah,
Irippakkottil Veedu,
Peringala P.O. Ernakulam -683565

Copy to:

1. District Collector,
2. Tahsildar,
3. DoECC,
4. Director, Mining & Geology,
5. Secretary, Panchayat,
6. Chairman, SEIAA
7. Stock File
8. Website
9. O/C



Forwarded by order


Administrator
SEIAA

Sl. No.	Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendations of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEIA with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
38.64	Sri. K.N. Sasidhran Nair, Kochukalambukattu, Mannanam P.O., Kottayam, 686561	38.24 Ares of land in Sy. No. 303/8 and 285/7-4 at Athirampuzha Village and Panchayathi, Kottayam Taluk, Kottayam District Q = 5760 m ³	23-12-2014/ Deputy Collector (LR), Kottayam Letter No. E9-38471/2014 dated 04-12-2014	Leveling the plot to the already excavated level around the plot	Construction of Thiruvapur-Thumbekkalam road (Government of Kerala)	7 1. Removal should be in terraced manner limiting to average depth of 2m since the applicant has provided consent from owner of the adjacent properties. 2. 5700 m ³	8 (File No. 720/SEIAA/EC4/6044/2014) Approved the recommendations in Column 7
38.65	Sri. Ahammad Abdullah, Irippakkottil Veedu, Peringala P.O., Ernakulam -683565	49.87 ares of land in Re. Sy. No. 219/10-3, 219/8 at Kunnathunadu Village, Kunnathunadu Taluk, Ernakulam District Q = 15,000 m ³	25.11.2014 / Addl. Tahsildar, Kunnathunadu Letter No. G2-13004/2014 dtd. 12.11.2014	For plot levelling to the excavated lower around	For Infopark Phase II at Brahmapuram, Kakkannad	7 1. Removal should be in terraced manner limiting to average depth of 2 m since the applicant has provided consent from owner of the adjacent properties in Re. Sy. No. 219/10-3, 219/8 at Kunnathunadu Village and Taluk, Ernakulam District, Kerala 2. 9000 m ³	(File No. 721/SEIAA/EC3/6071/2014) Approved the recommendations in Column 7
38.66	Sri. Simon S/O Paulose, Machakkadu Veedu, Chengara Kara, Pattimattom Village, Ernakulam - 683562 and Smt. Saramma W/O Simon, Machakkadu Veedu, Chengara Kara, Pattimattom Village, Ernakulam -683562	1.084 Hectare of land in Sy. No. 377/1-1, 377/1-2, 377/1-3 at Arakkappadi Village, Kunnathunadu Taluk, Ernakulam District Q = 10500 m ³	18.11.2014 / Addl. Tahsildar, Kunnathunadu Letter No. G2-15807/2013 dtd. 21.10.2014	State Environment Impact Assessment Authority Pallimukku, Pettah Thiruvananthapuram-695024 For agriculture purpose, terraced in Sy. No. 377/1-1, 377/1-2, 377/1-3 at Arakkappadi Village, Kunnathunadu Taluk, Ernakulam District.	For agriculture purpose, terraced in Sy. No. 377/1-1, 377/1-2, 377/1-3 at Arakkappadi Village, Kunnathunadu Taluk, Ernakulam District.	7 1. Removal should be in terraced manner limiting to average depth of 75 cm since a paddy field is at the southern boundary of the property in Sy. No. 377/1-1, 377/1-2, 377/1-3 at Arakkappadi Village, Kunnathunadu Taluk, Ernakulam District. 2. 7000 m ³	(File No. 722/SEIAA/EC3/6072/2014) Approved the recommendations in Column 7