

PROCEEDINGS OF THE ADMINISTRATOR, STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, THIRUVANANTHAPURAM

(Present. MINIMOL V.G.)

Sub: SEIAA- Environmental clearance for the proposed building stone quarry project in Survey Nos. 1673/1, 1-1, 1-2, 1-11 & Re Sy No. 65/1, 2, 3, 4, 5 at Karikkodu, Karimkunnam Village, Thodupuzha Taluk, Idukki District, Kerala by Mr. Varghese Kurian - Granted - Orders issued.

State Environment Impact Assessment Authority, Kerala

No.1207/EC2/2019/SEIAA

dated, Thruvananthapuram 07.06.2019

- Ref: 1. Application received on 19.01.2019 from Mr. Varghese Kurian, Madapparambil (H), Kadavoor.P.O., Ernakulam – 686671
 - 2. Minutes of the 92nd SEAC Meeting held on 22nd January, 2019.
 - 3 Minutes of the 94th SEAC meeting held on 12th & 13th March 2019.
 4. Minutes of the 96th SEAC meeting held on 26th & 27th April 2019.

 - 5 Minutes of the 97th SEAC Meeting held on 21st & 22nd May 2019.
 - 6. Minutes of the 93rd SEIAA Meeting held on 30th May 2019.
 - 7. GDO (RL) No. 21/2017 Envl dated 12.04.2019

ENVIRONMENTAL CLEARANCE NO. 22/2019

Mr. Varghese Kurian, Madapparambil (H), Kadavoor.P.O., Ernakulam - 686671, vide his application read as 1st paper above, has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Survey Nos. 1673/1, 1-1, 1-2, 1-11 & Re Sy No. 65/1, 2, 3, 4, 5 at Karikkodu, Karimkunnam Village, Thodupuzha Taluk, Idukki District, Kerala for an area of 4.6612 Ha. The project comes under Category B2, Activity 1(a), (i) as per the Schedule of EIA Notification 2006.

The proposed project site falls within Latitude 09°52' 9.0" N to 09°52' 21.6" N to 2. Longitude 76° 43' 10.5" E to 76° 43' 19.0" E. The lease area consists of 4.6612 hectares, which is a private land. The proposed project is for quarrying of 1,98,270 tonnes / annum. The proposed life of mine is 12 years. The nearest town is Thodupuzha about 2.7 km from the quarry site. The total project cost is Rs. 80 Lakh.

- 3. The proposal was placed in the 92nd meeting of SEAC held on.22nd January, 2019. The Committee observed that the mining plan is devoid of many details and there are defects regarding air quality, plantation, proximity to another quarry etc. The Committee decided to ask the proponent to plot the area of quarry in the disaster management plan and to verify whether it is a landslide prone area and report immediately. Likewise, CER split up should also be provided.
- 4. After getting the details, the proposal was placed in the 94th SEAC meeting held on 12th & 13th MARCH 2019. The Committee entrusted Dr.N.Ajith Kumar & Dr.G.Sankar for the site inspection. The sub committee visited the site on 13.04.2019 and furnished the report.
- 5. The proposal with inspection report placed in the 96th meeting of SEAC held on 26th & 27th April 2019. The Committee accepted the recommendation of the Sub Committee and decided to ask the following details from the proponent.
 - 1. A proper garland canal should be included in the mining plan, the proponent should submit a modified drainage plan including garland canal with proper silt traps.
 - 2. The CER activities may be modified as per the guidelines provided in Office Memorandum (F.No.22-65/2017-IA.III dated 1st May 2018) of the Ministry of Environment, Forest and Climate Change, Government of India. The details of activities planned for each year should be specified.
 - 3. Fencing should be done immediately around the old quarry face with sign boards indicating danger zone
- 6. The proponent submitted the documents sought by 96th SEAC and the proposal was placed in the 97th meeting of SEAC held on 21st & 22nd May 2019 with the documents. The Committee after deliberations on the details submitted by the proponent decided to recommend for EC.

- 7. The proposal was then placed in 93rd meeting of SEIAA held on 30.05.2019 and the Authority decided to issue EC subject to general conditions and to the following specific conditions:
 - 1. Since the Thodupuzha river is flowing nearby the outlet drain should have a large siltation tank
 - 2. Take actions for periodic cleaning of silt trap and garland canal
 - 3. Construction of protection walls for the OB dumping site to check spill over
 - 4. The Corporate Environmental Responsibilities to be carried out as per OM F.No.22-65/2017-IA-III dt.01.05.2018 in consultation with the District Collector.
 - 5. The proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.
- 8. Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the quarry project of Mr. Varghese Kurian, Madapparambil (H), Kadavoor P.O., Ernakulam 686671, in Survey Nos. 1673/1, 1-1, 1-2, 1-11 & Re Sy No. 65/1, 2, 3, 4, 5 at Karikkodu, Karimkunnam Village, Thodupuzha Taluk, Idukki District, Kerala for an area of 4.6612 Ha., subject to the specific conditions in para 7 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 48), appended hereto will be applicable and have to be strictly adhered to.
- 9. The Clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 4 (Mining), Chapter 5 (Blasting), Chapter 6 (Mines Drainage), Chapter 7 (Stacking of Mineral rejects and Disposal of waste) Chapter 11 (Environment Management Plan) & Chapter 12 (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.

- 10. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 11. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
 - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
 - ii. Instances of violation if any shall be reported to the District Collector, Idukki.
 - iii. The given address for correspondence with the authorised signatory of the project is Mr. Varghese Kurian, Madapparanibil (H), Kadavoor.P.O., Ernakulam 686671

MINIMOL.V.G.
Administrator, SEIAA

To,
Mr. Varghese Kurian
Madapparambil (H)
Kadavoor.P.O.
Ernakulam – 686671

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Principal Secretary to Government, Environment Department, Government of Kerala.
 - 3. District Collector, Idukki
 - 4. Director, Mining & Geology, Thiruvananthapuram -4.
 - 5. The Member Secretary, Kerala State Pollution Control Board
 - 6. District Geologist, ldukki
 - 7. Tahsildhar, Thodupuzha Taluk, Idukki
 - 8. Secretary, Karimkunnam Panchayat, Karimkunnam.P.O.,Thodupuzha, Idukki 685586
 - 9. Village Officer, Karimkunnam Village, Karimkunnam P.O., Thodupuzha, Idukki 685586
 - 10. Chairman, SEIAA.
 - 11. Website.
 - 12. S/f
- 13. O/c

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA <u>GENERAL CONDITIONS</u> (for mining projects)

- 1. A separate environmental management and monitoring cell with qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 2. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 3. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 4. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 5. In view of the deep pits left after the excavation, stacking at maximum top level should be carried out.
- 6. Corporate Environment Responsibility agreed upon by the proponent should be implemented.
- 7. The project proponent shall comply the conditions stipulated by the statutory authorities concerned.
- 8. Tarring /multiple options on the access roads shall be undertaken so as to reduce dust pollution during movement of vehicle.
- 9. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention in the mining plan/specific condition.
- 11. Ground level should be fixed in individual cases separately
- 12. No mining operations should be carried out at places having a slope greater than 45°.
- Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB. This condition is applicable only in such cases if a crusher is adjacent to the quarry.
- 14. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 15. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 16. The transportation of minerals should be done in covered trucks to contain dust emissions.

 The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project. SEAC should assess the number of trees in each project site before the issuance of EC so as to ensure the promptness in planting.
- 17. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- 18. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 19. 50 m buffer distance should be maintained from forest boundaries.
- 20. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 21. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.
- The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 24. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

- The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language 25. informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- The Environmental Clearance shall be put on the website of the company by the proponent. 26.
- Proponent shall submit half yearly reports in soft copy and SEIAA will upload it on the website. 27.
- The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less 28. than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed. 29.
- No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior 30. approval of the SEIAA, as applicable.
- The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order 31. streams, if any, originating from the mine lease shall be taken.
- The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining 32. operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 450. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.
- Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into 33. the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul Road, loading and 34. unloading points and transfer points - it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and 35. properly maintained.
- Measures should be taken for control of noise levels below 85 dBA in the work environment. 36.
- The funds earmarked for environmental protection measures and CER activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be 37. reported to the State Environment Impact Assessment Authority (SEIAA) office.
- The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of 38. the Regional Office by furnishing the requisite data/information/monitoring reports.
- Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if 39. preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action 40. under the provisions of Environment (Protection) Act, 1986.
- The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the 41. right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.

The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the 42. same project.

The Environmental Clearance will be subject to the final order of the courts in any pending 43.

litigation related to the land or project, in any court of law.

The mining operation shall be restricted to above ground water table and it should not intersect 44.

All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area' 45.

Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project. 46.

Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in 47. the six monthly reports to SEIAA.

Occupational health surveillance program of the workers should be under taken periodically to 48.

observe any contractions due to exposure to dust and take corrective measures, if needed.

Administrator, SEIAA