

ABSTRACT

State Environment Impact Assessment Authority, Kerala - Removal of Ordinary Earth from Sy. No. 241/7, Puthuppally Village, Puthuppally Panchayath, Kottayam Taluk, Kottayam District, Application of Sri. V.J. Mathukkutty, Kumbanthanathu Puthen Purayil, Erikadu, Puthuppally P.O., Kottayam-686011 Environmental Clearance - Issued

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 501/SEIAA/KL/3494/2014

Date: 31.10.2014

- Ref:
1. Application dated 24.06.2014 from Sri. V.J. Mathukkutty, Kumbanthanathu Puthen Purayil, Erikadu, Puthuppally P.O., Kottayam-686011
 2. Letter No. B9-10582/2014 dated 05/07/14 of District Collector, Kottayam
 3. Minutes of 34th meeting of SEIAA held on 24.10.2014

ENVIRONMENTAL CLEARANCE NO. 77/2014

Sri. V.J. Mathukkutty, Kumbanthanathu Puthen Purayil, Erikadu, Puthuppally P.O., Kottayam-686011 applied for Environmental Clearance for removal of 1260 m³ of ordinary earth from 24m X 21m hecters of land comprised in Sy. No. 241/7, Puthuppally Village, Puthuppally Panchayath, Kottayam Taluk, Kottayam District for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	23.07.2014
a) Undertakings given by applicant			
2	Nature of Land	:	Purayidam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	241/7 20 cents of land in Sy. No. 241/7
4	Revenue authority who certified the Application	:	District Collector, Kottayam
5	Purpose of removal of Ordinary Earth	:	House construction
6	If to be transported out of the site, end use of the ordinary earth removed	:	Embankment of road in connection with upgradation of coasal roads in Kottayam district
b) Appraisal and Recommendation by SEAC			
7	Date of recommendation of SEAC for removal of ordinary earth	:	26/27-09-14
(c) Environmental Clearance by SEIAA			
8	Date of clearance given by SEIAA	:	24-10-2014
9	Quantity of ordinary earth sanctioned to be removed	:	1000m ³
10	Special condition if any for removal of ordinary earth from the site	:	Total extent of land in Sy. No. 241/7 is 50.5 ares where as the earth is proposed to be removed from nearly 20 cents of land.

2. Environmental Clearance under S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1All(M) dated 24.06.2013 is accorded to Sri. V.J. Mathukkutty, Kumbanthanathu Puthen Purayil, Erikadu, Puthuppally P.O., Kottayam-686011, the applicant, to remove 1000 m³ of ordinary earth from the land owned by him in Sy. No. 241/7, Puthuppally Village, Puthuppally Panchayath, Kottayam Taluk, Kottayam District in strict compliance with the general conditions in the annexure and also as per the special conditions stipulated in item 10 above.
3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Kottayam by the Director of Environment and Climate Change.



For Member Secretary (SEIAA)

To,

V.J. Mathukkutty,
Kumbanthanathu Puthen Purayil,
Erikadu, Puthuppally P.O.,
Kottayam-686011
Ph: 9037075903

Copy to:

1. The District Collector, Kottayam
2. The Tahsildar, Kottayam
3. The Director, Mining & Geology
4. The Secretary, Puthuppally Grama Panchayath, Kottayam-686011
5. The Chairman, SEIAA
6. Stock File
7. Website

ANNEXURE

(vide Item c.1 para 1)

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The borrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above conditions.



[Handwritten Signature]

C.S. YALAKKRI IPS
DIRECTOR

Department of Environment & Climate Change
Pallimukku, Pettah
Thiruvananthapuram-24