



Proceedings of the State Environment Impact Assessment Authority Kerala

*Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara Pandiyan, I.A.S.,
Member Secretary.*

Sub: SEIAA Kerala – 53rd meeting of SEIAA held on 24-05-2016– Environmental Clearance under EIA Notification, 2006 accorded for removal of ordinary earth/brick earth - E.C. Granted – Orders issued.

Environmental Clearance

No. 631/SEIAA/EC1/4860/20164

dated, Thiruvananthapuram 01-06-2016

- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.
2. Minutes of the 54th meeting of SEAC held on 06-07/04/2016.
3. Minutes of the 53rd meeting of SEIAA held on 24-05-2016.

ENVIRONMENTAL CLEARANCE NO. /08/2016/OE

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicant named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and

sanitation.

- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The quantity of O.E being excavated from each site and to be deposited at each work site shall be fixed.
- (xiii) Name of the work, site and quantity permitted to be removed from the site shall be exhibited on the vehicle.
- (xiv) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Thrissur by the State Environment Impact assessment Authority.

Sd/-
P. MARA PANDIYAN, I.A.S.
Member Secretary, SEIAA
&
Addl. Chief Secretary
Environment & Forests Department
Government of Kerala.

To,

Sri. K. C. Thomas,
Managing Director,
Thomson Tiles(P) Ltd,
Annallur,
Thrissur-680734

Copy to:

1. District Collector, Thrissur
2. Addl. Tahsildar, Chalakkudy Taluk Office, Thrissur
3. Director, Mining & Geology, TVM
4. Secretary, Mala Grama Panchayath, Mala P.O., Thrissur-680732
5. Chairman, SEIAA
6. Stock File
- ✓ 7. Website
8. O/C




Forwarded/ By order

Administrator, SEIAA

Application for Environmental clearance for removal of Ordinary Earth / Brick Earth for Public works cleared in the 53rd meeting of SEIAA held on 24-05-2016

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEIAA with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	Purpose of removal	Use of removed material	7	8
53.10	Sri. K. C. Thomas, Managing Director, Thomson Tiles(P) Ltd, Amallur, Thrissur-680734	Sy. No. 525/2 at Mala Grama Panchayath, Annalloor Village, Chalakkudy Taluk, Thrissur District Quantity = 1600 m ³	Ltr. No. B4/3588/14 dated 20-08-2014. Additional Tahsildar, Chalakkudy, Thrissur	Brick manufacturing (tile manufacturing)	Brick manufacturing (tile manufacturing)	The land shall be restored for agriculture purpose. Quantity = 1,600 m ³	File No. 631/SEIAA/EC1/4857/2015. Approved the recommendations in Column 7
53.17	Sri. Abdul Azees, Managing Partner, Inova Properties & Developers LLP, 107/41, 3 rd Floor, City Casil, East Fort, Thrissur-680005	Sy. Nos. 4/2B, 146/1 and 146/7 at Pathaikkara Village, Perinthalmanna Taluk, Perinthalmanna Municipality Malappuram District Quantity = 70,000 m ³	Ltr. No. nil dated 07-01-2015. Sub-Collector, Perinthalmanna, Thrissur	For levelling the plot for constructing the building	For filling and levelling the land.	Quantity = 20,000 m ³	File No. 778/SEIAA/EC1/907/2015. Approved the recommendations in Column 7


G. RAJAN
 Additional Secretary
 State Environmental Impact Assessment Authority
 P.O. Box 125
 P.O. Address: P.O. Box 125
 P.O. Address: P.O. Box 125
 P.O. Address: P.O. Box 125

